

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 11, Part 7

10 04 2007

ISSN 1015-8243

Contents/İçindekiler: Koçak, A. Ö. & M. Kemal, Synonymical and distributional List of the species of Kahramanmaraş Province (South Turkey) (Lepidoptera), p.133; editorial p.172.

Synonymical and distributional List of the species of Kahramanmaraş Province (South Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Kahramanmaraş Province (South Turkey) (Lepidoptera). *Priamus* 11 (7): 133-171.

This paper deals with the Lepidoptera species hitherto recorded in the Kahramanmaraş Province in the South Turkey. Totally 1394 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Kahramanmaraş Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Kahramanmaraş. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 1394 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Nemophora cupriacella (Hübner,[1819])** (Adelidae) *cupriacella* Hübner,[1819] 46
- 2) **Nemophora fasciella (Fabricius,1775)** (Adelidae) *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867 05 16 33 44 46
- 3) **Nemophora raddella (Hübner,1793)** (Adelidae) *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907 45 46
- 4) **Alucita desmodactyla Zeller,1847** (Alucitidae) *desmodactyla* Zeller,1847 42 46
- 5) **Alucita grammodactyla Zeller,1841** (Alucitidae) *grammodactyla* Zeller,1841 01 05 06 16 29 42 44 45 46 55 58 61 71
- 6) **Alucita hexadactyla Linnaeus,1758** (Alucitidae) *hexadactyla* Linnaeus,1758 05 46
- 7) **Alucita major (Rebel,1906)** (Alucitidae) *major* Rebel,1906 07 42 46
- 8) **Alucita zonodactyla Zeller,1847** (Alucitidae) *zonodactyla* Zeller,1847 33 35 46

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Miscellaneous Papers of the Cesa.

- 9) **Arctia (Epicallia) villica (Linnaeus,1758)** (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. 03 05 06 07 10 13 14 15 16 17 19 22 30 32 33 34 37 42 46 60 64 65 66 71
- 10) **Diaphora mendica (Linnaeus,1761)** (Arctiidae) *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936. 05 07 10 12 16 24 31 33 35 36 44 46 51 60
- 11) **Eilema complana (Linnaeus,1758)** (Arctiidae) *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939. 05 06 14 16 25 34 36 46
- 12) **Eilema costalis (Zeller,1847)** (Arctiidae) *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 13) **Eilema griseola (Hübner,[1803])** (Arctiidae) *griseola* Hübner,[1803]; *plumbeolata* Stephens,1829; *stramineola* Doubleday,1847. 46
- 14) **Eilema pseudocomplana (Daniel,1939)** (Arctiidae) *pseudocomplana* Daniel,1939 06 16 25 36 42 46 62
- 15) **Euplagia quadripunctaria (Poda,1761)** (Arctiidae) *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. 01 05 07 08 09 14 16 25 29 33 35 45 46 52 53 62 65
- 16) **Lacydes spectabilis (Tauscher,1806)** (Arctiidae) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. 03 06 13 23 24 25 26 30 38 42 46 50 58 65 70 73
- 17) **Muscula muscula (Staudinger,1899)** (Arctiidae) *muscula* Staudinger,1899 01 07 31 33 35 46 71
- 18) **Ocnogyna (s.str.) bellieri (Lederer,1855)** (Arctiidae) *bellieri* Lederer,1855; *banghaasi* Staudinger,1895. 01 02 07 31 33 42 46 63
- 19) **Ocnogyna (s.str.) herrichi Staudinger,1879** (Arctiidae) *herrichi* Staudinger,1879 01 12 33 44 46 62
- 20) **Paidia (s.str.) albescens (Staudinger,1892)** (Arctiidae) *albescens* Staudinger,1892 01 31 33 46
- 21) **Paidia (s.str.) cinerascens (Herrich-Schäffer,[1847])** (Arctiidae) *cinerascens* Herrich-Schäffer,[1847] 03 05 06 16 42 46 71
- 22) **Pelosia obtusa Herrich-Schäffer,[1847]** (Arctiidae) *obtusa* Herrich-Schäffer,[1847]; *taurica* Daniel,1939. 46
- 23) **Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 24) **Phragmatobia placida (Frivaldsky,1835)** (Arctiidae) *placida* Frivaldsky,1835 04 05 06 23 30 32 33 36 42 43 46 60 65
- 25) **Thumatha senex (Hübner,[1808])** (Arctiidae) *senex* Hübner,[1808]; *syriaca* Daniel,1939. 46
- 26) **Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. 01 05 07 13 16 21 30 33 44 46 47 48 56 58 63 65
- 27) **Aglais urticae (Linnaeus,1758)** (Argynnididae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 28) **Argynnis (Fabriciana) adippe (Rottemburg,1775)** (Argynnididae) *cydippe* Linnaeus,1761 (*rejected*); *berecynthia* Poda,1761 (*rejected*); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc. 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 29) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnididae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 30) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha ,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 31) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnididae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 32) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 33) **Brenthis daphne (Bergsträßer,1780)** (Argynnididae) *daphne* Bergsträßer,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 34) **Cynthia cardui (Linnaeus,1758)** (Argynnididae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 35) **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnididae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 36) **Issoria lathonia (Linnaeus,1758)** (Argynnididae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81

- 37) **Limenitis (Azuritis) reducta Staudinger,1901** (Argynnididae) *reducta Staudinger,1901*. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 38) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnididae) *#phoebe [Denis & Schiffermüller],1775; phoebe Goeze,1779; paedotropos Bergsträßer,[1780]; tremulae Piller & Mitterpacher,1783*. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 39) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnididae) *punica Oberthür,1876*. 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 40) **Melitaea (Cinclidia) collina Lederer,1861** (Argynnididae) *collina Lederer,1861*. 01 21 23 24 27 30 31 33 44 46 62 63 65 73
- 41) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) *didyma Esper,[1779]; armoricana Oberthür,1909*. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 42) **Melitaea (Didymaeformis) perseia Kollar,[1849]** (Argynnididae) *perseia Kollar,[1849]; caucasica Stgr.,1861; magnacasta, araratica Verity,1929; sargon Hemming,1932; tauricus Belter,1934; caasicicola Bryk,1940; hafiz, gina Higgins,1941; darius, pfeifferi, wernickei, elbursicola, safawides Gross & Ebert,1975*. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 43) **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnididae) *arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844*. 01 02 05 07 10 13 21 24 25 27 30 31 32 36 42 43 44 46 47 49 56 65 72 73 80
- 44) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) *cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791*. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 45) **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) *polychloros Linnaeus,1758; testudo Esper,1781; pyrrhomelaena Hübner,1824; pyromelas Freyer,1834; fervida Standfuss,1896*. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 46) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) *#xanthomelas [Denis & Schiffermüller],1775; xanthomelas Esper,[1781]*. 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 47) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) *c-album Linnaeus,1758; g-album Fourcroy,1785*. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 48) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) *egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932*. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 49) **Vanessa atalanta (Linnaeus,1758)** (Argynnididae) *atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewicz Schille,1896; #klimene Fischer,1896; italica Stichel,1900*. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 50) **Amselina cecestiella (Zeller,1868)** (Autostichidae) *cecestiella Zeller,1868; dissoluta Staudinger,1870*. 05 06 42 46 51 71
- 51) **Apiletria (Aretascetis) purulentella Stainton,1867** (Autostichidae) *purulentella Stainton,1867*. 01 05 42 46 76
- 52) **Aprominta bifasciata (Staudinger,1870)** (Autostichidae) *bifasciata Staudinger,1870; virginella Rebel,1902*. 01 16 31 33 35? 42 46 51
- 53) **Holcopogon bubulcellus (Staudinger,1859)** (Autostichidae) *bubulcellus Staudinger,1859; pulverulellus Constant,1865; barbata Walsingham,1900*. 01 05 16 42 46 65 70
- 54) **Mylothra pyrrhella Ragonot,1895** (Autostichidae) *pyrrhella Ragonot,1895; zeitunella Rebel,1902*. 06 31 46
- 55) **Oegoconia deauratella (Herrich-Schäffer,[1854])** (Autostichidae) *deauratella Herrich-Schäffer,[1854]; bacescui Popescu-Gorj & Capuse,1965*. 05 06 38 42 46
- 56) **Symmoca longipalpella Rebel,1914** (Autostichidae) *longipalpella Rebel,1914*. 46
- 57) **Symmoca straminella Gozmany,1986** (Autostichidae) *straminella Gozmany,1986*. 46
- 58) **Bombyx mori (Linnaeus,1758)** (Bombycidae) *mori Linnaeus,1758; sinensis Moore & Hutton,1862; croesi Moore & Hutton,1862; fortunatus Moore & Hutton,1862; arracanensis Moore & Hutton,1862; textor Moore & Hutton,1862*. 16 46
- 59) **Brachodes candefacta (Lederer,1858)** (Brachodidae) *candefacta Lederer,1858*. 46
- 60) **Brachodes compar (Staudinger,1879)** (Brachodidae) *compar Staudinger,1879*. 05 33 46
- 61) **Brahmaea (s.str.) ledereri Rogenhofer,1873** (Brahmaeidae) *ledereri Rogenhofer,1873*. 07 23 24 30 31 33 46 62 65 73 80
- 62) **Choreutis nemorana (Hübner,[1799])** (Choreutidae) *nemorana Hübner,[1799]; incisalis Treitschke,1828; nemoranalus Treitschke,1829; nemorella Herrich-Schäffer,1862*. 05 16 17 46 47 48
- 63) **Tebenna bjerkandrella (Borgström,1784)** (Choreutidae) *cardui Ström,1783; bjerkandrella Borgström,1784; prunnerella Rossi,1794; vibrana Hübner,[1813]; vibralis Treitschke,1835; kawabei Arita,1975*. 16 46 76
- 64) **Coleophora albicostella (Duponchel,1842)** (Coleophoridae) *albicostella Duponchel,1842; albimarginella Herrich-Schäffer,1855*. 16 46
- 65) **Coleophora albotitae Rebel,1935** (Coleophoridae) *albotitae Rebel,1935*. 06 29 46 58
- 66) **Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) *alcyonipennella Kollar,1832; cuprariella Zeller,1847; praticolella Zeller,1849; cuprifulgella Toll,1962*. 05 06 12 14 16 33 34 41 46 53 55 76
- 67) **Coleophora amasiella Stainton,1867** (Coleophoridae) *amasiella Stainton,1867*. 05 06 42 46 68
- 68) **Coleophora argyrella Herrich-Schäffer,1861** (Coleophoridae) *argyrella Herrich-Schäffer,1861*. 46
- 69) **Coleophora conspicuella Zeller,1849** (Coleophoridae) *conspicuella Zeller,1849; centaureicolella Bruand,[1856]; similis Staudinger,1880; aceris Caradja,1920*. 05 06 46 76
- 70) **Coleophora coronillae Zeller,1849** (Coleophoridae) *coronillae Zeller,1849*. 06 42 46 58

- 71) **Coleophora frischella (Linnaeus,1758)** (Coleophoridae) *frischella* Linnaeus,1758; *dannehli* Toll,1952; *auronitella* Toll,1962 05 35 44 46
- 72) **Coleophora galbulipennella Zeller,1838** (Coleophoridae) *galbulipennella* Zeller,1838; *otitae* Zeller,1839. 06 13 29 30 46
- 73) **Coleophora inflatae Stainton,1857** (Coleophoridae) *inflatae* Stainton,1857 46
- 74) **Coleophora mayrella (Hübner,[1813])** (Coleophoridae) *fabriciella* Villers,1789 nec Swed.,1787; *mayrella* Hübner,[1813]; *spissicornis* Haworth,[1828]; *moldaviella* Nemes,2004 05 16 34 46 53
- 75) **Coleophora ochrea (Haworth,[1828])** (Coleophoridae) *ochrea* Haworth,[1828] 03 06 13 30 42 46 71
- 76) **Coleophora ornatipennella (Hübner,1796)** (Coleophoridae) *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935. 05 14 16 33 42 46 76
- 77) **Coleophora pennella ([Denis & Schiffermüller],1775)** (Coleophoridae) *pennella* [Denis & Schiffermüller],1775; *borowskiella* Goeze,1783; *mucosa* Fourcroy,1785; *mucosella* Villers,1789; *onosmella* Brahm,1791; *struthionipennella* Hübner,1796; *cornuum* Vallot,1818; *hispanicella* Möschler,1866; *diffinis* Staudinger,1880; *nervosella* Müller-Rutz,1927; *flavilineella* Toll,1952; *gogovi* Capuse,1971 05 06 16 29 33 46 50 58
- 78) **Coleophora phlomidis Stainton,1867** (Coleophoridae) *phlomidis* Stainton,1867 05 06 12 23 33 42 46 58
- 79) **Coleophora serratulella Herrich-Schäffer,1855** (Coleophoridae) *serratulella* Herrich-Schäffer,1855 46
- 80) **Coleophora tristella Staudinger,1879** (Coleophoridae) *tristella* Staudinger,1879 05 46
- 81) **Coleophora vulnerariae Zeller,1839** (Coleophoridae) *vulnerariae* Zeller,1839; *icterella* Duponchel,1840; *vulnerariella* Doubleday,1859; *vulnerariella* Bruand,1859 05 06 46
- 82) **Coleophora vulpecula Zeller,1849** (Coleophoridae) *vulpecula* Zeller,1849; *vulpeculoides* Toll,1952 46 50
- 83) **Coleophora wockeella Zeller,1849** (Coleophoridae) *wockeella* Zeller,1849; *fumigatella* Caradja,1920; *italiae* Toll,1960 05 06 16 45 46
- 84) **Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920 05 06 16 38 42 46 76
- 85) **Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920; *amseli* Osthelder,1940 05 06 42 46
- 86) **Pancalia leuwenhoekella (Linnaeus,1761)** (Cosmopterigidae) *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833 05 16 44 46
- 87) **Tolliella fulguritella (Ragonot,1895)** (Cosmopterigidae) *fulguritella* Ragonot,1895; *copidobathra* Meyrick,1936. 31 46 63
- 88) **Cossulinus argentatus (Staudinger,1887)** (Cossidae) *argentatus* Staudinger,1887 42 46 65
- 89) **Cossulinus lignosus (Brandt,1938)** (Cossidae) *lignosus* Brandt,1938 04 12 25 30 36 42 46 49 50 58 68 69
- 90) **Cossus cossus (Linnaeus,1758)** (Cossidae) *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 91) **Dieida ledereri Staudinger,1871** (Cossidae) *ledereri* Staudinger,1871 0 30 33 46
- 92) **Dyspessa hethitica Daniel,1932** (Cossidae) *hethitica* Daniel,1932 44 46 60
- 93) **Dyspessa pallidata Staudinger,1901** (Cossidae) *#pallidata* Staudinger,1892; *pallidata* Staudinger,1901; *nigrita* Wagner,1931; *cerberus* Daniel,1939; *dueldueli* Daniel,1939. 01 03 05 31 42 46 58
- 94) **Dyspessa ulula (Borkhausen,1790)** (Cossidae) *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscula* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912. 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66
- 95) **Dyspessacossus fereidun Groum-Grshimailo,1895** (Cossidae) *fereidun* Groum-Grshimailo,1895; *firdusi* Wagner,1937. 30 31 33 46 65
- 96) **Isoceras bipunctatum (Staudinger,1887)** (Cossidae) *bipunctatum* Staudinger,1887 06 07 13 25 27 29 30 33 38 46 49 56 58 60 63 71 73
- 97) **Phragmacossia albida (Erschoff,1874)** (Cossidae) *albida* Erschoff,1874 05 24 25 30 33 35 36 38 46 58 71
- 98) **Phragmataecia castaneae (Hübner,1790)** (Cossidae) *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891 04 36 42 46
- 99) **Stygioides colchica (Herrich-Schäffer,[1851])** (Cossidae) *colchica* Herrich-Schäffer,[1851] 05 06 07 33 46
- 100) **Zeuzera pyrina (Linnaeus,1761)** (Cossidae) *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892 06 07 08 14 34 38 42 45 46 50 61
- 101) **Amata aequipuncta (Turati,1917)** (Ctenuchidae) *aequipuncta* Turati,1917 01 05 31 32 33 36 46 51 58
- 102) **Dysauxes famula (Freyer,1836)** (Ctenuchidae) *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *kaschmirensis* Rothschild,1910; *semidiaphana* Stauder,1921; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 103) **Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaiidae) *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759 01 07 20 21 23 33 35 46 48
- 104) **Syringopais temperatella (Lederer,1855)** (Deoclonidae) *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920 35 42 46
- 105) **Tinagma anchusellum Benander,1936** (Douglassiidae) *anchusellum* Benander,1936 05 06 23 42 46
- 106) **Tinagma columbellum (Staudinger,1880)** (Douglassiidae) *columbellum* Staudinger,1880. 05 42 46
- 107) **Cilix asiatica A.Bang-Haas,1907** (Drepanidae) *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913 05 06 07 10 12 17 30 33 36 42 45 46 47 50 58 65 71 73
- 108) **Watsonalla binaria (Hufnagel,1767)** (Drepanidae) *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802] 05 06 08 10 12 14 16 30 42 46 50 53 62 65 71 73
- 109) **Elachista argentella (Clerck,1759)** (Elachistidae) *argentella* Clerck,1759 05 06 16 33 42 46
- 110) **Elachista canapennella (Hübner,[1813])** (Elachistidae) *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] nec Fabricius,1794; *obs curella* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc. 05 16 46

- 111) **Elachista cingillella** (Herrich-Schäffer,[1855]) (Elachistidae) *cingillella* Herrich-Schäffer,[1855]; *densicornuella* Hodgkinson,1879 16 46
- 112) **Elachista incanella** Herrich-Schäffer,[1855] (Elachistidae) *incanella* Herrich-Schäffer,[1855] 05 16 46
- 113) **Epermenia (Calotropis) aequidentella** (Hofmann,1867) (Epermeniidae) *aequidentella* Hofmann,1867; *daucellus* Peyerimhoff,1870. 46
- 114) **Epermenia (Calotropis) chaerophyllella** (Goeze,1783) (Epermeniidae) *chaerophyllella* Goeze,1783; *testaceella* Hübner,[1813]; *fasciculellus* Stephens,1834; *nigrostriatellus* Heylaerts,1883; *turatiella* Constantini,1923. 16 46
- 115) **Epermenia (Calotropis) strictella** (Wocke,1867) (Epermeniidae) *strictella* Wocke,1867; *anthracoptila* Meyrick,1931. 46
- 116) **Deuterotinea palaestinensis** Rebel,1900 (Eriocottidae) *palaestinensis* Rebel,1900 46
- 117) **Deuterotinea syriaca** Lederer,1857 (Eriocottidae) *syriaca* Lederer,1857 46
- 118) **Ethmia amasina** (Staudinger,1879) (Ethmiidae) *amasina* Staudinger,1879 01 05 06 46 65
- 119) **Ethmia bipunctella** (Fabricius,1775) (Ethmiidae) *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947. 05 06 16 35 42 46 56 71
- 120) **Ethmia candidella** (Alpheraky,1908) (Ethmiidae) *candidella* Alpheraky,1908; *orientella* Caradja,1931. 16 42 46 65 71
- 121) **Ethmia caradjae** (Rebel,1907) (Ethmiidae) *caradjae* Rebel,1907; *chosroes* Wiltshire,1947 05 46
- 122) **Ethmia distigmatella** (Erschoff,1874) (Ethmiidae) *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940. 46
- 123) **Ethmia fumidella** (Wocke,1850) (Ethmiidae) *fumidella* Wocke,1850; *ardosiella* Caradja,1931. 16 35 45 46
- 124) **Ethmia iranella** Zerny,1940 (Ethmiidae) *iranella* Zerny,1940 46 71
- 125) **Ethmia pusiella** (Linnaeus,1758) (Ethmiidae) *pusiella* Linnaeus,1758; *scalella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796. 05 16 35 42 44 45 46
- 126) **Ethmia quadrinotella** (Mann,1861) (Ethmiidae) *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922. 01 05 06 31 42 46 71 76
- 127) **Ethmia tripunctella** (Staudinger,1879) (Ethmiidae) *tripunctella* Staudinger,1879 05 44 46 65 71
- 128) **Anacampsis obscurella** ([Denis & Schiffermüller],1775) (Gelechiidae) *obscurella* [Denis & Schiffermüller],1775; *subsequella* Hübner,1796. 05 16 46
- 129) **Anarsia (Ananarsia) lineatella** Zeller,1839 (Gelechiidae) *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967. 05 06 16 46 71
- 130) **Approaerema anthyllidella** (Hübner,[1813]) (Gelechiidae) *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964 05 16 42 46 71 76
- 131) **Aristotelia decurtella** (Hübner,[1813]) (Gelechiidae) *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891 46
- 132) **Aristotelia euprepella** Zerny,1934 (Gelechiidae) *euprepella* Zerny,1934 46
- 133) **Aristotelia jactatrix** Meyrick,1926 (Gelechiidae) *jactatrix* Meyrick,1926 46
- 134) **Aristotelia subericinella** (Duponchel,1843) (Gelechiidae) *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907 06 46
- 135) **Aroga aristotelis** (Millière,1875) (Gelechiidae) *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948. 01 05 21 42 46 71
- 136) **Aroga pascuicola** (Staudinger,1871) (Gelechiidae) *pascuicola* Staudinger,1871 46
- 137) **Athrrips rancidella** (Herrich-Schäffer,[1854]) (Gelechiidae) *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960. 05 46
- 138) **Atremaea lonchoptera** Staudinger,1871 (Gelechiidae) *lonchoptera* Staudinger,1871 46
- 139) **Bryotropha arabica** Amsel,1952 (Gelechiidae) *arabica* Amsel,1952 05 06 15 23 26 33 42 44 46 47 63 71
- 140) **Bryotropha dryadella** (Zeller,1850) (Gelechiidae) *dryadella* Zeller,1850; *saralella* Amsel,1952 16 38 46
- 141) **Bryotropha senectella** (Zeller,1839) (Gelechiidae) *senectella* Zeller,1839; *obscurella* Heinemann,1870; *phoebusella* Millière,1876; *larseni* Strand,1927 14 46
- 142) **Caryocolum proximum** (Haworth,[1828]) (Gelechiidae) *proximum* Haworth,[1828]; *maculiferella* Douglas,1851; *maculivicinella* Bruand,1859; *horticollia* Peyerimhoff,1871. 46
- 143) **Deltophora maculata** (Staudinger,1879) (Gelechiidae) *maculata* Staudinger,1879 05 06 31 42 46
- 144) **Dirhinosis arnoldiella** (Rebel,1905) (Gelechiidae) *arnoldiella* Rebel,1905 06 38 46
- 145) **Eulaprotes atrella** ([Denis & Schiffermüller],1775) (Gelechiidae) *atrella* [Denis & Schiffermüller],1775; *quadripunctella* Fabricius,1781; *umbriferella* Herrich-Schäffer,1854; *aurimaculella* Höfner,1896 46
- 146) **Evippe penicillata** Amsel,1961 (Gelechiidae) *penicillata* Amsel,1961 46
- 147) **Gelechia rhombelliformis** Staudinger,1871 (Gelechiidae) *rhombelliformis* Staudinger,1871 46
- 148) **Gelechia sabinella** (Zeller,1839) (Gelechiidae) *sabinella* Zeller,1839; *hoffmanniella* Strand,1901; *kalevalella* Kanerva,1936. 16 46
- 149) **Gnorimoschema tetrameris** (Meyrick,1926) (Gelechiidae) *tetrameris* Meyrick,1926 46
- 150) **Harpagidia magnetella** (Staudinger,[1871]) (Gelechiidae) *magnetella* Staudinger,[1871]; *pallidibasella* Ragonot,1895 16 45 46 65
- 151) **Isophrictis anthemidella** (Wocke,1871) (Gelechiidae) *anthemidella* Wocke,1871 05 06 35 46 65 71
- 152) **Isophrictis invisella** (Constant,1885) (Gelechiidae) *invisella* Constant,1885 46
- 153) **Istrianis femoralis** (Staudinger,1876) (Gelechiidae) *femoralis* Staudinger,1876; *comedonella* Staudinger,1879; *gravosensis* Rebel,1937; *angustipennis* Rebel,1941; *funebrella* Rebel,1941. 06 33 46
- 154) **Iwaruna biguttella** (Duponchel,1843) (Gelechiidae) *biguttella* Duponchel,1843 05 16 46
- 155) **Megacraspedus incertellus** Rebel,1930 (Gelechiidae) *incertellus* Rebel,1930 46
- 156) **Metzneria agraphella** (Ragonot,1895) (Gelechiidae) *agrappella* Ragonot,1895; *incognita* Walsingham,1904. 31 46
- 157) **Metzneria aprilella** (Herrich-Schäffer,[1854]) (Gelechiidae) *aprilella* Herrich-Schäffer,[1854] 05 06 16 33 42 46
- 158) **Metzneria ehikeella** Gozmany,1954 (Gelechiidae) *ehikeella* Gozmany,1954 06 46 71
- 159) **Metzneria intestinella** (Mann,1864) (Gelechiidae) *intestinella* Mann,1864 05 06 16 23 46

- 160) **Metzneria metzneriella** Stainton,1851 (Gelechiidae) *paucipunctella* Douglas,1850 *nec* Zeller,1851; *metzneriella* Stainton,1851. 42 46
- 161) **Metzneria paucipunctella** (Zeller,1839) (Gelechiidae) *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955. 06 46
- 162) **Metzneria varennei** Nel,1997 (Gelechiidae) *pannonicella* Rebel,1915; *varennei* Nel,1997. 46
- 163) **Mirificarma (s.str. (s.str.)) aflavella** (Amsel,1935) (Gelechiidae) *aflavella* Amsel,1935 31 46
- 164) **Mirificarma (s.str. (s.str.)) rhodoptera** (Mann,1866) (Gelechiidae) *rhodoptera* Mann,1866. 46
- 165) **Monochroa arundinetella** (Stainton,1858) (Gelechiidae) *arundinetella* Stainton,1858 46
- 166) **Neofaculta confidella** Rebel,1935 (Gelechiidae) *confidella* Rebel,1935 46 47
- 167) **Nothris sulcella** Staudinger,1879 (Gelechiidae) *sulcella* Staudinger,1879 05 35 46
- 168) **Nothris verbascella** (Brahm,1791) (Gelechiidae) *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828 05 06 16 38 42 46
- 169) **Platyedra subcinerea** (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847. 05 06 16 33 35 46 76
- 170) **Prolita solutella** (Zeller,1839) (Gelechiidae) *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932. 05 06 16 46
- 171) **Recurvaria nanella** ([Denis & Schiffermüller],1775) (Gelechiidae) *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927 46
- 172) **Scrobipalpa (Ilseopsis) divisella** (Rebel,1936) (Gelechiidae) *divisella* Rebel,1936 42 46
- 173) **Scrobipalpa (Ilseopsis) gallincolella** (Mann,1872) (Gelechiidae) *gallincolella* Mann,1872 46
- 174) **Sitotroga cerealella** (Olivier,1789) (Gelechiidae) *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938 06 46
- 175) **Sophronia consanguinella** Herrich-Schäffer,[1855] (Gelechiidae) *consanguinella* Herrich-Schäffer,[1855]; *marginella* Toll,1936 *nec* *marginella* Thunberg,1794 *non* Den. & Schiff.,1775. 42 46
- 176) **Stenolechia sagittella** Caradja,1920 (Gelechiidae) *sagittella* Caradja,1920 46
- 177) **Stomopteryx detersella** (Zeller,1847) (Gelechiidae) *detersella* Zeller,1847 05 06 16 33 42 45 46 65 71 76
- 178) **Stomopteryx remissella** (Zeller,1847) (Gelechiidae) *remissella* Zeller,1847 06 16 46
- 179) **Streya anguinella** (Herrich-Schäffer,1861) (Gelechiidae) *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934. 46
- 180) **Syncopacma captivella** (Herrich-Schäffer,[1854]) (Gelechiidae) *captivella* Herrich-Schäffer,[1854] 33 46
- 181) **Syncopacma maraschella** (Caradja,1920) (Gelechiidae) *maraschella* Caradja,1920 46
- 182) **Syncopacma polychromella** (Rebel,1902) (Gelechiidae) *polychromella* Rebel,1902 46
- 183) **Syncopacma rebeliella** (Caradja,1920) (Gelechiidae) *rebeliella* Caradja,1920 46
- 184) **Syncopacma syncrita** (Meyrick,1926) (Gelechiidae) *syncrita* Meyrick,1926. 46
- 185) **Teleiodes vulgella** ([Denis & Schiffermüller],1775) (Gelechiidae) *vulgella* [Denis & Schiffermüller],1775; *aspera* Haworth,1828. 29 46
- 186) **Teleiopsis terebinthinella** (Herrich-Schäffer,[1856]) (Gelechiidae) *terebinthinella* Herrich-Schäffer,[1856] 01 05 16 27 46
- 187) **Acanthovalva inconspicuaria** (Hübner,[1819]) (Geometridae) *inconspicuaria* Hübner,[1819]; *pumicaria* Lederer,1855; *osyraria* Guenée,[1858]; *cinerascens* Butler,1875; *perturbata* Bastelberger,1908; *cinnamomaria* Rothschild,1914. 31 46
- 188) **Aleucis distinctata** (Herrich-Schäffer,[1839]) (Geometridae) *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct. 05 17 31 46 47 59 71
- 189) **Aleucis mimetes** (Wehrli,1932) (Geometridae) *mimetes* Wehrli,1932 31 44 46 71
- 190) **Aplasta ononaria** (Fuessly,1783) (Geometridae) *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817] 05 06 09 13 16 17 23 31 33 39 40 41 42 46 48 59 65 71
- 191) **Aplocera annexata** (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
- 192) **Aplocera fraternata** (Herrich-Schäffer,1861) (Geometridae) *fraternata* Herrich-Schäffer,1861 16 33 42 46 51
- 193) **Aplocera munda** (Staudinger,1892) (Geometridae) *munda* Staudinger,1892 01 05 42 46
- 194) **Aplocera mundulata** (Guenée,[1858]) (Geometridae) *mundulata* Guenée,[1858]; *erubescens* Staudinger,1892; *submundulata* Staudinger,1892 05 21 23 30 46
- 195) **Aplocera musculata** (Staudinger,1892) (Geometridae) *musculata* Staudinger,1892 05 23 28 33 38 44 46 51
- 196) **Aplocera obsitaria** (Lederer,1853) (Geometridae) *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937 04 05 21 42 46 47 58 62 65 76
- 197) **Aplocera plagiata** (Linnaeus,1758) (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
- 198) **Apochima flabellaria** (Heeger,1838) (Geometridae) *flabellaria* Heeger,1838; *marmararia* Buresch,1915. 17 26 31 34 44 45 46 56
- 199) **Ascotis selenaria** ([Denis & Schiffermüller],1775) (Geometridae) *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#selenaris* Okyar & Aytac,1999 05 10 14 16 17 22 31 33 34 45 46
- 200) **Aspitates ochrearia** (Rossi,1794) (Geometridae) *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953 05 06 16 17 22 31 33 34 39 41 45 46 59 64 71 79
- 201) **Biston achyrus** Wehrli,1936 (Geometridae) *achyrus* Wehrli,1936 46 56
- 202) **Camtogramma bilineatum** (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilineararia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 05 06 14 16 17 22 23 31 33 34 35 36 38 39 42 45 46 59 65
- 203) **Cataclyme riguata** (Hübner,[1813]) (Geometridae) *riguata* Hübner,[1813]; *subtilisparsata* Wehrli,1932. 05 06 14 16 23 38 42 46 58 71 76

- 204) **Catarhoe cupreata** (Herrich-Schäffer,1839) (Geometridae) *cupreata* Herrich-Schäffer,1839 17 31 46
- 205) **Catarhoe permixtaria** (Guenée,[1858]) (Geometridae) *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858] 05 06 14 16 17 31 42 46 65 71
- 206) **Chesistege korbi** (Bohatsch,1909) (Geometridae) *korbi* Bohatsch,1909 06 24 31 46 58 71 76
- 207) **Chiasmia** (Godonela) **aestimaria** (Hübner,[1809]) (Geometridae) *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. 16 42 46 65
- 208) **Chiasmia** (Godonela) **syriacaria** (Staudinger,1871) (Geometridae) *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934. 06 31 46 76
- 209) **Chiasmia clathrata** (Linnaeus,1758) (Geometridae) *clathrata* Linnaeus,1758; *almacola* Wehrli,1934. 05 06 14 16 22 31 33 34 42 46 50 65 71
- 210) **Chloroclysta siterata** (Hufnagel,1767) (Geometridae) *siterata* Hufnagel,1767; *psittacata* [Denis & Schiffermüller],1775; *rubroviridata* Donovan,1810; *psittacaria* Boisduval,1840 33 46 65
- 211) **Crocallis** (s.str.) **elinguaria** (Linnaeus,1758) (Geometridae) *elinguaria* Linnaeus,1758; *trapezaria* Boisduval,1840 05 42 46
- 212) **Crocallis** (s.str.) **tusciaria** (Borkhausen,1793) (Geometridae) *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799] 05 17 31 42 46 58
- 213) **Cyclophora annularia** (Fabricius,1775) (Geometridae) *annularia* Fabricius,1775; *annulata* Schulze,1775 14 16 34 46
- 214) **Cyclophora porata** (Linnaeus,1767) (Geometridae) *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825 05 14 16 22 39 46 59
- 215) **Cyclophora punctaria** (Linnaeus,1758) (Geometridae) *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900 01 05 08 16 17 34 42 46 55
- 216) **Cyclophora puppillaria** (Hübner,[1799]) (Geometridae) *puppillaria* Hübner,[1799]. 06 07 14 16 17 31 33 34 42 45 46 58
- 217) **Dasycorsa modesta** (Staudinger,1879) (Geometridae) *modesta* Staudinger,1879 05 14 17 22 31 33 39 42 46 56 59 65 71
- 218) **Dicrognophos amanensis** (Wehrli,1934) (Geometridae) *amanensis* Wehrli,1934 46
- 219) **Dyscia** (Calodyscia) **innocentaria** (Christoph,1885) (Geometridae) *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923 05 06 16 17 35 38 42 45 46 50 71
- 220) **Ellicrinia cordiaria** (Hübner,1790) (Geometridae) *cordiaria* Hübner,1790 06 16 22 42 45 46 58 59 65 71
- 221) **Ennomos** (s.str.) **effractarius** Freyer,[1842] (Geometridae) *effractaria* Freyer,[1842] 31 42 44 46
- 222) **Epirrhone galiata** ([Denis & Schiffermüller],1775) (Geometridae) *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912 05 06 16 29 31 34 42 46 48 51
- 223) **Erannis declinans** (Staudinger,1879) (Geometridae) *declinans* Staudinger,1879. 05 33 46
- 224) **Erannis defoliaria** (Linnaeus,1761) (Geometridae) *#defoliaria* Clerk,1759; *defoliaria* Linnaeus,1761 06 22 34 39 46
- 225) **Eulithis roessleraria** (Staudinger,1871) (Geometridae) *roessleraria* Staudinger,1871; *pseudoledereri* Schwingenschuss,1939. 01 33 42 46
- 226) **Eumera turcosyrica** Wehrli,1932 (Geometridae) *turcosyrica* Wehrli,1932; *#turcosyriaca* Wehrli,1934. 31 42 46
- 227) **Euphyia frustata** (Treitschke,1828) (Geometridae) *frustata* Treitschke,1828; *muscicata* Donzel,1837; *fulvocinctata* Rambur,1866 05 42 46 61
- 228) **Eupithecia achyrdaghica** Wehrli,1929 (Geometridae) *achyrdaghica* Wehrli,1929 06 46
- 229) **Eupithecia breviculata** (Donzel,1837) (Geometridae) *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977. 05 06 16 17 31 35 39 42 46 65 71
- 230) **Eupithecia caeruleata** Favre,1899 (Geometridae) *caeruleata* Favre,1899 06 31 46 71
- 231) **Eupithecia cerussaria** (Lederer,1855) (Geometridae) *cerussaria* Lederer,1855 33 35 42 46
- 232) **Eupithecia distinctaria** Herrich-Schäffer,[1848] (Geometridae) *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millièr,1867; *piemonticola* Schwingenschuss,1954 07 33 42 46 65
- 233) **Eupithecia dodoneata** Guenée,[1858] (Geometridae) *dodoneata* Guenée,[1858]; *quercifoliata* A.Bang-Haas,1874; *austrina* Herbulot,1962 46
- 234) **Eupithecia extremata** (Fabricius,1787) (Geometridae) *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977. 06 31 32 33 35 42 45 46 65
- 235) **Eupithecia furcata** Staudinger,1879 (Geometridae) *furcata* Staudinger,1879 05 46
- 236) **Eupithecia gemellata** Herrich-Schäffer,1861 (Geometridae) *gemellata* Herrich-Schäffer,1861 16 46
- 237) **Eupithecia marasa** Wehrli,1932 (Geometridae) *marasa* Wehrli,1932 46
- 238) **Eupithecia millefoliata** Roesler,1866 (Geometridae) *millefoliata* Roesler,1866; *achilleata* Mabilie,1869; *#maeoticaria* Bohatsch,1893 06 42 46 58 76
- 239) **Eupithecia mystica** Dietze,1910 (Geometridae) *mystica* Dietze,1910; *wehrlii* F.Wagner,1931 31 42 46
- 240) **Eupithecia oblongata** (Thunberg,1784) (Geometridae) *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892. 05 06 16 17 42 46 58 65 71
- 241) **Eupithecia pfeifferi** Wehrli,1929 (Geometridae) *pfeifferi* Wehrli,1929 46
- 242) **Eupithecia semigraphata** Bruand,[1847] (Geometridae) *semigraphata* Bruand,[1847] 05 06 30 42 46
- 243) **Eupithecia silenicolata** Mabilie,1867 (Geometridae) *silenicolata* Mabilie,1867 05 42 46 65
- 244) **Eupithecia spissilineata** (Metzner,1846) (Geometridae) *spissilineata* Metzner,1846; *multilineata* Mann,1866. 05 06 07 30 42 46
- 245) **Eupithecia syriacata** Staudinger,1879 (Geometridae) *syriacata* Staudinger,1879; *semicaesia* Warren,1900. 31 46
- 246) **Eupithecia tantillaria** Boisduval,1840 (Geometridae) *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915 31 46
- 247) **Eupithecia terrenata** Dietze,1913 (Geometridae) *terrenata* Dietze,1913 46

- 248) **Eupithecia undata** (Freyer,[1840]) (Geometridae) *undata* Freyer,[1840]; *scriptaria* Herrich-Schäffer,1848; *puengeleri* Dietze. 46
- 249) **Eupithecia unedonata** (Mabille,1868) (Geometridae) *unedonata* Mabille,1868 31 34 46
- 250) **Glossotrophia (Libanonia) sacraria** (A.Bang-Haas,1910) (Geometridae) *sacraria* A.Bang-Haas,1910 31 46
- 251) **Glossotrophia (s.str.) diffinaria** L.B.Prout,1913 (Geometridae) *luridata* Staudinger,1871 *nec* Zell.; *diffinaria* L.B.Prout,1913 24 42 46 50
- 252) **Gnopharmia colchidaria** (Lederer,1870) (Geometridae) *colchidaria* Lederer,1870 27 31 46 47
- 253) **Gnopharmia rubraria** Staudinger,1892 (Geometridae) *rubraria* Staudinger,1892 27 46 65 71
- 254) **Gnophos (Dicrognophos) sartatus** (Treitschke,1827) (Geometridae) *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916. 05 16 17 20 31 34 35 42 45 46
- 255) **Gnophos (Neognophina) pfeifferi** Wehrli,1926 (Geometridae) *pfeifferi* Wehrli,1926 32 42 46
- 256) **Hierochthonia pulverata** (W.Warren,1901) (Geometridae) *pulverata* W.Warren,1901. 46
- 257) **Horisme corticata** (Treitschke,1835) (Geometridae) *corticata* Treitschke,1835 05 06 14 16 34 46
- 258) **Hylaea cedricola** (Wehrli,1929) (Geometridae) *cedricola* Wehrli,1929 46
- 259) **Hyposcotis (?) mutilata** (Staudinger,1879) (Geometridae) *mutilata* Staudinger,1879 05 42 44 46 47 58 65
- 260) **Hyposcotis (Euchrognophos) subtaurica** (Wehrli,1932) (Geometridae) *subtaurica* Wehrli,1932 31 33 46
- 261) **Hyposcotis (Euchrognophos) variegata** (Duponchel,1830) (Geometridae) *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932. 05 16 31 33 42 46 65
- 262) **Hyposcotis (Kemtrognophos) onustaria** (Herrich-Schäffer,[1852]) (Geometridae) *onustaria* Herrich-Schäffer,[1852] 05 14 16 31 33 46 61 67
- 263) **Hyposcotis (Kemtrognophos) zeitunaria** (Staudinger,1901) (Geometridae) *zeitunaria* Staudinger,1901 42 46 71
- 264) **Idaea aureolaria** ([Denis & Schiffermüller],1775) (Geometridae) *trilineata* Scopoli,1772 *nec* Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilineararia* Hübner,[1787]. 05 06 16 18 46
- 265) **Idaea camparia** (Herrich-Schäffer,[1852]) (Geometridae) *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. 01 05 07 16 17 22 30 33 35 45 46 59
- 266) **Idaea consanguinaria** (Lederer,1853) (Geometridae) *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929 05 16 17 31 33 34 35 38 42 46
- 267) **Idaea consolidata** (Lederer,1853) (Geometridae) *consolidata* Lederer,1853 05 06 07 16 34 46
- 268) **Idaea degeneraria** (Hübner,[1799]) (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 05 06 07 16 17 22 31 33 34 39 42 46 58 65 71
- 269) **Idaea determinata** (Staudinger,1876) (Geometridae) *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901. 01 07 22 31 33 39 46 71
- 270) **Idaea dimidiata** (Hufnagel,1767) (Geometridae) *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 *nec* Wehrli,1931; *tauricola* Wehrli,1934. 01 05 16 31 34 39 45 46
- 271) **Idaea elongaria** (Rambur,1833) (Geometridae) *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942. 01 07 16 17 31 34 46 71
- 272) **Idaea filicata** (Hübner,[1799]) (Geometridae) *filicata* Hübner,[1799]; *filicaria* Duponchel,1830 05 14 16 17 22 33 34 42 45 46 58 59 65 71
- 273) **Idaea gracilipennis** (W.Warren,1901) (Geometridae) *gracilipennis* W.Warren,1901; *#rubrolineata* Schwingenschuss,1933 46
- 274) **Idaea inquinata** (Scopoli,1763) (Geometridae) *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840 05 16 22 34 46
- 275) **Idaea intermedia** (Staudinger,1879) (Geometridae) *intermedia* Staudinger,1879 01 05 06 31 38 46 47 71
- 276) **Idaea ochrata** (Scopoli,1763) (Geometridae) *ochrata* Scopoli,1763; *#ochreata* [Denis & Schiffermüller],1775; *corrigrata* Fabricius,1781; *ochrearia* Schrank,1802 *nec* Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901 05 16 22 34 39 46 59 76
- 277) **Idaea ossiculata** (Lederer,1871) (Geometridae) *ossiculata* Lederer,1871 01 05 07 30 31 33 38 40 42 46 58
- 278) **Idaea ostrinaria** (Hübner,[1813]) (Geometridae) *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938. 01 07 16 17 31 33 42 46 59 71
- 279) **Idaea palaestinensis** (Sterneck,1933) (Geometridae) *antitaurica* Wehrli,1932 *nec* Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934. 07 17 22 31 34 46
- 280) **Idaea proclivata** (Fuchs,1902) (Geometridae) *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932. 46
- 281) **Idaea roseofasciata** (Christoph,1882) (Geometridae) *roseofasciata* Christoph,1882 46
- 282) **Idaea subsericeata** (Haworth,[1809]) (Geometridae) *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934 01 05 07 16 17 22 31 33 34 46 59
- 283) **Idaea textaria** (Lederer,1861) (Geometridae) *textaria* Lederer,1861 31 46
- 284) **Idaea trigeminata** (Haworth,[1809]) (Geometridae) *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. 01 05 07 16 17 31 33 34 46 65
- 285) **Idaea troglodytaria** (Herrich-Schäffer,[1852]) (Geometridae) *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939 01 07 09 31 33 46 48
- 286) **Larentia clavaria** (Haworth,[1809]) (Geometridae) *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901 14 46
- 287) **Ligdia lassulata** (Rogenhofer,1873) (Geometridae) *lassulata* Rogenhofer,1873 14 33 46 71
- 288) **Lithostege griseata** ([Denis & Schiffermüller],1775) (Geometridae) *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850 03 05 06 16 26 38 42 46 71
- 289) **Lobophora halterata** (Hufnagel,1767) (Geometridae) *halterata* Hufnagel,1767 06 46

- 290) **Lythria purpuraria** (Linnaeus,1758) (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 *nec* Sc.,1763; *sanguinolenta* Fourcroy,1785 *nec* Linn.,1767 05 06 14 16 17 22 31 33 34 38 39 42 46 58 60 69 71
- 291) **Myinodes shohami** Hausmann,1994 (Geometridae) *shohami* Hausmann,1994 07 17 46 47 56
- 292) **Nebula ludificata** (Staudinger,1870) (Geometridae) *ludificata* Staudinger,1870; *decipitata* Staudinger,1901 05 14 24 42 46 47 58
- 293) **Nebula reclamata** (L.B.Prout,1914) (Geometridae) *reclamata* L.B.Prout,1914 46
- 294) **Nebula salicata** ([Denis & Schiffermüller],1775) (Geometridae) *#salicata* [Denis & Schiffermüller],1775 01 05 16 17 29 34 35 36 42 46
- 295) **Neognopharmia stevenaria** (Boisduval,1840) (Geometridae) *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841 05 06 14 16 17 31 42 44 46 47
- 296) **Nychiodes (Eunychiodes) amygdalaria** (Herrich-Schäffer,[1848]) (Geometridae) *amygdalaria* Herrich-Schäffer,[1848] 06 16 21 31 33 44 45 46
- 297) **Nychiodes (Eunychiodes) divergaria** (Staudinger,1892) (Geometridae) *divergaria* Staudinger,1892 21 24 31 46 47
- 298) **Nychiodes (Fritzwagneria) waltheri** F.Wagner,1919 (Geometridae) *waltheri* F.Wagner,1919. 31 34 42 46 58 71
- 299) **Odontognophos zacharius** (Staudinger,1879) (Geometridae) *zacharia* Staudinger,1879 01 05 31 42 46 71
- 300) **Orthonama obstipata** (Fabricius,1794) (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 05 06 07 14 16 17 22 31 33 34 42 46 65 71
- 301) **Orthostixis calcaria** Lederer,1853 (Geometridae) *calcaria* Lederer,1853 05 42 46 65
- 302) **Orthostixis cribraria** (Hübner,[1799]) (Geometridae) *cribraria* Hübner,[1799]. 05 06 16 17 31 33 42 46 65
- 303) **Oulobophora externata** Freyer,1846 (Geometridae) *#externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyricea* Wehrli,1934. 05 16 31 33 34 35 42 46 56 65
- 304) **Paradarisa consonaria** (Hübner,[1799]) (Geometridae) *consonaria* Hübner,[1799] 46
- 305) **Peribatodes inaequalis** (Goeze,1781) (Geometridae) *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *syrictaurica* Wehrli,1931 05 16 17 22 31 33 34 36 42 45 46 59 65
- 306) **Peribatodes secundarius** ([Denis & Schiffermüller],1775) (Geometridae) *#secundaria* [Denis & Schiffermüller],1775; *fallentaria* Staudinger,1879; *druentaria* Cleu,1928; *syrisca* Wehrli,1933; *francosuevica* Schneider,1942; *rometschi* Schneider,1942; *occidentaria* Lempke,1953 05 14 34 46
- 307) **Peribatodes umbrarius** (Hübner,[1809]) (Geometridae) *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916 05 31 42 45 46 65 71
- 308) **Phaioграмма etruscaria** (Zeller,1849) (Geometridae) *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903. 05 16 17 31 33 39 42 46 65
- 309) **Philereme transversata** (Hufnagel,1767) (Geometridae) *transversata* Hufnagel,1767; *ramnata* [Denis & Schiffermüller],1775. 05 06 16 33 38 46 71
- 310) **Problepsis ocellata** (Frivaldszky,1845) (Geometridae) *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858] 01 07 31 33 35 46 48
- 311) **Proteuchloris neriaria** (Herrich-Schäffer,[1852]) (Geometridae) *neriaria* Herrich-Schäffer,[1852]. 05 14 16 17 31 33 46
- 312) **Protorhoe corollaria** (Herrich-Schäffer,[1848]) (Geometridae) *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935. 01 06 31 33 42 46 50
- 313) **Pseudopanthera syriacata** (Guenée,1852) (Geometridae) *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958 31 33 44 46 47 65
- 314) **Pseudoterpna coronillaria** (Hübner,[1817]) (Geometridae) *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 *nec* Z.,1847 35 46 48
- 315) **Pydna badiaria** (Freyer,[1841]) (Geometridae) *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854. 05 06 25 29 30 38 42 44 46 50 51 58 65 71
- 316) **Rhodometra sacraria** (Linnaeus,1767) (Geometridae) *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]; 01 05 06 07 09 16 17 22 27 33 34 42 45 46 51 58 59 63 65
- 317) **Rhodostrophia auctata** (Staudinger,1879) (Geometridae) *auctata* Staudinger,1879 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 318) **Rhodostrophia discopunctata** Amsel,1935 (Geometridae) *tabidaria* auct. *nec* Zell.,1847; *discopunctata* Amsel,1935 05 06 14 16 17 31 33 38 42 46 50 58 65
- 319) **Rhodostrophia sieversi** (Christoph,1882) (Geometridae) *sieversi* Christoph,1882 06 30 44 46 65 71
- 320) **Rhoptria asperaria** (Hübner,[1817]) (Geometridae) *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941. 16 17 42 46
- 321) **Scopula congruata** (Zeller,1847) (Geometridae) *congruata* Zeller,1847; *leukiberica* Wehrli,1927; *ablutata* Dannehl,1927. 31 46
- 322) **Scopula decorata** ([Denis & Schiffermüller],1775) (Geometridae) *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]. 03 05 06 14 16 29 30 38 39 42 43 45 46 51 58 60 71 76
- 323) **Scopula flaccidaria** (Zeller,1852) (Geometridae) *flaccidaria* Zeller,1852 01 05 16 22 31 33 39 46 59
- 324) **Scopula immistaria** (Herrich-Schäffer,[1852]) (Geometridae) *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852] 06 23 24 25 30 46 47 58 65 76

- 325) **Scopula luridata** (Zeller,1847) (Geometridae) *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855 01 05 07 33 35 38 46 47
- 326) **Scopula marginepunctata** (Goeze,1781) (Geometridae) *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891 01 05 14 16 17 22 24 31 34 35 38 39 42 46 58 59 65 71 76
- 327) **Scopula submutata** (Treitschke,1828) (Geometridae) *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902 01 05 06 07 16 17 24 31 33 42 45 46 47 58 71
- 328) **Scopula turbulentaria** (Staudinger,1870) (Geometridae) *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934 01 05 07 16 17 31 33 34 35 39 42 45 46
- 329) **Scotopteryx vicinaria** (Duponchel,1830) (Geometridae) *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919 05 06 31 37 46 65
- 330) **Selidosema plumarium** ([Denis & Schiffermüller],1775) (Geometridae) *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829. 05 46
- 331) **Semiothisa signaria** (Hübner,[1809]) (Geometridae) *signaria* Hübner,[1809] 46
- 332) **Stegania dilectaria** (Hübner,1790) (Geometridae) *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832] 22 34 42 46 65 71
- 333) **Stueningia poggearia** (Lederer,1855) (Geometridae) *poggearia* Lederer,1855 06 33 46
- 334) **Stueningia wolffi** Hausmann,1993 (Geometridae) *wolffi* Hausmann,1993 07 33 42 46
- 335) **Thalera fimbrialis** (Scopoli,1763) (Geometridae) *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75
- 336) **Thera (s.str.) variata** ([Denis & Schiffermüller],1775) (Geometridae) *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932. 01 07 14 34 37 46 58 61
- 337) **Therapis flavicaria** ([Denis & Schiffermüller],1775) (Geometridae) *flavicaria* [Denis & Schiffermüller],1775 22 46
- 338) **Thetidia persica** Hausmann,1996 (Geometridae) *persica* Hausmann,1996 30 46 58 65
- 339) **Wehrliola revocaria** (Staudinger,1892) (Geometridae) *revocaria* Staudinger,1892; *#fasciata* Wagner,1931. 42 46
- 340) **Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae) *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 *nec* Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840 05 06 14 16 17 22 33 34 39 42 46 51 58
- 341) **Xanthorhoe inconsiderata** (Staudinger,1892) (Geometridae) *inconsiderata* Staudinger,1892 05 46
- 342) **Triodia amasina** (Herrich-Schäffer,[1851]) (Hepialidae) *amasina* Herrich-Schäffer,[1851] 05 06 10 23 42 45 46 63 65 71
- 343) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 344) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 345) **Carcharodus (s.str.) alceae** (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 346) **Erynnis (Hesperopegasus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 347) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 348) **Gegenes nostradamus** (Fabricius,1793) (Hesperiidae) *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940. 01 02 07 09 16 17 24 27 33 34 35 45 46 59 63
- 349) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 350) **Muschampia nomas** (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855 01 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 70 73
- 351) **Muschampia poggei** (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 352) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *soviética* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 353) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 354) **Pelopidas thrax** (Hübner,[1821]) (Hesperiidae) *thrax* Hübner,[1821]; *midea* Walker,1870 01 07 09 10 31 33 35 46 48
- 355) **Pyrgus armoricanus** (Oberthür,1910) (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76

- 356) **Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 357) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 358) **Pyrgus sidae (Esper,[1784])** (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 359) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 360) **Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) *osthelderi* Pfeiffer,1932 13 21 23 27 30 31 46 63
- 361) **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsolata* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 362) **Thymelicus hyrax (Lederer,1861)** (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 363) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *forax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 364) **Thymelicus novus (Reverdin,1916)** (Hesperiidae) *novus* Reverdin,1916 04 05 13 21 23 25 30 46 47 56 62 65 73
- 365) **Thymelicus sylvestris (Poda,1761)** (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 366) **Chondrostega pastranum Lederer,1858** (Lasiocampidae) *pastranum* Lederer,1858; *hyrcanum* Staudinger,1871 01 03 05 06 46 50 63
- 367) **Dendrolimus pini (Linnaeus,1758)** (Lasiocampidae) *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Micheli,1959 05 06 08 14 17 19 25 36 46 53 60 61 62
- 368) **Eriogaster pfeifferi Daniel,1932** (Lasiocampidae) *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941 30 44 46
- 369) **Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71
- 370) **Lasiocampa grandis (Rogenhofer,1891)** (Lasiocampidae) *grandis* Rogenhofer,1891 01 06 07 11 12 13 14 19 41 42 44 46 50 56 62
- 371) **Lasiocampa trifolii ([Denis & Schiffermüller],[1775])** (Lasiocampidae) *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *terreni* Herrich-Schäffer 01 05 06 10 12 14 19 32 33 35 42 45 46 58 59
- 372) **Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 373) **Phylodesma tremulifolium (Hübner,[1810])** (Lasiocampidae) *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 374) **Trichiura crataegi (Linnaeus,1758)** (Lasiocampidae) *crataegi* Linnaeus,1758 05 14 33 46 53
- 375) **Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920. 05 07 16 35 42 45 46
- 376) **Homaloxestis briantiella (Turati,1879)** (Lecithoceridae) *briantiella* Turati,1879 05 46
- 377) **Homaloxestis hades Gozmany,1978** (Lecithoceridae) *hades* Gozmany,1978 46
- 378) **Lecithocera anatolica Gozmany,1978** (Lecithoceridae) *anatolica* Gozmany,1978 33 46
- 379) **Lecithocera nigrana (Duponchel,1836)** (Lecithoceridae) *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#lenticornella* Staudinger,1880. 05 16 34 38 39 46 77
- 380) **Lecithocera syriella Gozmany,1978** (Lecithoceridae) *syriella* Gozmany,1978 46
- 381) **Lemonia ballioni (Christoph,1888)** (Lemoniidae) *ballioni* Christoph,1888 01 04 05 13 23 25 44 46 50 56 58 70
- 382) **Lemonia pia Püngeler,1902** (Lemoniidae) *pia* Püngeler,1902 01 04 07 21 25 30 36 44 46 56 58 73 76
- 383) **Lemonia sacrosancta Püngeler,1902** (Lemoniidae) *sacrosancta* Püngeler,1902 31 46
- 384) **Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 385) **Callophrys paulae Pfeiffer,1932** (Lycaenidae) *paulae* Pfeiffer,1932; *kolak* Higgins,1965 24 25 30 38 46 50 51 60 62 65 69 70 73 75
- 386) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 387) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 388) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76

- 389) **Cigaritis acamas (Klug,1834)** (Lycaenidae) *acamas Klug,1834* 01 12 13 21 23 24 27 30 31 33 46 47 62 63 65 73
- 390) **Cigaritis cilissa Lederer,1861** (Lycaenidae) *cilissa Lederer,1861* 01 12 24 27 30 31 33 44 46 48 62 63
- 391) **Cigaritis uighurica Kemal & Koçak,2005** (Lycaenidae) *maxima Staudinger,1901 nec Elw.,1892; uighurica Kemal & Koçak,2005* 01 13 23 24 27 30 44 46 47 56 65 73
- 392) **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *osiris Meigen,[1829]; saportae Duponchel,1832; violacea Verity,1911; sebrus Boisduval,[1833].* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 393) **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) *alexis Poda,1761; damaetas [Denis & Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976.* 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 394) **Heodes (Loweia) tityrus (Poda,1761)** (Lycaenidae) *tityrus Poda,1761; acrion [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 395) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae Linnaeus,1758; armeniaca A.Bang-Haas,1906; chrysorhoas Fruhstorfer,1917; balcanicola Graves,1928.* 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 396) **Iolana lessei Bernardi,1964** (Lycaenidae) *lessei Bernardi,1964; christinae Betti,1977; cappadocia Betti,1977* 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 397) **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) *boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 398) **Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) *pirithous Linnaeus,1767; telicanus Lang,1789 tetrica Sagarra,1925.* 01 05 06 07 09 11 14 16 17 26 27 30 31 33 34 35 42 44 45 46 48 65 70 71 73 81
- 399) **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) *phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linnaeus,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 400) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) *carmon Gerhard,[1851, November]; euryпилus Freyer,[1851,December].* 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 401) **Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) *idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.* 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 402) **Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) *modicus Verity,1935; microsephyrus Verity,1935* 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 403) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus Linnaeus,1758; aegon Denis & Schiffermüller,1775; plouharnelensis Oberthür,1926; pulchraphilonome Verity,1931.* 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 404) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) *loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germanicae Pfeiffer,1932; dzhegamati Sheljuzhko,1934.* 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 405) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron Rottemburg,1775 nec Fabricius,1775; eumedon Esper,[1780]; osiris Bang-Haas,1927 nec Hopffer,1855; rumeliensis Eitschberger & Stein.,1975; jeanensis Eitschberger & Stein.,1975; kagizmanensis Koçak,1980.* 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 406) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus Staudinger,1871* 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 407) **Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) *anteros Freyer,[1838]; eroides Gerhard,[1851] nec Frivaldsky,1835; orpheus Nekrutenko,1980.* 01 03 05 06 07 10 11 14 15 16 18 19 26 29 32 33 34 37 38 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 77 81
- 408) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) *crassipunctus Christoph,1893; #crassipunctata Seitz,1909.* 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 409) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) *medon Hufnagel,1766 nec Linn.,1763; alexis Rottemburg,1775 nec Poda,1761; agestis [Denis & Schiffermüller],1775; astrarche Bergsträßer,[1779].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 410) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) *firdussii Forster,1956* 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 411) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus Esper,[1783]* 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 412) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) *alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002.* 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66

- 413) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03
05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 414) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) dama (Staudinger,[1892])** (Lycaenidae) *dama* Staudinger,[1892] 01
02 44 46 47
- 415) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard,[1851])** (Lycaenidae) *#hopfferi* Herrich-Schäffer,[August,1851] (uninominal); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961. 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 416) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43
44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 417) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) *mithridates* Staudinger,1878
02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 418) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892. 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66
69 70 71 76 80
- 419) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) theresiae Schurian et al.,1992** (Lycaenidae) *theresiae* Schurian et al.,1992
01 27 42 46
- 420) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri* Forster,1956 01 03 04 06
07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 421) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 422) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)** (Lycaenidae) *phyllis* Christoph,1877 38 46 51
58
- 423) **Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) eurypilos (Gerhard,[1851])** (Lycaenidae) *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46
48 50 51 58 60 62 66 69
- 424) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909].
01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59
60 61 62 65 66 69 70 71 73 74 76 80
- 425) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 01 02 03 04
05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55
58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 426) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae) *ossmar* Gerhard,[1851] 01 03 05 06 07 11 14
16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71
- 427) **Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae) *syriacus* Tutt,1914 01 31 33 46 51
- 428) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43
44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 429) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius* Esper,1789 *nec* Rottemburg,1775; *amandus* Schneider,1792 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44
46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 430) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. 01 03 05
06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 431) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33
34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 432) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59
60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 433) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama* Moore,1865 01 03 04 05 06 07 08 11 12 13 14 15 16 17
18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71
73 74 76
- 434) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus* Linnaeus,1758 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22
23 25 28 29 30 32 33 34 38 39 42 43 44 45 46 49 58 60 62 64 65 66 71 74
- 435) **Rubrapteris bavius (Eversmann,1832)** (Lycaenidae) *bavius* Eversmann,1832 01 05 06 07 08 09 13 14 16 17 21 23 24
27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 436) **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elta* Higgins,1964. 02
05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72
73 76 80

- 437) **Satyrium (Nordmannia) zabni Oorschot & Brink,1991** (Lycaenidae) #*zabni Higgins,1964; zabni Oorschot & Brink,1991.* 02 13 21 23 27 30 31 44 46 47 49 56 62 65 72 73
- 438) **Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) #*spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anaticus De Lattin,1950.* 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 439) **Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri Boisduval,1848* 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76
- 440) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus Freyer,[1843]* 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 441) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiera Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 442) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) #*helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].* 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 443) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].* 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 444) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.* 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 445) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis Klug,1834.* 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 446) **Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) *nesimachus Oberthür,1893* 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70
- 447) **Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) #*nogelii Herrich-Schäffer,[1851]; nogelii Freyer,[1851]; nogelii Herrich-Schäffer,[1852]* 01 03 05 06 07 14 18 19 21 23 26 27 32 33 42 44 46 50 51 55 58 60 62 65 66 71
- 448) **Tomares callimachus (Eversmann,1848)** (Lycaenidae) *callimachus Eversmann,1848* 13 30 36 44 46 47 63 65 73 76
- 449) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion Freyer,[1850]* 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 450) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803* 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 451) **Euproctis melania (Staudinger,1892)** (Lymantriidae) *melania Staudinger,1892; melaniodes Strand,1910.* 05 12 30 44 46 47 62 65
- 452) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoquisti Bryk,1942; variabilis Bryk,1949* 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 453) **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) *dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926* 06 07 11 12 17 19 23 25 30 33 36 46 50 62 65 71
- 454) **Parocneria detrita (Esper,[1785])** (Lymantriidae) *detrita Esper,[1785]; orientalis Schwingenschuss,1939; orientis Daniel,1963* 06 10 12 14 25 31 42 46 60
- 455) **Parocneria nora (Staudinger,1895)** (Lymantriidae) *nora Staudinger,1895* 46
- 456) **Parocneria samarita (Staudinger,1895)** (Lymantriidae) *samarita Staudinger,1895* 46
- 457) **Parocneria terebinthi (Freyer,[1838])** (Lymantriidae) *terebinthi Freyer,[1838]* 01 05 06 07 08 16 30 33 42 46 47 60
- 458) **Polymona destituta (Staudinger,1892)** (Lymantriidae) *destituta Staudinger,1892; maraschi Daniel,1932.* 30 46 47 71
- 459) **Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) *lapidicola Herrich-Schäffer,[1852]* 01 05 06 07 14 19 23 33 35 36 42 44 46 47 48 50 56 63 65 71 73
- 460) **Mompha (s.str.) ochraceella (Curtis,1839)** (Mompidae) *ochraceella Curtis,1839* 46
- 461) **Acantholipes regularis (Hübner,[1813])** (Noctuidae) *regularis Hübner,[1813]* 01 05 06 13 14 23 30 33 35 36 46 50 62 65
- 462) **Acrapex taurica (Staudinger,1900)** (Noctuidae) *taurica Staudinger,1900* 21 31 46
- 463) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala Fabricius,1787; ankarensis Hering,1933.* 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 464) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *aceris Linnaeus,1758* 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 465) **Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) *pasiphae Draudt,1936* 13 30 31 46 65
- 466) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) *psi Linnaeus,1758* 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 467) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) *rumicis Linnaeus,1758; litterata Panzer,1804; salicis Curtis,1826; diffusa Walker,1857* 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 468) **Aedia funesta (Esper,[1786])** (Noctuidae) *funesta Esper,[1786]* 01 05 08 10 16 17 32 33 35 39 46 48 61
- 469) **Aedophron phlebobrora Lederer,1858** (Noctuidae) *phlebobrora Lederer,1858* 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58 65 66 70 71
- 470) **Aegle semicana (Esper,[1798])** (Noctuidae) *semicana Esper,[1798]; vespertalis Hübner,[1813]; mimetes Brandt,1938.* 01 03 06 13 17 19 22 23 32 33 36 40 42 46 50 51 58 66
- 471) **Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)** (Noctuidae) *egorovi O.Bang-Haas,1934* 01 04 12 25 30 36 44 46 56 58 60 65 69 73

- 472) **Agrochola (Alpichola) lactiflora (Draudt,1934)** (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58
62 69 70 75
- 473) **Agrochola (Anchoscelis) deleta (Staudinger,1881)** (Noctuidae) *deleta* Staudinger,1881 05 06 08 33 46 64 70
- 474) **Agrochola (Anchoscelis) helvola (Linnaeus,1758)** (Noctuidae) *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago*
Clerck,1759. 05 08 14 17 31 36 38 46
- 475) **Agrochola (Anchoscelis) kindermannii (Fischer v. Röslerstamm,[1841])** (Noctuidae) *kindermannii* Fischer v.
Röslerstamm,[1841]; ballotae Duponchel,[1842]; cindermanni Hampson,1906; rufa Osthelder,1933; wolfschlaegeri
Boursin,1953. 05 06 09 13 33 34 46 64 70
- 476) **Agrochola (Anchoscelis) occulta Hacker,1996** (Noctuidae) *occulta* Hacker,1996 46
- 477) **Agrochola (Anchoscelis) osthelderi Boursin,1951** (Noctuidae) *osthelderi* Boursin,1951 06 31 33 46
- 478) **Agrochola (Anchoscelis) rupicapra (Staudinger,1879)** (Noctuidae) *rupicapra* Staudinger,1879 06 33 38 46 50 58 62 63
64
- 479) **Agrochola (Frivaldskyola) mansueta (Herrich-Schäffer,[1850])** (Noctuidae) *mansueta* Herrich-Schäffer,[1850]; *pontica*
Staudinger,1901. 13 23 27 33 35 46 56 63 64 70
- 480) **Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) *#lychnidis [Denis & Schiffermüller],1775; pistacina* Goeze,1781.
02 05 13 31 46 56 60 62 63
- 481) **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata*
Treitschke,1835; golickei Erschoff,1872; huguenini Rühl,1891. 01 03 05 06 07 08 14 18 21 25 33 36 42 46 50 58 59 61 62
63 65 70
- 482) **Agrotis (Crassagrotis) obesa (Boisduval,1829)** (Noctuidae) *obesa* Boisduval,1840 01 06 08 18 20 25 46 50 58 62 63 65
71
- 483) **Agrotis (Putagrotis) herzogi (Rebel,1911)** (Noctuidae) *herzogi* Rebel,1911; *hoggari Rothschild,1920; minima* Turati,1924;
securifera Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940 01 23 31 46 47 56 63
- 484) **Agrotis (Putagrotis) puta (Hübner,[1803])** (Noctuidae) *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens*
Hübner,[1824]; lignosa Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873;
meridionalis Spuler,1905; *andreasi, minima, silvestrii* Turati,1924; *insula* Richardson,1958. 01 05 06 07 09 14 15 16 17
18 20 31 33 34 35 46 50 52 55 56 57 63 67 71
- 485) **Agrotis (Putagrotis) syricola Berio,1936** (Noctuidae) *#syricola* Corti & Draudt,1933; *syricola* Berio,1936 01 06 07 17
33 42 44 45 46 47 50 56 63
- 486) **Agrotis (s.str.) biconicus Kollar,[1844]** (Noctuidae) *spinifera* Hübner,[1808] *nec Vill.,1789; biconica* Kollar,[1844]. 01
07 45 46 63
- 487) **Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)** (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura*
Hübner,[1803]; dentimaculatus Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886;
alpigena Calberla,1888; *tephрина* Staudinger,1901; *eximia* Culot,1910. 04 05 06 08 16 18 36 46 50 51 58 69
- 488) **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) *desertorum* Boisduval,1840 04 06 18 24 25 30 33 36 42 46 50
51 58 60 62 65 69 70 71
- 489) **Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina*
Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le
Cerf,1924; nigriorbis Zerny,1934. 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 490) **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea*
Cramer,[1780]; spinula Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37
42 46 47 50 51 58 62 63 65 69 71
- 491) **Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida*
[Denis & Schiffermüller],1775; undulatus Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus*
Haworth,1803; monileus Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803;
nigricornutus Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840;
dimidia Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus*
Walker,1857; denticulosus Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865;
ingratus Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35
36 38 42 46 50 51 58 60 63 65 71
- 492) **Agrotis (s.str.) trux (Hübner,[1824])** (Noctuidae) *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera*
Stephens,1829; terranea Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
05 06 08 18 25 33 38 42 46 50 51 52 58 63
- 493) **Allophyes benedictina (Staudinger,1892)** (Noctuidae) *benedictina* Staudinger,1892 06 46
- 494) **Allophyes metaxys Boursin,1953** (Noctuidae) *metaxys* Boursin,1953 08 25 31 36 46 58
- 495) **Ammoconia caecimacula (Fabricius,1787)** (Noctuidae) *caecimacula* Fabricius,1787 08 12 14 24 36 46 62 66 75
- 496) **Ammoconia senex (Geyer,[1828])** (Noctuidae) *senex* Geyer,[1828]. 06 13 17 18 24 25 30 36 38 46 50 56 58 64 70
- 497) **Amphipyra boursini Hacker,1998** (Noctuidae) *boursini* Hacker,1998 46
- 498) **Amphipyra micans Lederer,1857** (Noctuidae) *micans* Lederer,1857 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 499) **Amphipyra molybdea Christoph,1867** (Noctuidae) *molybdea* Christoph,1867 46
- 500) **Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766. 01 05 06 08 09
14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65
- 501) **Antennola impura (Mann,1862)** (Noctuidae) *impura* Mann,1862 01 16 46
- 502) **Antholopha gloriosa (Staudinger,1892)** (Noctuidae) *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta*
Osthelder,1933; #grisea Osthelder,1933. 01 06 25 27 31 36 44 46 47 58 60 62 63 64
- 503) **Anthracia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) *eriopoda* Herrich-Schäffer,[1851] 09 16 17 33 46 62
- 504) **Antitype chi (Linnaeus,1758)** (Noctuidae) *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929. 06 12
36 42 46 66 70

- 505) **Antitype jonis** (Lederer,1865) (Noctuidae) *jonis* Lederer,1865; *amasina* Staudinger,1901. 04 05 08 25 30 33 36 38 44
45 46 50 58 62 65 69 70
- 506) **Apamea anceps** ([Denis & Schiffermüller],1775) (Noctuidae) *anceps* [Denis & Schiffermüller],1775 01 04 06 18 20 25
32 33 38 42 46 49 50 51 58 60 65 66
- 507) **Apamea ferrago** (Eversmann,1837) (Noctuidae) *ferrago* Eversmann,1837 04 08 24 25 36 38 46 50 51 58 60 61 65 75 76
- 508) **Apamea furva** ([Denis & Schiffermüller],1775) (Noctuidae) *#furva* [Denis & Schiffermüller],1775 04 06 08 18 24 25
28 33 36 46 51 53 58 60 61 65
- 509) **Apamea leucodon** (Eversmann,1837) (Noctuidae) *leucodon* Eversmann,1837 04 06 25 33 36 42 44 46 50 51 58 60 65
- 510) **Apamea maraschi** (Draudt,1934) (Noctuidae) *maraschi* Draudt,1934 12 21 23 24 27 30 31 33 46 47 56 63 73
- 511) **Apamea polyglypha** (Staudinger,1892) (Noctuidae) *polyglypha* Staudinger,1892 08 13 24 27 30 46 53 56 63 65
- 512) **Apamea sicula** (Turati,1909) (Noctuidae) *sicula* Turati,1909 06 17 31 33 46
- 513) **Apamea syriaca** (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs &
Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 514) **Apopestes noe** Ronkay,1990 (Noctuidae) *noe* Ronkay,1990 06 16 44 46
- 515) **Aporophyla australis** (Boisduval,1829) (Noctuidae) *australis* Boisduval,1829 05 06 07 18 27 33 44 46 47 50 56 62 63
70
- 516) **Aporophyla canescens** (Duponchel,1826) (Noctuidae) *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli*
Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933. 05 20 44 46 56 63
- 517) **Aporophyla nigra** (Haworth,[1809]) (Noctuidae) *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans*
Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 01 06 33 46 56 63
- 518) **Arenostola phragmitidis** (Hübner,[1803]) (Noctuidae) *phragmitidis* Hübner,[1803] 02 23 42 46 63
- 519) **Arenostola unicolor** W.Warren,1914 (Noctuidae) *unicolor* W.Warren,1914 01 19 36 46 50 58 60 65
- 520) **Ariathisa abyssinia** (Guenée,1852) (Noctuidae) *abyssinia* Guenée,1852; *excisa* Herrich-Schäffer,[1854]; *atrosignata*
Walker,1865; *europaea* Fernandez,1928 46
- 521) **Asteroscopus syriaca** (Warren,1910) (Noctuidae) *syriaca* Warren,1910; *decipulae* Kovacs,1966. 03 06 16 31 46 58
- 522) **Atethmia ambusta** (Fabricius,1787) (Noctuidae) *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787 05
06 27 46
- 523) **Atethmia centrago** (Haworth,[1809]) (Noctuidae) *centrago* Haworth,[1809]. 05 06 33 46 50
- 524) **Atethmia obscura** Osthelder,1933 (Noctuidae) *obscura* Osthelder,1933 23 44 46
- 525) **Autophila** (Cheirophanes) **ligaminosa** (Eversmann,1851) (Noctuidae) *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
05 06 08 13 14 17 18 25 33 36 42 46 50 65 73
- 526) **Autophila** (s.str.) **cerealis** (Staudinger,1871) (Noctuidae) *cerealis* Staudinger,1871 42 46
- 527) **Autophila** (s.str.) **depressa** (Püngeler,1914) (Noctuidae) *depressa* Püngeler,1914 23 30 44 46
- 528) **Autophila** (s.str.) **einsleri** Amsel,1935 (Noctuidae) *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa*
Schwingenschuss,1939. 01 06 23 25 31 46
- 529) **Autophila** (s.str.) **libanotica** (Staudinger,1901) (Noctuidae) *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis*
Boursin,1962. 04 06 12 08 24 30 38 42 46 51 58 65
- 530) **Basistriga flammata** ([Denis & Schiffermüller],1775) (Noctuidae) *flammata* [Denis & Schiffermüller],1775; *bimaculata*
Milliere,1885. 01 04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 531) **Behouneka freyeri** (Frivaldsky,1835) (Noctuidae) *freyeri* Frivaldsky,1835; *senescens* Eversmann,1856. 01 05 06 13 18
25 30 32 35 36 38 42 46 47 50 51 62 65
- 532) **Bryomima luteosordida** Osthelder,1933 (Noctuidae) *luteosordida* Osthelder,1933 46
- 533) **Callophistria latreillei** (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum*
Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsafikis,1973. 01 03 05 06 07 08 16 32 33 35 42 46 50 51 52
- 534) **Calophasia platyptera** (Esper,[1788]) (Noctuidae) *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera*
Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901. 01 05 07 15 16 23 24 31 32 33 46 50 58 66
- 535) **Calymma communimacula** ([Denis & Schiffermüller],1775) (Noctuidae) *communimacula* [Denis & Schiffermüller],1775
06 17 30 32 42 46 50 51 58
- 536) **Caradrina** (Boursinidrina) **rjabovi** (Boursin,1936) (Noctuidae) *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 04
13 25 36 44 46 58 62 65
- 537) **Caradrina** (Boursinidrina) **syriaca** (Staudinger,1892) (Noctuidae) *syriaca* Staudinger,1892 06 07 44 46 49 63 71
- 538) **Caradrina** (Eremodrina) **avis** (Pinker,1980) (Noctuidae) *avis* Pinker,1980 04 46 51 58
- 539) **Caradrina** (Eremodrina) **belucha** (Swinhoe,1885) (Noctuidae) *belucha* Swinhoe,1885; *conditorana* Pinker,1980 36 46
58
- 540) **Caradrina** (Eremodrina) **gilva** (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929 04 05 06 08 12
13 24 25 29 30 38 42 46 51 58
- 541) **Caradrina** (Eremodrina) **inumbata** (Staudinger,1900) (Noctuidae) *inumbata* Staudinger,1900; *inumbatella* Pinker,1980
01 04 08 25 36 44 46 58 62 65
- 542) **Caradrina** (Eremodrina) **vicina** (Staudinger,1870) (Noctuidae) *vicina* Staudinger,1870; *perspicua* W.Warren,1911 01
04 06 08 25 33 36 42 46 50 51 58
- 543) **Caradrina** (Eremodrina) **zernyi** (Boursin,1936) (Noctuidae) *zernyi* Boursin,1936; *signata* Boursin,1936 01 03 05 13 30
31 42 44 46 58
- 544) **Caradrina** (Paradrina) **clavipalpis** (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766;
quadripunctata Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862;
avicula Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44
46 50 51 56 58 60 62 63 64
- 545) **Caradrina** (Paradrina) **flavirena** (Guenée,1852) (Noctuidae) *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita*
W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980 01 06 07 08 09 10 17 31 32 33 35 46 51 64

- 546) **Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913. 03 05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 66
- 547) **Caradrina (s.str.) agrotina (Staudinger,1892)** (Noctuidae) *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933. 05 06 31 33 42 46 62
- 548) **Catocala (s.str.) abacta Staudinger,1900** (Noctuidae) *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986. 01 02 07 12 13 23 30 42 44 46 47 48 62 65 73
- 549) **Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) *nupta* Linnaeus,1767 13 16 33 38 39 46 51 59 65
- 550) **Chazaria incarnata (Freyer,1838)** (Noctuidae) *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. 01 05 06 07 18 20 23 24 25 33 34 36 38 39 42 44 45 46 50 51 58 63 65 71
- 551) **Chersotis capnistis (Lederer,1872)** (Noctuidae) *capnistis* Lederer,1872; *neara* Püngeler,1902. 01 03 06 08 18 25 29 32 36 38 42 43 46 50 51 58 60 65 66
- 552) **Chersotis ebertorum Koçak,1980** (Noctuidae) *marashi* Corti & Draudt,1933 (p.61) *nec* Corti & Draudt,1933 (p.58); *ebertorum* Koçak,1980. 01 30 44 46
- 553) **Chersotis fimbriola (Esper,[1798])** (Noctuidae) *fimbriola* Esper,[1798] 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70
- 554) **Chersotis glebosa (Staudinger,1900)** (Noctuidae) *glebosa* Staudinger,1900 04 12 25 25 30 38 46 58 60 65 69
- 555) **Chersotis gratissima (Corti,1932)** (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 556) **Chersotis illauta (Draudt,1936)** (Noctuidae) *illauta* Draudt,1936 04 12 25 42 46 50 51 65 70
- 557) **Chersotis juvenis (Staudinger,1901)** (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 558) **Chersotis laeta (Rebel,1904)** (Noctuidae) *laeta* Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70
- 559) **Chersotis margaritacea (Villers,1789)** (Noctuidae) *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982 01 06 08 16 18 25 36 42 46 50 61
- 560) **Chersotis multangula (Hübner,[1803])** (Noctuidae) *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951. 03 04 05 08 14 18 25 30 32 33 36 42 46 50 51 58 60 66
- 561) **Chersotis semna (Püngeler,1906)** (Noctuidae) *semna* Püngeler,1906 04 06 08 18 25 33 42 46 50 51 58 60 62 66 69
- 562) **Chilodes maritima (Tauscher,1806)** (Noctuidae) *maritima* Tauscher,1806; *bipunctana* Haworth,1812. 33 42 46 51
- 563) **Chloantha hypericii (Fabricius,1787)** (Noctuidae) *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 564) **Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) *opposita* Lederer,1870; *#obscurior* Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 565) **Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) *baetica* Rambur,1837 27 44 46 47 56 58 63
- 566) **Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) *terrulenta* Christoph,1893 30 46 56
- 567) **Conistra (s.str.) acutula (Staudinger,1892)** (Noctuidae) *acutula* Staudinger,1892 31 46 63
- 568) **Conistra (s.str.) rubiginosa (Scopoli,1763)** (Noctuidae) *rubiginosa* Scopoli,1763; *silene* [Denis & Schiffermüller],1775; *vaupunctatum* Esper,[1786]. 15 46 58
- 569) **Conistra (s.str.) torrida (Lederer,1857)** (Noctuidae) *torrida* Lederer,1857 06 15 23 46 50 58 70
- 570) **Conistra (s.str.) veronicae (Hübner,[1813])** (Noctuidae) *veronicae* Hübner,[1813] 05 06 07 11 13 15 23 24 46 58
- 571) **Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#lunata* Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 572) **Cosmia (s.str.) diffinis (Linnaeus,1767)** (Noctuidae) *diffinis* Linnaeus,1767 05 06 17 24 26 46
- 573) **Craniophora pontica (Staudinger,1879)** (Noctuidae) *pontica* Staudinger,1879 05 06 08 13 18 24 30 46 62
- 574) **Cryphia (Bryoleuca) dolopsis (Hampson,1908)** (Noctuidae) *dolopsis* Hampson,1908; *#dolopsis* Osthelder,1933. 46
- 575) **Cryphia (Bryoleuca) petrea (Guenée,1852)** (Noctuidae) *petrea* Guenée,1852 01 04 07 13 30 33 42 46 66
- 576) **Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962. 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 577) **Cryphia (Bryoleuca) ravula (Hübner,[1813])** (Noctuidae) *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *troglydyta* Freyer,1832. 05 16 33 46 61
- 578) **Cryphia (Bryoleuca) rectilinea (W.Warren,1909)** (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. 01 05 08 13 23 24 36 42 46 69
- 579) **Cryphia (Bryoleuca) tephrocharis Boursin,1954** (Noctuidae) *tephrocharis* Boursin,1954 01 06 07 12 23 25 30 32 33 42 44 46 50 51 58 60 62 63 70
- 580) **Cryphia (Bryophila) eucharista Boursin,1960** (Noctuidae) *iranica* Brandt,1941 *nec* Schwing,1937; *eucharista* Boursin,1960. 13 46 65
- 581) **Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 582) **Cryphia (Bryophila) occidentalis (Osthelder,1933)** (Noctuidae) *occidentalis* Osthelder,1933. 13 30 46 58 65
- 583) **Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. 05 06 08 14 15 16 18 20 25 30 32 33 42 46 60 66
- 584) **Cryphia (s.str.) receptricula (Hübner,[1803])** (Noctuidae) *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétriés,1859. 05 06 08 12 16 23 30 46 50 60 62 66
- 585) **Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) *barthae* Boursin,1933 04 06 08 18 25 32 33 42 46 47 50 60 65

- 586) **Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
01 04 05 06 18 25 33 42 46 47 50 51 58 60 65 66
- 587) **Cucullia (Shargacucullia) osthelderi Boursin,1933** (Noctuidae) *osthelderi* Boursin,1933 05 46
- 588) **Cucullia (Shargacucullia) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852 05 22 46
- 589) **Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980. 07 31 33 46
- 590) **Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. 16 44 46 50
- 591) **Cucullia (s.str.) umbratica (Linnaeus,1758)** (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. 08 16 18
25 36 42 46 58 60 65 75
- 592) **Diachrysis chrysis (Linnaeus,1758)** (Noctuidae) *chrysis* Linnaeus,1758 13 14 16 18 25 28 30 42 46 50 52 55 57 59
61 65 66 75
- 593) **Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 594) **Dichagyris (Yigoga) celsicola (Bellier,1858)** (Noctuidae) *celsicola* Bellier,1858 04 08 12 13 23 25 30 36 46 50 58 65
- 595) **Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931. 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 58 60 62 63 65
66
- 596) **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 597) **Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) *nigrescens* Höfner,1888 01 05 06 07 18 20 25 30 32 33 42
45 46 50 65 66
- 598) **Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) *#signifera* [Denis & Schiffermüller],1775
01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 599) **Dichagyris (Yigoga) sincera (De Freina & Hacker,1985)** (Noctuidae) *sincera* De Freina & Hacker,1985. 04 08 12 13
23 25 30 36 46 50 58 65 73
- 600) **Dichagyris (Yigoga) truculenta (Lederer,1853)** (Noctuidae) *truculenta* Lederer,1853 04 25 38 46 50 51 58 62 65 69
- 601) **Dichagyris (s.str.) amoena (Staudinger,1892)** (Noctuidae) *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. 04
05 08 18 23 25 27 42 46 50 58 62 65 69
- 602) **Dichagyris (s.str.) anastasia (Draudt,1936)** (Noctuidae) *anastasia* Draudt,1936 46 65
- 603) **Dichagyris (s.str.) cataleipa Varga,1993** (Noctuidae) *cataleipa* Varga,1993 13 44 46 58
- 604) **Dichagyris (s.str.) erubescens (Staudinger,1892)** (Noctuidae) *erubescens* Staudinger,1892 01 06 24 25 27 33 42 44 46
47 51 58 63
- 605) **Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) *melanura* Kollar,1846 01 04 05 06 08 24 25 29 30 40 42 44 46
50 51 58 62 65 66
- 606) **Dichagyris (s.str.) pfeifferi (Corti & Draudt,1933)** (Noctuidae) *pfeifferi* Corti & Draudt,1933 46 65
- 607) **Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) *squalidior* Staudinger,1901 01 03 08 12 23 25 30 42 44 46
50 58 65 75
- 608) **Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)** (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. 02 04 12 13 25 30 36 44 46 51 58 65 69
- 609) **Dichagyris (s.str.) zeituna (Staudinger,1900)** (Noctuidae) *zeituna* Staudinger,1900; *seituna* Hampson,1903 30 46 58 63
- 610) **Dichonia aeruginea (Hübner,[1803])** (Noctuidae) *aeruginea* Hübner,[1803]; *mioleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913. 05 06 08 13 31 38 46 56 64
- 611) **Dicycla oo (Linnaeus,1758)** (Noctuidae) *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]. 01 05 06 07 08 11 17 18 22 28
30 33 38 39 42 46 56
- 612) **Diloba caeruleocephala (Linnaeus,1758)** (Noctuidae) *caeruleocephala* Linnaeus,1758 05 06 16 22 24 25 31 46 50 63 64
70
- 613) **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) *cailino* Lefèbvre,1827 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46
50 51 58 60 62 65 66 69
- 614) **Dryobotodes (Dichonioxa) tenebrosa (Esper,[1789])** (Noctuidae) *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826.
46
- 615) **Dryobotodes (s.str.) carbonis (Wagner,1931)** (Noctuidae) *carbonis* Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976. 06 13 33 42 46 56 64
- 616) **Egira tibori Hreblay,1994** (Noctuidae) *tibori* Hreblay,1994 03 06 07 17 33 34 35 36 42 43 46 58
- 617) **Emmelia trabealis (Scopoli,1763)** (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 618) **Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. 01 03 05 06 08 16 17 33 42 46 50 62
- 619) **Episema didymogramma (Boursin,1955)** (Noctuidae) *didymogramma* Boursin,1955 04 21 25 36 46 58 63
- 620) **Episema korsakovi (Christoph,1885)** (Noctuidae) *korsakovi* Christoph,1885; *paenulata* Christoph,1885. 01 06 08 14 17
23 36 42 44 45 46 50 51 58 65
- 621) **Episema korsakovi levantina Hacker,2001** (Noctuidae) *levantina* Hacker,2001 01 06 08 14 17 23 36 42 44 45 46 50 51
58 65
- 622) **Episema lederi Christoph,1885** (Noctuidae) *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937.
04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65

- 623) **Episema tersa** ([Denis & Schiffermüller],1775) (Noctuidae) *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956. 06 14 18 42 46 49 50 51 58 62 65
- 624) **Eublemma (Glossodice) polygramma** (Duponchel,[1842]) (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 625) **Eublemma (albida-gr.) gratissima** (Staudinger,1892) (Noctuidae) *gratissima* Staudinger,1892; *infusca* Staudinger,1892; *peralba* Schawerda,1923. 01 05 07 08 23 24 25 30 40 46 47 50 58 62 65
- 626) **Eublemma (albida-gr.) hansa** (Herrich-Schäffer,[1851]) (Noctuidae) *hansa* Herrich-Schäffer,[1851] 01 04 23 30 36 46 50 65 76
- 627) **Eublemma (albida-gr.) straminea** (Staudinger,1892) (Noctuidae) *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. 01 04 23 30 36 44 46 50 58 62 76
- 628) **Eublemma (bulla-gr.) lutosa** Staudinger,1892 (Noctuidae) *lutosa* Staudinger,1892; *substrigula* Staudinger,1892 44 46
- 629) **Eublemma (bulla-gr.) suppura** (Staudinger,1892) (Noctuidae) *suppura* Staudinger,1892 01 07 23 31 33 44 46 63
- 630) **Eublemma (candidana-gr.) candidana** (Fabricius,1794) (Noctuidae) *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871. 35 46 58
- 631) **Eublemma (candidana-gr.) minutata** (Fabricius,1794) (Noctuidae) *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809]. 08 18 24 25 42 46 50 60
- 632) **Eublemma (candidana-gr.) ochreola** (Staudinger,1900) (Noctuidae) *ochreola* Staudinger,1900; *thurneri* Zerny,1936. 46
- 633) **Eublemma (candidana-gr.) wagneri** (Herrich-Schäffer,1851) (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 634) **Eublemma (chlorotica-gr.) chlorotica** (Lederer,1858) (Noctuidae) *chlorotica* Lederer,1858 06 23 25 27 42 46 50 51 63
- 635) **Eublemma (ostrina-gr.) ostrina** (Hübner,[1808]) (Noctuidae) *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973. 01 05 07 08 09 10 16 31 33 35 46 50 51 56 58 60 62 63 64 65 66
- 636) **Eublemma (parva-gr.) parva** (Hübner,[1808]) (Noctuidae) *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. 01 05 07 08 16 25 33 46 47 50 56 58 63 80
- 637) **Eublemma (rosina-gr.) parallela** (Freyer,1842) (Noctuidae) *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; *#densata* Warren,1912. 01 05 08 25 29 30 36 38 46 50 51 58 60 65 66
- 638) **Eublemma pannonica** (Freyer,1840) (Noctuidae) *panonica* Freyer,1840; *kindermannii* Boisduval,1840. 05 07 08 13 23 25 36 42 46 58
- 639) **Eublemma supuncta** (Staudinger,1892) (Noctuidae) *supuncta* Staudinger,1892 01 23 33 40 42 44 46 47 38 50 51 58 65
- 640) **Euchalcia (s.str.) emichi** (Rogenhofer,1873) (Noctuidae) *emichi* Rogenhofer,1873 01 08 18 19 25 30 31 36 38 42 46 49 50 51 58 62 65 66
- 641) **Euchalcia (s.str.) siderifera** (Eversmann,1846) (Noctuidae) *siderifera* Eversmann,1846 04 25 29 30 46 65
- 642) **Euchalcia (s.str.) taurica** (Osthelder,1933) (Noctuidae) *taurica* Osthelder,1933 04 05 06 12 18 25 30 36 42 46 50 51 58 60 65 66
- 643) **Eugnorisma (Metagnorisma) depuncta** (Linnaeus,1761) (Noctuidae) *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925. 14 46
- 644) **Eugnorisma (s.str.) enargiaris** (Draudt,1936) (Noctuidae) *enargiaris* Draudt,1936 04 12 44 46 58
- 645) **Eugnorisma (s.str.) insignata** (Lederer,1853) (Noctuidae) *insignata* Lederer,1853; *intermedia* Eversmann,1855. 01 25 30 36 42 46 58 65
- 646) **Eutelia adulatrix** (Hübner,[1813]) (Noctuidae) *adulatrix* Hübner,[1813] 01 05 06 07 08 10 14 16 17 18 24 30 31 32 33 35 42 46 50 55 58 65 80
- 647) **Euxoa (Orosagrotis) foeda** (Lederer,1855) (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75
- 648) **Euxoa (s.str.) anatolica** Draudt,1936 (Noctuidae) *anatolica* Draudt,1936. 07 36 42 46 58
- 649) **Euxoa (s.str.) aquilina** ([Denis & Schiffermüller],1775) (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 650) **Euxoa (s.str.) birivia** ([Denis & Schiffermüller],1775) (Noctuidae) *birivia* [Denis & Schiffermüller],1775; *honnoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudeticola* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932. 04 06 08 18 24 25 28 30 36 44 46 53 58
- 651) **Euxoa (s.str.) conspicua** (Hübner,[1824]) (Noctuidae) *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *abdita* Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 652) **Euxoa (s.str.) distinguenda** (Lederer,1857) (Noctuidae) *distinguenda* Lederer,1857. 01 06 08 18 24 25 36 42 46 50 58 60 65 70 71
- 653) **Euxoa (s.str.) glabella** (Wagner,1930) (Noctuidae) *glabella* Wagner,1930 01 03 06 08 14 25 42 46 50 51 70
- 654) **Euxoa (s.str.) heringi** Christoph,1877 (Noctuidae) *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 655) **Euxoa (s.str.) homicida** (Staudinger,1900) (Noctuidae) *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 656) **Euxoa (s.str.) robiginosa** (Staudinger,[1895]) (Noctuidae) *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensior* Draudt,1936; *vinirufa* Draudt,1936. 01 06 14 23 42 44 46 49 50 58 63
- 657) **Euxoa (s.str.) temera** (Hübner,[1808]) (Noctuidae) *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937. 01 05 06 25 33 42 46 50 58 59 60 65 70 71

- 658) **Gortyna flavago** ([Denis & Schiffermüller,1775) (Noctuidae) *flavago* [Denis & Schiffermüller,1775 08 14 25 46 65
- 659) **Hadena (Anepia) musculina** (Staudinger,1892) (Noctuidae) *musculina* Staudinger,1892; *mayeri* Wagner,1931. 04 12 25 30 36 42 44 46 50 51 58 60 73
- 660) **Hadena (Anepia) perplexa** ([Denis & Schiffermüller,1775) (Noctuidae) *perplexa* [Denis & Schiffermüller,1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 661) **Hadena (Anepia) sancta** (Staudinger,1859) (Noctuidae) *sancta* Staudinger,1859 01 31 33 46
- 662) **Hadena (Anepia) silenens** (Hübner,[1822]) (Noctuidae) *silenens* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850]. 01 02 06 18 21 25 31 33 34 38 46 47 50 63
- 663) **Hadena (Anepia) syriaca** (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 664) **Hadena (Enterpia) laudeti** (Boisduval,1840) (Noctuidae) *laudeti* Boisduval,1840 01 04 05 30 33 35 36 42 44 46 50 51 58 60 63 65 70
- 665) **Hadena (Enterpia) roseocandida** Hacker,1996 (Noctuidae) *roseocandida* Hacker,1996 01 04 06 12 22 23 25 30 36 42 46 50 58
- 666) **Hadena (Maschukia) pumila** (Staudinger,1879) (Noctuidae) *pumila* Staudinger,1879 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 667) **Hadena (Pinkerica) tephroleuca** (Boisduval,1833) (Noctuidae) *tephroleuca* Boisduval,1833 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 668) **Hadena (s.str.(Albimaculia)) cavalla** (Pinker,1980) (Noctuidae) *cavalla* Pinker,1980 04 24 25 30 46 49 50 58 60 65
- 669) **Hadena (s.str.(Albimaculia)) guenei** (Staudinger,1901) (Noctuidae) *guenei* Staudinger,1901; *guenei* Hampson,1905 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 670) **Hadena (s.str.(Albimaculia)) humilis** (Christoph,1893) (Noctuidae) *humilis* Christoph,1893; *stenoptera* Rebel,1933. 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 671) **Hadena (s.str.(Clarhadena)) pseudoclara** (Hacker,1996) (Noctuidae) *pseudoclara* Hacker,1996 04 13 24 25 44 46 51 58 60 65
- 672) **Hadena (s.str.(Dianthoecia)) impressa** (Esper,[1790]) (Noctuidae) *#capsincola* [Denis & Schiffermüller,1775; *impressa* Esper,[1790]. 04 05 06 08 18 19 25 28 30 33 36 46 50 51 58 60 65
- 673) **Hadena (s.str.(Hadenobilis)) melanochroa** (Staudinger,1892) (Noctuidae) *melanochroa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 674) **Hadena (s.str.(Hadenobilis)) tristis** (Draudt,1934) (Noctuidae) *tristis* Draudt,1934 04 12 25 28 30 36 38 46 50 51 53 58 60 65 75
- 675) **Hadena (s.str.(Hadenobilis)) vulcanica** (Turati,1907) (Noctuidae) *vulcanica* Turati,1907 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 676) **Hadena (s.str.(Luteocincta)) persimilis** (Hacker,1996) (Noctuidae) *persimilis* Hacker,1996 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 677) **Hadena (s.str.(Luteocincta)) thecaphaga** (Draudt,1937) (Noctuidae) *thecaphaga* Draudt,1937 04 30 36 38 46 65
- 678) **Hadena (s.str.(Magnolihadena)) magnolia** (Boisduval,1828) (Noctuidae) *magnolia* Boisduval,1828; *nummosa* Eversmann,1844. 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 679) **Hadena (s.str.(Miselia)) compta** ([Denis & Schiffermüller,1775) (Noctuidae) *compta* [Denis & Schiffermüller,1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 680) **Hadena (s.str.(Montanohadena)) praetermissa** (Hacker,1996) (Noctuidae) *praetermissa* Hacker,1996 04 25 46 65
- 681) **Hadena (s.str.(Montanohadena)) purpurea** (Hacker,1996) (Noctuidae) *purpurea* Hacker,1996 04 25 36 38 46 51 58 65 69
- 682) **Hadena (s.str.(Zeteolyga)) confusa** (Hufnagel,1766) (Noctuidae) *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller,1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 683) **Hadula (Calocestra (Hadumendax)) mendax** (Staudinger,1879) (Noctuidae) *mendax* Staudinger,1879 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 684) **Hadula (Calocestra (Hadumendax)) mendica** (Staudinger,[1895]) (Noctuidae) *mendica* Staudinger,[1895]. 01 02 07 13 23 24 30 32 33 36 42 46 47 49 51 58 60 63 65
- 685) **Hadula (Calocestra (Hadutrifolium)) trifolii** (Hufnagel,1766) (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller,1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infra* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 686) **Hadula (Cardiostira) vassilini** (O.Bang-Haas,1927) (Noctuidae) *vassilini* O.Bang-Haas,1927 36 46 76
- 687) **Hecatera bicolorata** (Hufnagel,1766) (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller,1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 688) **Hecatera rhodocharis** (Brandt,1938) (Noctuidae) *rhodocharis* Brandt,1938 12 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65
- 689) **Hecatera spinaciae** (Vieweg,1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller,1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 690) **Helicoverpa armigera** (Hübner,[1808]) (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71

- 691) **Heliophobus unicolor** (Alpheraky,1889) (Noctuidae) *unicolor* Alpheraky,1889 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 692) **Heliolithis nubigera** Herrich-Schäffer,[1851] (Noctuidae) *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. 01 04 07 10 18 20 25 33 35 42 46 47 50 51 58
- 693) **Heliolithis peltigera** ([Denis & Schiffermüller],1775) (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 694) **Heliolithis viriplaca** (Hufnagel,1766) (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 695) **Herminia nigricaria** Osthelder,1933 (Noctuidae) *nigricaria* Osthelder,1933 01 08 13 30 36 46 56 73
- 696) **Herminia proxima** Christoph,1893 (Noctuidae) *proxima* Christoph,1893 13 30 46
- 697) **Heterophysa dumetorum** (Geyer,1834) (Noctuidae) *dumetorum* Geyer,1834 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66 69
- 698) **Hoplodrina ambigua** ([Denis & Schiffermüller],1775) (Noctuidae) *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 699) **Hypeuthina fulgurita** Lederer,1855 (Noctuidae) *fulgurita* Lederer,1855 46 56 63
- 700) **Idia calvaria** ([Denis & Schiffermüller],1775) (Noctuidae) *calvaria* [Denis & Schiffermüller],1775 05 07 30 31 33 46 58
- 701) **Jodia croceago** (Fabricius,1787) (Noctuidae) *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiango* Donovan,1796; *corsica* Mabilie,1868 05 06 08 11 24 31 42 46 56 58
- 702) **Lampra fimbriata** (Schreber,1759) (Noctuidae) *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 703) **Leucania loreyi** (Duponchel,1827) (Noctuidae) *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 704) **Leucania obsoleta** (Hübner,[1803]) (Noctuidae) *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926 35 46
- 705) **Leucania punctosa** (Treitschke,1825) (Noctuidae) *punctosa* Treitschke,1825 01 07 42 46 50 56 62 63
- 706) **Leucania putrescens** (Hübner,[1824]) (Noctuidae) *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952 05 18 31 46
- 707) **Leucochlaena muscosa** (Staudinger,1892) (Noctuidae) *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892 05 06 23 44 45 46 47 50 63
- 708) **Lithophane ledereri** (Staudinger,1892) (Noctuidae) *ledereri* Staudinger,1892; *discors* Staudinger,1892 05 07 14 46
- 709) **Luperina dumerilii** (Duponchel,1826) (Noctuidae) *dumerilii* Duponchel,1826 01 05 21 35 42 46
- 710) **Luperina rjabovi** (Kljutschko,1967) (Noctuidae) *rjabovi* Kljutschko,1967 06 46 63 65
- 711) **Lycophorus ankarensis** (Rebel,1931) (Noctuidae) *ankarensis* Rebel,1931; *wichgrafi* Corti & Draudt,1933; *#ankariensis* Hacker,2001 06 23 38 42 44 46 50 58 60
- 712) **Lycophorus tischendorfi** (Püngeler,1915) (Noctuidae) *tischendorfi* Püngeler,1915 (*nec* 1925!); *flagrans* Püngeler,1925; *libanotica* Corti & Draudt,1933. 27 34 46 63
- 713) **Lygephila pallida** (A.Bang-Haas,1907) (Noctuidae) *pallida* A.Bang-Haas,1907 27 46 51 65
- 714) **Maraschia grisescens** Osthelder,1933 (Noctuidae) *grisescens* Osthelder,1933 30 44 46
- 715) **Megalodes eximia** (Freyer,1845) (Noctuidae) *eximia* Freyer,1845 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 716) **Meganephria bimaculosa** (Linnaeus,1767) (Noctuidae) *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804]. 05 06 42 46 56
- 717) **Meganola gigantula** (Staudinger,1879) (Noctuidae) *gigantula* Staudinger,1879 05 06 33 46
- 718) **Meganola taurica** (Daniel,1935) (Noctuidae) *taurica* Daniel,1935 46
- 719) **Meganola togatalis** (Hübner,1796) (Noctuidae) *togatualis* Hübner,1796 07 12 33 34 35 45 46
- 720) **Mesapamea** (s.str.) *secalis* (Linnaeus,1758) (Noctuidae) *secalis* Linnaeus,1758 04 06 07 17 30 37 39 46 50
- 721) **Metaegle pallida** (Staudinger,1892) (Noctuidae) *pallida* Staudinger,1892 06 07 23 30 32 46 47
- 722) **Metalopha liturata** (Christoph,1887) (Noctuidae) *liturata* Christoph,1887; *plusina* Staudinger,1892. 23 27 44 46 47 63 73
- 723) **Metopodicha ernesti** Draudt,1936 (Noctuidae) *ernesti* Draudt,1936; *achaemenica* Wiltshire,1941 12 30 44 46 58 62 73
- 724) **Micriantha decorata** (Frivaldsky,1845) (Noctuidae) *decorata* Frivaldsky,1845 06 16 46
- 725) **Minucia bimaculata** (Osthelder,1933) (Noctuidae) *bimaculata* Osthelder,1933 07 13 30 31 33 42 46 56 63 73
- 726) **Mormo maura** (Linnaeus,1758) (Noctuidae) *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996 06 08 30 33 46
- 727) **Mythimna (Aletia) alopecuri** (Boisduval,1840) (Noctuidae) *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933 09 23 46 62 57 63
- 728) **Mythimna (Aletia) l-album** (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 729) **Mythimna (Aletia) sassanidica** (Hacker,1986) (Noctuidae) *sassanidica* Hacker,1986 04 06 08 24 25 30 36 46 58 60 65
- 730) **Mythimna (Aletia) scirpi** (Duponchel,1836) (Noctuidae) *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi* Boisduval,1840; *fuscilinea* Graslin,1852; *syriaca* Osthelder,1933. 06 07 46 47
- 731) **Mythimna (Aletia) vitellina** (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *grisescens* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80

- 732) **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) *ferrago Fabricius,1787; lythargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926* 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 733) **Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775)** (Noctuidae) *janthina [Denis & Schiffermüller],1775; latimarginata Röber,1900.* 01 05 06 07 16 17 18 30 33 38 39 42 46 60
- 734) **Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) *orbona Hufnagel,1766; subsequa [Denis & Schiffermüller],1775; caroni Lempke,1964.* 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 735) **Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) *orbona Fabricius,1787 nec Hufn.,1767; comes Hübner,[1813]; adsequa Treitschke,1825; prosequa Treitschke,1825; bergensis Sp.-Schn.,1901.* 01 05 06 07 08 09 10 16 22 30 31 33 39 42 43 45 46 56
- 736) **Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) *pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923.* 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 737) **Nola cicatricalis (Treitschke,1835)** (Noctuidae) *cicatricalis Treitschke,1835* 06 07 11 17 30 31 33 34 43 46
- 738) **Nola cristatula (Hübner,1793)** (Noctuidae) *cristatula Hübner,1793; cristulalis Hübner,1796; cristulana Hübner,[1825].* 46
- 739) **Nola squalida Staudinger,1871** (Noctuidae) *squalida Staudinger,1871; musculalis Saalmüller,1880; turanica Staudinger,1887; fraterna Moore,1888; vanhasseltii Heylaerts,1892; ceylonica Hampson,1893; desmotes Turner,1899; parvula Chrétien,1913; mesoscia Hampson,1914; henrioti Warnecke,1937; minima Warnecke,1938; #squamosa Zukowsky,1941; priesneri Rebel,1947* 42 46
- 740) **Nonagria typhae (Thunberg,1784)** (Noctuidae) *typhae Thunberg,1784; arundinis Fabricius,1787.* 38 42 46
- 741) **Nycteola eremostola Dufay,1961** (Noctuidae) *eremostola Dufay,1961* 46 65
- 742) **Nycteola revayana (Scopoli,1772)** (Noctuidae) *revayana Scopoli,1772; duplana Fabricius,1777; ilicana Fabricius,1781; fasciatum Retzius,1783; punctana Thunberg,1784; anglica Fourcroy,1785; rivagana Fabricius,1787; ramosana Hübner,1793; undulana Hübner,[1799]; bifasciana Donovan,1801 nec Hbn.,1787* 07 33 46 56
- 743) **Nycteola siculana (Fuchs,1899)** (Noctuidae) *siculana Fuchs,1899; cuneana Patočka,1953; pseudodilutana Obratsov,1954.* 25 46 50 65
- 744) **Odice kuelekana (Staudinger,1871)** (Noctuidae) *kuelekana Staudinger,1871* 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70
- 745) **Oligia latruncula ([Denis & Schiffermüller],1775)** (Noctuidae) *latruncula [Denis & Schiffermüller],1775* 06 17 25 32 33 35 39 41 42 46 50 66
- 746) **Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) *subsericata Herrich-Schäffer,1861; #elisabethae De Lattin,1951; bobitsi Beck,1996.* 03 05 08 16 17 18 33 34 35 42 46 50 58
- 747) **Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) *antirrhinii Hübner,[1803]* 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 748) **Omphalophana durnalayana Osthelder,1933** (Noctuidae) *durnalayana Osthelder,1933* 04 12 25 30 36 46 49 62
- 749) **Oncocnemis confusa (Freyer,[1839])** (Noctuidae) *confusa Freyer,[1839].* 04 25 30 36 46 50 58 62 65
- 750) **Oria musculosa (Hübner,[1808])** (Noctuidae) *musculosa Hübner,[1808]; laeta Alpheraky,1889.* 05 06 07 15 18 19 22 25 32 33 38 42 45 46 50 51 58 66
- 751) **Orthosia (Monima) cerasi (Fabricius,1775)** (Noctuidae) *cerasi Fabricius,1775; stabilis [Denis & Schiffermüller],1775; obliqua de Villers,1789; junctus Haworth,1803; pallida Haworth,1809; rufannulata Haworth,1809.* 01 05 07 15 46
- 752) **Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) *#cruda [Denis & Schiffermüller],1775; pulverulenta Esper,[1786]; corticina Villers,1789; nanus Haworth,[1803].* 01 05 06 07 09 13 17 20 23 30 35 46 58 59 63
- 753) **Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) *incerta Hufnagel,1766; instabilis [Denis & Schiffermüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampa,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888* 03 04 06 09 15 31 32 34 43 46 50 58
- 754) **Orthosia rubricosa (Esper,[1786])** (Noctuidae) *#miniosa [Denis & Schiffermüller],1775; rubricosa Esper, [1786].* 05 06 07 09 11 13 17 30 33 43 46 56 58 62 63
- 755) **Ostheldera gracilis (Osthelder,1933)** (Noctuidae) *gracilis Osthelder,1933* 06 23 44 46
- 756) **Pamparama acuta (Freyer,[1837])** (Noctuidae) *acuta Freyer,[1837]; producta Lederer,1857; pygmaea Staudinger,1871.* 02 06 07 09 16 23 30 32 34 35 38 42 46 50 51 63
- 757) **Parascotia robiginosa (Staudinger,1892)** (Noctuidae) *robiginosa Staudinger,1892* 01 05 06 07 33 42 46 62
- 758) **Parexarnis squalida (Guenée,1852)** (Noctuidae) *squalida Guenée,1852* 46
- 759) **Peridroma saucia (Hübner,[1808])** (Noctuidae) *saucia Hübner,[1808]; majuscula Haworth,1809; margaritosa Haworth,1809; aequa Hübner,[1813]; orophila Geyer,1837; inermis Harrison,1841; infusata Blanchard,1852; stictica Blanchard,1852; ambrosioides Walker,[1857]; impacta Walker,[1857]; intecta Walker,[1857]; angulifera Wallengren,1860; ortonii Packard,1869; phillipsi Caspari,1899; ochronota Hampson,1903; cyrnaea Spuler,1908; tenebricosa Schawerda,1929.* 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 70 80
- 760) **Perigrapha (Opacographa (Turcographa)) rorida (Frivaldsky,1835)** (Noctuidae) *rorida Frivaldsky,1835; ganimetae Kornosor & Lödl,1990* 01 05 06 07 09 15 16 17 31 32 33 35 43 45 46 56 62
- 761) **Perigrapha (s.str.) i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) *i-cinctum [Denis & Schiffermüller],1775; cincta Fabricius,1787; slovenica Micheli,1966.* 02 06 07 15 22 25 30 32 46 51 58 62 73
- 762) **Periphanes delphinii (Linnaeus,1758)** (Noctuidae) *delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903.* 01 04 05 06 07 18 22 23 24 25 32 42 44 46 50 51 58 60 65 66
- 763) **Periphanes victorina (Sodoffsky,1849)** (Noctuidae) *victorina Sodoffsky,1849* 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 764) **Phleboeis sureyae (Rebel,1931)** (Noctuidae) *sureyae Rebel,1931.* 04 06 23 44 46 58 62 75

- 765) **Phlogophora meticulosa** (Linnaeus,1758) (Noctuidae) *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 05 06 07 14
16 18 24 25 33 34 38 46 50 51 56 58 65
- 766) **Plecoptera inquinata** (Lederer,1857) (Noctuidae) *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933 01 07 08 13 30 33 42 46
- 767) **Polia sagittigera** (Hufnagel,1766) (Noctuidae) *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
01 06 16 18 25 33 42 46 49 50 51 60 61 65
- 768) **Polymixis (Bischoffia) bischoffi** (Herrich-Schäffer,1850) (Noctuidae) *bischoffi* Herrich-Schäffer,[1850] 05 31 33 34 46
63
- 769) **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. 01 05 06 08 13 31 44 46 56 58 62
- 770) **Polymixis (Parabrachionycha) trisignata** (Ménétriés,1847) (Noctuidae) *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924 05 06 19 36 45 46 50 56 58 63 64 65 70
- 771) **Polymixis (Serpimixis) serpentina** (Treitschke,1825) (Noctuidae) *serpentina* Treitschke,1825 01 05 33 46 63
- 772) **Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae) *manisadjiani* Staudinger,1881 05 06 08 33 42 44 46 50
51 58 62
- 773) **Polyphaenis propinqua** Staudinger,1895 (Noctuidae) *propinqua* Staudinger,1895 01 31 46
- 774) **Polypogon plumigeralis** (Hübner,[1825]) (Noctuidae) *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829. 01 05 07
08 16 33 41 46 48
- 775) **Powellinia lasserei** (Oberthür,1881) (Noctuidae) *lasserei* Oberthür,1881; *sabura* Mabilille,1888; *ptolemaidea* Turati,1924
46 47 56 63
- 776) **Protexarnis confinis** (Staudinger,1881) (Noctuidae) *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *suspica* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964. 04 36 46 65
- 777) **Protexarnis squalidiformis** (Corti & Draudt,1933) (Noctuidae) *squalidiformis* Corti & Draudt,1933; *suspica* Corti & Draudt,1933. 05 38 42 46 58
- 778) **Protoschinia scutosa** ([Denis & Schiffermüller],1775) (Noctuidae) *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878 03 08 14 32 46 50
- 779) **Pseudenargia deleta** (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938. 01 04 13 23 30 36 44 46 58 62 63 65 73
- 780) **Pseudenargia regina** (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51
58 62 65
- 781) **Pseudohadena (s.str.) chenopodiphaga** (Rambur,1832) (Noctuidae) *chenopodiphaga* Rambur,1832 46 47
- 782) **Pyrois effusa** (Boisduval,1828) (Noctuidae) *effusa* Boisduval,1828; *sciaphila* Staudinger,1871 20 35 33 42 46 48 51
- 783) **Pyrhria treitschkii** (Frivaldszky,1835) (Noctuidae) *treitschkii* Frivaldszky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63
65
- 784) **Rhyacia (s.str.) lucipeta** ([Denis & Schiffermüller],1775) (Noctuidae) *lucipeta* [Denis & Schiffermüller],1775. 06 08 25
36 38 46 49 50 58 60 64 65 66
- 785) **Rhyacia (s.str.) nyctimerides** (O.Bang-Haas,1922) (Noctuidae) *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962 04 12 25 38 42 46 50 51 58 65 66
- 786) **Rhyacia (s.str.) simulans** (Hufnagel,1766) (Noctuidae) *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914 17 22 33 46 50 58
- 787) **Rhyagla lacernaria** (Hübner,[1813]) (Noctuidae) *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
03 05 06 20 27 42 45 46 50 51 65
- 788) **Sesamia cretica** Lederer,1857 (Noctuidae) *cretica* Lederer,1857 02 07 20 23 31 33 35 46 48 63
- 789) **Sideridis (s.str.) implexa** (Hübner,[1809]) (Noctuidae) *implexa* Hübner,[1809] 06 10 18 46 50 60
- 790) **Simyra dentinosa** Freyer,1839 (Noctuidae) *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 05 06 20 25 26 30 33 34 42 46 50 56 58 60 62 65
- 791) **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae) *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50
51 52 56 58 63 64 65 69
- 792) **Spudaea castanea** Osthelder,1933 (Noctuidae) *#castanea* Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968
05 06 07 09 11 15 31 33 46 58 62
- 793) **Standfussiana lucerneae** (Linnaeus,1758) (Noctuidae) *lucerneae* Linnaeus,1758 06 18 25 30 44 46 58
- 794) **Standfussiana nictymera** (Boisduval,[1837]) (Noctuidae) *carriei* Boursin,1948. 04 05 25 31 33 36 42 46 50 51 58 60 65
66 69
- 795) **Stilbina hypaenides** Staudinger,1892 (Noctuidae) *hypaenides* Staudinger,1892 46 47 56 63
- 796) **Tarachephia hueberi** (Erschoff,1874) (Noctuidae) *hueberi* Erschoff,1874 46
- 797) **Trichoplusia ni** (Hübner,[1803]) (Noctuidae) *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. 01 05 06 07 08 11 16 17 18 33 46 48 50 51 56 58 65
- 798) **Uloclaena hirta** (Hübner,[1813]) (Noctuidae) *hirta* Hübner,[1813] 05 06 07 13 32 30 36 38 46 49 58 62 65 70
- 799) **Valeria oleagina** (Esper,[1786]) (Noctuidae) *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. 06 09 15
30 42 43 46 56 58
- 800) **Victrix (Rasihia) duelduelica** (Osthelder,1932) (Noctuidae) *duelduelica* Osthelder,1932. 46
- 801) **Xanthia (Tiliacea) cypreago** (Hampson,1906) (Noctuidae) *cypreago* Hampson,1906 24 25 46
- 802) **Xestia (s.str.) castanea** (Esper,[1798]) (Noctuidae) *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949. 46
- 803) **Xestia (s.str.) palaestinensis** (Kalchberg,1898) (Noctuidae) *palaestinensis* Kalchberg,1898. 17 23 33 44 45 46 57 63

- 804) **Xylena exsoleta (Linnaeus,1758)** (Noctuidae) *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 01 05 06 09 15 26 33 36 45 46 66
- 805) **Xylocampa mustapha (Oberthür,1920)** (Noctuidae) *mustapha* Oberthür,1920 06 07 09 15 16 32 33 35 46
- 806) **Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 807) **Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 808) **Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 809) **Clostera pigra (Hufnagel,1766)** (Notodontidae) *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 810) **Drymonia dodonaea ([Denis & Schiffermüller],1775)** (Notodontidae) *#dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *poltawskii* Schintlmeister,1981; *wageneri* De Freina,1981 06 33 46
- 811) **Drymonia querna (Fabricius,1787)** (Notodontidae) *#querna* [Denis & Schiffermüller],1775; *querna* Fabricius,1787; *sausalica* Daniel,1968; *meridioitalica* Hartig,1970; *danieli* Hartig,1970 02 06 07 14 17 24 32 33 37 46 73
- 812) **Drymonia ruficornis (Hufnagel,1766)** (Notodontidae) *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803; *concolor* Daniel,1939; *anadolua* De Freina,1983. 05 06 07 10 32 33 34 42 46 71
- 813) **Drymonia velitaris (Hufnagel,1766)** (Notodontidae) *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789 12 13 16 25 29 30 36 37 46 53 55 60 61 65
- 814) **Furcula interrupta Christoph,1867** (Notodontidae) *interrupta* Christoph,1867; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989. 01 05 06 07 12 15 19 26 30 31 33 42 44 46 60 62 71
- 815) **Harpyia milhauseri (Fabricius,1775)** (Notodontidae) *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73
- 816) **Paradrymonia vittata (Staudinger,1892)** (Notodontidae) *vittata* Staudinger,1892 01 07 14 30 32 33 46 73
- 817) **Peridea anceps (Goeze,1781)** (Notodontidae) *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,[1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974. 06 07 42 46
- 818) **Peridea korbi (Rebel,1918)** (Notodontidae) *korbi* Rebel,1918 06 07 17 30 32 33 46 56 60 62 64 65
- 819) **Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 820) **Rhegmaphila alpina (Bellier,1881)** (Notodontidae) *alpina* Bellier,1881; *burgensis* Fernandez,1934. 06 12 17 24 37 46 58 60 77
- 821) **Spatialia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) *argentina* [Denis & Schiffermüller],1775 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 822) **Agonopterix adpersella (Kollar,1832)** (Oecophoridae) *adpersella* Kollar,1832 05 16 45 46 71
- 823) **Agonopterix cnicella (Treitschke,1832)** (Oecophoridae) *cnicella* Treitschke,1832 16 46
- 824) **Agonopterix latipennella (Zerny,1934)** (Oecophoridae) *latipennella* Zerny,1934 46
- 825) **Agonopterix nervosa (Haworth,[1811])** (Oecophoridae) *nervosa* Haworth,[1811]; *costosa* Haworth,1811; *depunctella* Hübner,[1825]; *boieella* Freyer,1835; *costella* Doubleday,1859; *nervosella* Doubleday,1859; *nervosella* Bruand,1859; *costosella* Bruand,1859; *dryadoxena* Meyrick,1920; *blackmori* Busck,1922; *venosata* Kautz,1930 46
- 826) **Agonopterix subpropinquella (Stainton,1849)** (Oecophoridae) *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,[1854]; *thoracica* Lederer,1855; *sublutella* Staudinger,1859; *variabilis* Heinemann,1870; *crispella* Lhomme,1929; *amilcarella* Lucas,1951. 05 46 71
- 827) **Agonopterix thapsiella (Zeller,1847)** (Oecophoridae) *thapsiella* Zeller,1847 16 46 76
- 828) **Borkhausenia osthelderi Rebel,1935** (Oecophoridae) *osthelderi* Rebel,1935 46
- 829) **Carcina quercana (Fabricius,1775)** (Oecophoridae) *quercana* Fabricius,1775 16 42 46
- 830) **Cephalisphaera sordidella (Hübner,1796)** (Oecophoridae) *sordidella* Hübner,1796 05 46
- 831) **Depressaria corticinella Zeller,1854** (Oecophoridae) *corticinella* Zeller,1854; *uhrykella* Fuchs,1903. 16 46
- 832) **Depressaria discipunctella Herrich-Schäffer,1854** (Oecophoridae) *discipunctella* Herrich-Schäffer,1854 31 46
- 833) **Depressaria hirtipalpis Zeller,1854** (Oecophoridae) *hirtipalpis* Zeller,1854 06 16 38 46
- 834) **Depressaria marcella Rebel,1901** (Oecophoridae) *marcella* Rebel,1901 16 46
- 835) **Depressaria veneficella Zeller,1847** (Oecophoridae) *veneficella* Zeller,1847 16 46
- 836) **Depressaria zelleri Staudinger,1879** (Oecophoridae) *zelleri* Staudinger,1879 05 46
- 837) **Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) *formosella* [Denis & Schiffermüller],1775 05 06 16 33 46 71 76
- 838) **Epicallima icterinella (Mann,1867)** (Oecophoridae) *icterinella* Mann,1867 05 42 46
- 839) **Esperia imitatrix (Zeller,1847)** (Oecophoridae) *imitatrix* Zeller,1847 06 38 45 46 48
- 840) **Esperia intermediella (Stainton,1867)** (Oecophoridae) *intermediella* Stainton,1867 05 42 46 71
- 841) **Exaeretia ledereri (Zeller,1854)** (Oecophoridae) *ledereri* Zeller,1854. 46 76
- 842) **Holoscolia berytella Rebel,1902** (Oecophoridae) *berytella* Rebel,1902; *monticolella* Zerny,1934 46
- 843) **Pleurota contristatella Mann,1867** (Oecophoridae) *contristatella* Mann,1867 05 42 46
- 844) **Pleurota generosella Rebel,1900** (Oecophoridae) *generosella* Rebel,1900; *alexandrina* Meyrick,1935 21 46
- 845) **Pleurota metricella (Zeller,1847)** (Oecophoridae) *metricella* Zeller,1847 05 06 17 38 42 46 71 76
- 846) **Pleurota pyropella ([Denis & Schiffermüller],1775)** (Oecophoridae) *pyropella* [Denis & Schiffermüller],1775 05 06 16 36 42 44 46 51
- 847) **Pleurota sparella (Lederer,1855)** (Oecophoridae) *sparella* Lederer,1855; *karmeliella* Amsel,1935 46

- 848) **Pleurota syriaca** Staudinger, 1880 (Oecophoridae) *syriaca* Staudinger, 1880 46 76
- 849) **Schiffermuelleria schaefferella** (Linnaeus, 1758) (Oecophoridae) *schaefferella* Linnaeus, 1758; *hermannella* Fabricius, 1781; *lucidula* Fourcroy, 1785. 06 33 42 46
- 850) **Semioscopis osthelderi** Rebel, 1935 (Oecophoridae) *osthelderi* Rebel, 1935 46
- 851) **Pseudopostega auritella** (Hübner, [1813]) (Opistegidae) *auritella* Hübner, [1813] 16 46
- 852) **Pseudopostega crepusculella** (Zeller, 1839) (Opistegidae) *crepusculella* Zeller, 1839; *lvovskyi* Kozlov, 1985 16 46
- 853) **Archon apollinus** (Herbst, 1798) (Papilionidae) *apollinus* Herbst, 1798; *pythius* Esper, 1805; *thia* Hübner, 1806; *annii* Ondrias, Kouts. & Douma-Petridou, 1979. 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 854) **Iphiclidides podalirius** (Linnaeus, 1758) (Papilionidae) *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zanclaeides* Verity, 1911; *pseudopersica* Rocci, 1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 855) **Papilio (s.str.) alexanor** Esper, [1800] (Papilionidae) *polidamas* De Prunner, 1787 nec Linnaeus, 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 856) **Papilio (s.str.) machaon** Linnaeus, 1758 (Papilionidae) *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 857) **Parnassius (Driopa) mnemosyne** (Linnaeus, 1758) (Papilionidae) *mnemosyne* Linnaeus, 1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 858) **Parnassius (s.str.) apollo** (Linnaeus, 1758) (Papilionidae) *apollo* Linnaeus, 1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 859) **Zerynthia (Allancastris) cerisyi** (Godart, 1822) (Papilionidae) *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa*, *cypria* Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eisn. & Wag., 1974; *kocaki*, *goeksui* Kuhna, 1977; *koroneii* Katt. & Kouts., 1978; *sami* Schmidt, 1989. 01 06 07 09 10 11 14 15 16 17 22 26 31 32 33 34 35 37 39 41 42 43 45 46 48 51 52 59 60 80
- 860) **Zerynthia (Allancastris) deyrollei** (Oberthür, 1869) (Papilionidae) *deyrollei* Oberthür, 1869; *eisneri* Bernardi, 1970; *lycaoniae* Eisner & Wagens, 1974; *#flavomaculata* Verity, 1905; *#ochracea* Verity, 1905; *#obscurior* Verity, 1905; *#subflava* Schultz, 1908; *#deflexa* Schultz, 1908; *#charis* Schultz, 1908; *#separata* Sheljuzhko, 1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 861) **Anthocharis cardamines** (Linnaeus, 1758) (Pieridae) *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 nec Lederer, 1852; *montivaga* Turati & Verity, 1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 862) **Anthocharis damone** Boisduval, 1836 (Pieridae) *damone* Boisduval, 1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 863) **Anthocharis gruneri** Herrich-Schäffer, [1851] (Pieridae) *gruneri* Herrich-Schäffer, [1851]; *#diluta* Röber, 1907; *eros* Röber, 1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 864) **Aporia (s.str.) crataegi** (Linnaeus, 1758) (Pieridae) *crataegi* Linnaeus, 1758; *nigronevrosus* Retzius, 1783; *minor* Verity, 1907; *basanii* Fruhstorfer, 1910; *crataegiaugusta* Verity, 1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 865) **Colias (Eriocolias) crocea** (Fourcroy, 1785) (Pieridae) *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 866) **Colias (Neocolias) aurorina** Herrich-Schäffer, [1850] (Pieridae) *aurorina* Herrich-Schäffer, [1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 867) **Colias (s.str.) sareptensis** Staudinger, 1881 (Pieridae) *#sareptensis* Staudinger, 1871; *sareptensis* Staudinger, 1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 868) **Colotis (s.str.) faustus** (Olivier, [1804]) (Pieridae) *fausta* Olivier, [1804]; *faustina* Felder & Felder, [1865]. 01 12 21 27 30 31 33 42 46 56 63 73 79
- 869) **Euchloe (Elphinstonia) penia** (Freyer, [1852]) (Pieridae) *penia* Freyer, [1852]; *mesopotamica* Baker, 1889. 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71
- 870) **Euchloe (s.str.) ausonia** (Hübner, [1804]) (Pieridae) *ausonia* Hübner, [1804]; *marchandae* Geyer, [1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 871) **Gonepteryx (Isogonepteryx) cleopatra** (Linnaeus, 1767) (Pieridae) *cleopatra* Linnaeus, 1767; *balearica* Bubacek, 1920. 01 07 09 17 27 31 33 35 45 46 48 59 63 80
- 872) **Gonepteryx (s.str.) farinosa** (Zeller, 1847) (Pieridae) *farinosa* Zeller, 1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 873) **Gonepteryx (s.str.) rhamni** (Linnaeus, 1758) (Pieridae) *rhamni* Linnaeus, 1758; *gravesi* Huggins, 1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 874) **Leptidea duponcheli** (Staudinger, 1871) (Pieridae) *duponcheli* Staudinger, 1871; *#dupncheli* Nazari, 2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78

- 875) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarius* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 70 75 76 81
- 876) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcaea* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 877) **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) *krueperi* Staudinger,1860 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 878) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 879) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 880) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 881) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 882) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 883) **Pontia chloridice (Hübner,[1813])** (Pieridae) *rusciae* Esper,[1784] *nec rusciae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 884) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 885) **Zegris eupheme (Esper,[1804])** (Pieridae) *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 886) **Canephora febretha (Boyer de Fonscolombe,1835)** (Psychidae) *febretha* Boyer de Fonscolombe,1835 42 46
- 887) **Canephora lutea (Staudinger,1871)** (Psychidae) *lutea* Staudinger,1871 05 42 46 76
- 888) **Canephora taurica (Wehrli,1932)** (Psychidae) *taurica* Wehrli,1932 01 33 46
- 889) **Canephora villosella (Ochsenheimer,1810)** (Psychidae) *villosella* Ochsenheimer,1810 07 10 33 36 46
- 890) **Eumasia parietariella (Heydenreich,1851)** (Psychidae) *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920. 05 16 44 46
- 891) **Eumasia syriaca (Caradja,1920)** (Psychidae) *syriaca* Caradja,1920 46
- 892) **Penestoglossa tauricella Rebel,1935** (Psychidae) *tauricella* Rebel,1935 46
- 893) **Phalacropterix bruandi (Lederer,1855)** (Psychidae) *bruandi* Lederer,1855 46
- 894) **Taleporia tubulosa (Retzius,1783)** (Psychidae) *tubulosa* Retzius,1783; *pseudobombycella* Hübner,1796; *glabrella* Ochsenheimer,1816; *tessellea* Haworth,1828; *tesserella* Stephens,1829; *anderreggella* Duponchel,1842; *guenei* Zeller,1852; *hirta* Bartosova & Duskova,1958 16 46
- 895) **Pterolonche (Gomezbustillus) pulverulenta Zeller, 1847** (Pterolonchidae) *pulverulenta* Zeller, 1847 46
- 896) **Pterolonche (s.str.) albescens Zeller,1847** (Pterolonchidae) *albescens* Zeller,1847 16 46
- 897) **Calyciphora maraschella Zagulyaev,1986** (Pterophoridae) *maraschella* Zagulyaev,1986 46 58
- 898) **Capperia fusca (Hofmann,1898)** (Pterophoridae) *fusca* Hofmann,1898; *marrubii* Adamczewski,1951 05 06 42 46 71
- 899) **Cnaemidophorus rhododactylus (Fabricius,1787)** (Pterophoridae) *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931. 05 06 16 42 46
- 900) **Crombrugghia distans (Zeller,1847)** (Pterophoridae) *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997. 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61
- 901) **Crombrugghia laeta (Zeller,1847)** (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882. 05 06 16 42 44 46 76
- 902) **Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. 05 06 07 09 14 16 23 29 31 33 34 36 38 46 50 59 61
- 903) **Marasmarcha ehrenbergiana Zeller,1841** (Pterophoridae) *ehrenbergiana* Zeller,1841; *decolorum* Caradja,1920. 06 42 46 47
- 904) **Merrifieldia baliodactyla (Zeller,1841)** (Pterophoridae) *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *dalioidactylus* Bruand,1850; *meridionalis* Staudinger,1880. 05 06 16 46 48
- 905) **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993 05 06 07 09 14 16 23 29 33 42 46 55 76 77

- 906) **Oxyptilus parvidactylus** (Haworth,[1811]) (Pterophoridae) *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroocanensis* Amsel,1956. 05 06 07 14 16 29 34 35 42 44 46 71 76
- 907) **Oxyptilus pilosellae** (Zeller,1841) (Pterophoridae) *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemani* Wallengren,1862. 46
- 908) **Platyptilia tetradactyla** (Linnaeus,1758) (Pterophoridae) *tetradactyla* Linnaeus,1758 05 06 16 31 46
- 909) **Pterophorus ischnodactylus** (Treitschke,1835) (Pterophoridae) *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968. 05 16 34 46
- 910) **Pterophorus pentadactylus** (Linnaeus,1758) (Pterophoridae) *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 911) **Stenoptilia mannii** (Zeller,1852) (Pterophoridae) *mannii* Zeller,1852; *megalochroa* Meyrick,1930. 05 16 25 42 46 65
- 912) **Stenoptilia pterodactyla** (Linnaeus,1761) (Pterophoridae) *pterodactyla* Linnaeus,1761; *pallida* Tutt,1906 05 16 46 73
- 913) **Stenoptilodes taprobanes** (R.Felder & Rogenhofer,1875) (Pterophoridae) *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenocodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962. 33 46
- 914) **Tabulaephorus parthicus** (Lederer,1870) (Pterophoridae) *parthicus* Lederer,1870 05 06 23 33 42 46 51 71 76
- 915) **Wheeleria obsoleta** (Zeller,1841) (Pterophoridae) *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. 05 06 14 16 29 36 38 42 44 46 47 50 51 55 58 71 76
- 916) **Wheeleria phlomidis** (Staudinger,1871) (Pterophoridae) *phlomidis* Staudinger,1871 05 06 12 42 46 50 51 71 76
- 917) **Wheeleria spilodactyla** (Curtis,1827) (Pterophoridae) *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851. 05 06 38 42 46 76
- 918) **Achyra nudalis** (Hübner,1796) (Pyrilidae) *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901 01 16 23 27 31 46 76
- 919) **Acrobasis atrisquamella** Ragonot,1887 (Pyrilidae) *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953 05 44 46 47 65
- 920) **Acrobasis glaucella** Staudinger,1859 (Pyrilidae) *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910. 01 05 06 31 35 42 46 65 71
- 921) **Acrobasis obliqua** (Zeller,1847) (Pyrilidae) *obliqua* Zeller,1847; *cinerascens* Turati,1927. 05 09 16 46
- 922) **Acrobasis obtusella** (Hübner,1796) (Pyrilidae) *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825]. 01 06 33 42 46
- 923) **Actenia brunnealis** (Treitschke,1829) (Pyrilidae) *brunnealis* Treitschke,1829; *phaealis* Hampson,1900. 05 46
- 924) **Aglossa asiatica** Erschoff,1871 (Pyrilidae) *asiatica* Erschoff,1871 06 46
- 925) **Agriphila inquinatella** ([Denis & Schiffermüller],1775) (Pyrilidae) *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. 01 03 05 06 16 35 42 46 76
- 926) **Agriphila paleatella** (Zeller,1847) (Pyrilidae) *paleatellus* Zeller,1847 06 31 35 42 46 51
- 927) **Agrotera nemoralis** (Scopoli,1763) (Pyrilidae) *nemoralis* Scopoli,1763 16 34 46
- 928) **Alophia combustella** (Herrich-Schäffer,[1855]) (Pyrilidae) *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910. 05 06 31 46
- 929) **Amaurophanes stigmosalis** (Herrich-Schäffer,[1848]) (Pyrilidae) *stigmosalis* Herrich-Schäffer,[1848] 05 06 16 35 46
- 930) **Anania verbascata** (Fabricius,1787) (Pyrilidae) *verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934. 01 05 16 31 46
- 931) **Anarpia incertalis** (Duponchel,1832) (Pyrilidae) *incertalis* Duponchel,1832; *pyrenaealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaealis* Guenée,1846 46
- 932) **Ancylolomia palpella** ([Denis & Schiffermüller],1775) (Pyrilidae) *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921. 05 06 10 16 31 33 36 42 46 58 65 71
- 933) **Ancylolomia pectinatella** (Zeller,1847) (Pyrilidae) *pectinatellus* Zeller,1847 05 06 16 31 34 35 42 46
- 934) **Ancylolomia tentaculella** (Hübner,1796) (Pyrilidae) *tentaculella* Hübner,1796; *irakella* Amsel,1949. 03 05 06 16 22 31 35 46 50 71
- 935) **Ancylosis (Cabotia) oblitella** (Zeller,1848) (Pyrilidae) *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955. 01 06 09 21 34 42 46 65 71
- 936) **Ancylosis (Heterographis) albicosta** (Staudinger,1870) (Pyrilidae) *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901. 16 46
- 937) **Ancylosis (Heterographis) candidatella** (Lederer,1858) (Pyrilidae) *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. 03 06 16 21 42 46
- 938) **Ancylosis (Heterographis) convexella** (Lederer,1855) (Pyrilidae) *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867 01 03 06 07 16 21 31 42 46 63
- 939) **Ancylosis (Heterographis) faustinella** (Zeller,1867) (Pyrilidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. 01 03 06 13 16 35 42 46 65
- 940) **Ancylosis (Heterographis) gracilella** Ragonot,1887 (Pyrilidae) *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932. 06 16 21 38 42 46 71 76
- 941) **Ancylosis (Heterographis) harmoniella** (Ragonot,1887) (Pyrilidae) *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930. 06 21 46
- 942) **Ancylosis (Heterographis) hellenica** (Staudinger,1870) (Pyrilidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. 03 06 07 09 16 21 34 35 41 42 46 58 65 76

- 943) **Ancylosis (Heterographis) nigripunctella (Staudinger,1879)** (Pyalidae) *nigripunctella* Staudinger,1879; *wockeella* Ragonot,1887; *carnibasalis* Hampson,1896. 46
- 944) **Ancylosis (Heterographis) nubeculella (Ragonot,1887)** (Pyalidae) *nubeculella* Ragonot,1887 46
- 945) **Ancylosis (Heterographis) pallida (Staudinger,1870)** (Pyalidae) *pallida* Staudinger,1870 42 46
- 946) **Ancylosis (Heterographis) pyrethrella (Herrich-Schäffer,1860)** (Pyalidae) *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961. 05 16 42 46
- 947) **Ancylosis (Heterographis) rhodochrella (Herrich-Schäffer,1855)** (Pyalidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. 01 03 05 06 07 16 21 31 42 46 58 71 76
- 948) **Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyalidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *barteella* Caradja,1910; *benderella* Amsel,1961. 01 03 06 09 13 16 21 42 46 65 76
- 949) **Ancylosis (Heterographis) samaritanella (Zeller,1867)** (Pyalidae) *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954. 01 03 06 07 16 21 42 46
- 950) **Ancylosis (Heterographis) xylina (Staudinger,1870)** (Pyalidae) *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochina* Zerny,1929. 03 06 13 16 42 46 65
- 951) **Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyalidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76
- 952) **Ancylosis (s.str.) iranella (Ragonot,1887)** (Pyalidae) *iranella* Ragonot,1887; *turaniella* Ragonot,1887. 06 21 42 45 46 76
- 953) **Ancylosis (s.str.) maculifera (Staudinger,1870)** (Pyalidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. 01 03 05 06 13 16 21 35 42 46 58 65 71 76
- 954) **Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pyalidae) *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863. 03 06 07 21 38 42 46 47 58
- 955) **Anthophilopsis baphialis (Staudinger,1870)** (Pyalidae) *baphialis* Staudinger,1870; *#baphiale* Caradja,1917. 06 31 35 42 46 65 76
- 956) **Antigastra catalaunalis (Duponchel,1833)** (Pyalidae) *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929 01 07 16 31 46
- 957) **Aphomia sociella (Linnaeus,1758)** (Pyalidae) *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941. 05 06 34 46
- 958) **Aporodes floralis (Hübner,[1809])** (Pyalidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917. 01 05 06 16 23 42 44 46 58 61 65 76
- 959) **Aporodes nepticalis (Hofmann,[1898])** (Pyalidae) *nepticalis* Hofmann,[1898] 06 46 65 71
- 960) **Arimania komaroffi (Ragonot,1888)** (Pyalidae) *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937 01 46 47
- 961) **Arsissa divaricella (Ragonot,1887)** (Pyalidae) *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961. 01 31 46 65 76
- 962) **Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyalidae) *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939. 05 06 42 45 46 47 58 65
- 963) **Asalebria (Exophora) exasperata (Staudinger,1879)** (Pyalidae) *exasperata* Staudinger,1879 01 05 06 08 21 25 30 32 38 42 46 47 58 65 76
- 964) **Asalebria (Exophora) florella (Mann,1862)** (Pyalidae) *florella* Mann,1862 06 09 16 42 46 65
- 965) **Asalebria (s.str.) venustella (Ragonot,1887)** (Pyalidae) *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916 46 71 76
- 966) **Bradyrrhoa cantenerella (Duponchel,1837)** (Pyalidae) *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955 05 06 16 31 46 65
- 967) **Bradyrrhoa gilveolella (Treitschke,1833)** (Pyalidae) *gilveolella* Treitschke,1833 01 05 06 13 16 22 23 29 51 38 42 44 46 51 58 65 71 77
- 968) **Bradyrrhoa trapezella (Duponchel,1836)** (Pyalidae) *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcedoniella* Herrich-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933. 05 16 38 42 46 65
- 969) **Cadra abstersella (Zeller,1847)** (Pyalidae) *abstersella* Zeller,1847; *liguriella* Amsel,1954. 16 21 42 46
- 970) **Cadra calidella (Guenée,1845)** (Pyalidae) *calidella* Guenée,1845; *#ficella* Douglas,1851; *xanthotricha* Staudinger,1859. 06 46 61
- 971) **Cadra cautella (Walker,1863)** (Pyalidae) *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 03 06 21 38 42 46
- 972) **Cadra figulilella (Gregson,1871)** (Pyalidae) *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965. 34 46 71
- 973) **Calamotropha hierichuntica (Zeller,1867)** (Pyalidae) *hierichuntica* Zeller,1867; *orontella* Ragonot,1895; *leucaniellus* Zerny,1914. 31 46
- 974) **Calamotropha paludella (Hübner,[1824])** (Pyalidae) *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *calpharus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959. 42 46
- 975) **Cataclysta lemnata (Linnaeus,1758)** (Pyalidae) *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935. 42 46

- 976) **Cataonia erubescens** (Christoph,1877) (Pyalidae) *erubescens* Christoph,1877; *monocerialis* Ragonot,1891. 01 38 46
- 977) **Catastia marginea** ([Denis & Schiffermüller],1775) (Pyalidae) *marginea* [Denis & Schiffermüller],1775. 25 33 46 61
- 978) **Catharia pyrenaealis** (Duponchel,[1843]) (Pyalidae) *pyrenaealis* Duponchel,1843 05 46
- 979) **Catoptria dimorphella** (Staudinger,1881) (Pyalidae) *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolffi* Ganey & Hacker,1984 01 05 06 31 42 46
- 980) **Catoptria hilarella** (Caradja,1925) (Pyalidae) *hilarellus* Caradja,1925 46
- 981) **Chilo luteellus** (Motschulsky,1866) (Pyalidae) *lutellus* Motschulsky,1860 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 982) **Chilo pulverosellus** Ragonot,1895 (Pyalidae) *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezii* Joannis,1932; *lemarchandellus* Lucas,1945. 13 31 42 46 65
- 983) **Chrysocrambus craterellus** (Scopoli,1763) (Pyalidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. 01 05 06 14 16 22 36 37 38 39 40 46 48 50 58 69 71 76
- 984) **Chrysocrambus syriellus** (Zerny,1934) (Pyalidae) *syriellus* Zerny,1934 05 06 46 65
- 985) **Conobathra tumidana** ([Denis & Schiffermüller],1775) (Pyalidae) *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839. 16 42 46
- 986) **Cybalomia pentadalis** (Lederer,1855) (Pyalidae) *pentadalis* Lederer,1855 07 31 45 46 76
- 987) **Cynaeda gigantea** (Wocke,1871) (Pyalidae) *gigantea* Wocke,1871 05 06 14 23 42 44 46 58 65
- 988) **Diasemiopsis ramburialis** (Duponchel,1831) (Pyalidae) *ramburialis* Duponchel,1831; *melaleucalis* Walker,1859; *reconditalis* Walker,[1866]; *leucophaealis* Walker,[1866]. 16 31 46
- 989) **Dipleurina lacustrata** (Panzer,1804) (Pyalidae) *crataegella* sensu Hübner,1796 *nec* Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845. 05 33 34 46 76
- 990) **Dolicharthria bruguieralis** (Duponchel,1833) (Pyalidae) *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915 01 05 06 07 16 32 46 65
- 991) **Dolicharthria punctalis** ([Denis & Schiffermüller],1775) (Pyalidae) *punctalis* [Denis & Schiffermüller],1775 01 05 06 14 16 39 42 46 65 71
- 992) **Ebulea crocealis** (Hübner,1796) (Pyalidae) *crocealis* Hübner,1796 16 46 58
- 993) **Ecbatania holopyrrhella** (Ragonot,1888) (Pyalidae) *holopyrrhella* Ragonot,1888 46 65 76
- 994) **Elegia fallax** (Staudinger,1881) (Pyalidae) *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953. 01 05 06 27 31 46 65 71
- 995) **Elophila hederalis** Amsel,1935 (Pyalidae) *hederalis* Amsel,1935; *auralis* Osthelder,1935 46
- 996) **Ematheudes pseudopunctellus** Ragonot,1888 (Pyalidae) *pseudopunctella* Ragonot,1888 34 42 46
- 997) **Ematheudes punctellus** (Treitschke,1833) (Pyalidae) *punctella* Treitschke,1833 01 05 06 16 27 31 33 34 35 38 42 46 71
- 998) **Ematheudes vitellinellus** Ragonot,1887 (Pyalidae) *vitellinella* Ragonot,1887; *#vittelinella* Amsel,1949. 46
- 999) **Endotricha flammealis** ([Denis & Schiffermüller],1775) (Pyalidae) *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951. 01 05 06 07 16 31 34 42 46 58 65 71
- 1000) **Epactoctena octogenalis** (Lederer,1863) (Pyalidae) *octogenalis* Lederer,1863. 31 44 46 47
- 1001) **Epascestria peltaloides** (Rebel,1932) (Pyalidae) *peltaloides* Rebel,1932 42 46 58
- 1002) **Epascestria pustulalis** (Hübner,[1823]) (Pyalidae) *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917. 01 05 06 31 35 42 46 65
- 1003) **Epheles cruentalis** (Geyer,[1832]) (Pyalidae) *cruentalis* Geyer,[1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 1004) **Ephestia (Anagasta) welseriella** (Zeller,1848) (Pyalidae) *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927. 05 06 16 42 45 46 65 71
- 1005) **Ephestia (s.str.) disparella** Hampson,1901 (Pyalidae) *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934. 01 03 05 06 07 09 16 21 34 35 42 46 76
- 1006) **Ephestia (s.str.) elutella** (Hübner,1796) (Pyalidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 05 06 16 34 46 76
- 1007) **Ephestia (s.str.) parasitella** Staudinger,1859 (Pyalidae) *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. 03 05 06 13 33 34 42 44 46
- 1008) **Epidauria phoeniciella** Ragonot,1895 (Pyalidae) *phoeniciella* Ragonot,1895 01 31 46
- 1009) **Epidauria strigosa** (Staudinger,1879) (Pyalidae) *strigosa* Staudinger,1879 05 25 33 42 46 65 71 76
- 1010) **Epiepischnia pseudolydella** Amsel,1953 (Pyalidae) *pseudolydella* Amsel,1953 06 46 65 71
- 1011) **Epischnia christophori** Ragonot,1887 (Pyalidae) *christophori* Ragonot,1887; *#chrystophori* Noack,1960. 06 21 46 76
- 1012) **Epischnia cretaciella** Mann,1869 (Pyalidae) *cretaciella* Mann,1869; *demartinella* Turati,1922. 05 16 46 76
- 1013) **Epischnia cuculliella** Ragonot,1887 (Pyalidae) *cuculliella* Ragonot,1887 42 46
- 1014) **Epischnia leucoloma** (Herrich-Schäffer,[1849]) (Pyalidae) *leucoloma* Herrich-Schäffer,[1849] 16 45 46
- 1015) **Epischnia prodromella** (Hübner,[1799]) (Pyalidae) *prodromella* Hübner,[1799] 01 05 06 16 32 34 42 46 58 65
- 1016) **Epischnia stenopterella** Rebel,1910 (Pyalidae) *stenopterella* Rebel,1910 46
- 1017) **Etiella zinckenella** (Treitschke,1832) (Pyalidae) *marginella* Fabricius,1781 *nec* Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. 01 05 06 09 16 17 31 39 46 58 65 71

- 1018) **Euchromius bellus** (Hübner,1796) (Pyrilidae) *bella* Hübner,1796; *bellalis* Hübner,[1825]. 05 06 16 26 31 33
35 39 42 46 65 71 76
- 1019) **Euchromius cochlearellus** (Amsel,1949) (Pyrilidae) *cochlearella* Amsel,1949 44 46 51 65
- 1020) **Euchromius pulverosus** (Christoph,1887) (Pyrilidae) *pulverosa* Christoph,1887 01 06 42 46
- 1021) **Euchromius superbellus** (Zeller,1849) (Pyrilidae) *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958. 06 16 31 39 46 65 71 76
- 1022) **Euclasta (s.str.) splendidalis** (Herrich-Schäffer,[1848]) (Pyrilidae) *splendidalis* Herrich-Schäffer,[1848] 01
05 16 17 31 33 44 46 67
- 1023) **Eurhodope (s.str.) monogrammos** (Zeller,1867) (Pyrilidae) *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921;
homochromella Amsel,1961; *melanella* Roesler,1969 01 05 06 16 31 33 42 46 50 71
- 1024) **Eurrhysis pollinalis** ([Denis & Schiffermüller],1775) (Pyrilidae) *pollinalis* [Denis & Schiffermüller],1775;
bigutta Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 05 06 14 16
32 39 42 46
- 1025) **Euzophera (Cymbalorissa) fuliginosella** (Heinemann,1865) (Pyrilidae) *fuliginosella* Heinemann,1865;
polyxenella Millière,1872. 46
- 1026) **Euzophera (s.str.) bigella** (Zeller,1848) (Pyrilidae) *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855;
bisinuella Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella*
Constantini,1922 01 05 06 07 09 16 21 33 34 46 47 65 76
- 1027) **Euzophera (s.str.) cinerosella** (Zeller,1839) (Pyrilidae) *cinerosella* Zeller,1839; *incanella* Eversmann,1844;
artemisiella Stainton,1859; *pimeleella* Zerny,1934. 06 16 46
- 1028) **Euzophera (s.str.) flagella** (Lederer,1869) (Pyrilidae) *flagella* Lederer,1869 21 46 65
- 1029) **Euzophera (s.str.) imperfectella** Ragonot,1895 (Pyrilidae) *imperfectella* Ragonot,1895; *xylomorpha*
Meyrick,1937. 23 31 46 65
- 1030) **Euzophera (s.str.) luculentella** Ragonot,1888 (Pyrilidae) *luculentella* Ragonot,1888 46 76
- 1031) **Euzophera (s.str.) lunulella** (Costa,1836) (Pyrilidae) *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
42 45 46 71
- 1032) **Euzophera (s.str.) osseatella** (Treitschke,1832) (Pyrilidae) *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
16 46 47
- 1033) **Euzophera (s.str.) pinguis** (Haworth,[1811]) (Pyrilidae) *pinguis* Haworth,[1811]; *fischeri* Zeller,1846;
splendidella Herrich-Schäffer,1848. 06 07 21 46
- 1034) **Euzophera (s.str.) pulchella** Ragonot,1887 (Pyrilidae) *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937 06
46 47
- 1035) **Euzophera (s.str.) rubricetella** (Herrich-Schäffer,1855) (Pyrilidae) *rubricetella* Herrich-Schäffer,[1856] 16
46
- 1036) **Euzophera (s.str.) umbrosella** (Staudinger,1879) (Pyrilidae) *umbrosella* Staudinger,1879; *albogilvella*
Ragonot,1887; *depauperatella* Ragonot,1901. 23 46 58 65
- 1037) **Euzopherodes charlottae** (Rebel,1914) (Pyrilidae) *charlottae* Rebel,1914; *nigrolineella* Zerny,1936. 16 46
- 1038) **Euzopherodes lutsignella** (Mann,1869) (Pyrilidae) *lutsignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella*
Turati,1924; *battella* Turati,1924. 21 23 35 38 42 44 46 65
- 1039) **Euzopherodes vapidella** (Mann,1857) (Pyrilidae) *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella*
Chrétien,1911; *xylobrunnea* Amsel,1951. 05 16 23 34 35 46 47
- 1040) **Evergestis aenealis** ([Denis & Schiffermüller],1775) (Pyrilidae) *aenealis* [Denis & Schiffermüller],1775; *furvalis*
Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825] 05 16 46
- 1041) **Evergestis caesialis** Herrich-Schäffer,[1855] (Pyrilidae) *caesialis* Herrich-Schäffer,[1855] 16 46
- 1042) **Evergestis infirmalis** (Staudinger,1870) (Pyrilidae) *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870 05
46 65
- 1043) **Evergestis limbata** (Linnaeus,1767) (Pyrilidae) *limbata* Linnaeus,1767; *praetextalis* Hübner,[1825]; *limbalis*
Hübner,[1825]; *delimbata* Osthelder,1940 16 46 51
- 1044) **Evergestis nomadalis** Lederer,1871 (Pyrilidae) *nomadalis* Lederer,1871 46 51 76
- 1045) **Evergestis segetalis** (Herrich-Schäffer,1851) (Pyrilidae) *segetalis* Herrich-Schäffer,1851 05 16 29 42 46
- 1046) **Evergestis umbrosalis** (Fischer v. Röslerstamm,[1842]) (Pyrilidae) *umbrosalis* Fischer v. Röslerstamm,[1842]
05 06 14 16 31 34 46 51 65
- 1047) **Friedlanderia cicatricella** (Hübner,[1824]) (Pyrilidae) *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833;
treitschkeella Freyer,1836 nec Sodoffsky,1830. 46
- 1048) **Galleria mellonella** (Linnaeus,1758) (Pyrilidae) *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella*
Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder &
Rogenhofer,1875; *#crombrugheella* Dufrane,1930. 05 06 07 16 34 38 42 46 51
- 1049) **Glauccharis euchromiella** (Ragonot,1895) (Pyrilidae) *euchromiella* Ragonot,1895; *sinualis* Hampson,1900;
rebeli Osthelder,1941. 31 33 46 65
- 1050) **Heliothela wulfeniana** (Scopoli,1763) (Pyrilidae) *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 nec Fabr.,1775;
coerulealis Caradja,1917; *huebneri* Koçak,1980. 05 16 31 33 46
- 1051) **Hellula undalis** (Fabricius,1781) (Pyrilidae) *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859;
exemptalis Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977 16 31 46
- 1052) **Homoeosoma (Anhomoeosoma) nimbellum** (Duponchel,1837) (Pyrilidae) *nimbella* Duponchel,1837;
homoeosomaella Zerny,1926; *snellenella* Bentick,1930. 01 05 06 12 16 38 46
- 1053) **Homoeosoma (s.str.) achroeellum** Ragonot,1887 (Pyrilidae) *achroeella* Ragonot,1887; *microsignella* Amsel,1961.
46
- 1054) **Homoeosoma (s.str.) inustellum** Ragonot,1884 (Pyrilidae) *inustella* Ragonot,1884; *compsitella* Rebel,1914.
05 38 46

- 1055) **Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. 01 05 06 07 13 16 21 39 44 46 58 65 70 71 76
- 1056) **Homoeosoma (s.str.) subalbatellum (Mann,1864)** (Pyrilidae) *subalbatella* Mann,1864 03 06 07 16 31 35 38 39 42 46
- 1057) **Hyperlais dulcinalis (Treitschke,1835)** (Pyrilidae) *dulcinalis* Treitschke,1835 05 06 46 65 71
- 1058) **Hypsopygia costalis (Fabricius,1775)** (Pyrilidae) *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. 06 16 31 38 39 46 65 76
- 1059) **Hypsotropa ichorella (Lederer,1855)** (Pyrilidae) *ichorella* Lederer,1855 46
- 1060) **Hypsotropa paucipunctella Ragonot,1895** (Pyrilidae) *paucipunctella* Ragonot,1895 31 46
- 1061) **Hypsotropa syriacella Ragonot,1888** (Pyrilidae) *syriacella* Ragonot,1888 46
- 1062) **Isauria dilucidella (Duponchel,1836)** (Pyrilidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *griseszens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 05 06 13 16 25 32 38 42 46 47 50 53 58 65 71
- 1063) **Keradere lepidella (Ragonot,1887)** (Pyrilidae) *lepidella* Ragonot,1887 09 46 47 65 71
- 1064) **Keradere tengstroemiella (Erschoff,1874)** (Pyrilidae) *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879. 05 09 42 46
- 1065) **Lambaesia straminella (Zerny,1914)** (Pyrilidae) *straminella* Zerny,1914; *alphetopis* Meyrick,1937. 31 42 46 65
- 1066) **Lamoria anella ([Denis & Schiffermüller],1775)** (Pyrilidae) *anella* [Denis & Schiffermüller],1775 05 06 17 34 35 38 42 46 58
- 1067) **Lamoria brevinaevella Zerny,1934** (Pyrilidae) *brevinaevella* Zerny,1934 46
- 1068) **Lamoria ruficostella Ragonot,1888** (Pyrilidae) *ruficostella* Ragonot,1888 06 31 46 71
- 1069) **Loxostege flavivenalis (Hampson,1913)** (Pyrilidae) *flavivenalis* Hampson,1913; *osthelderi* Schawerda,1932. 46 63
- 1070) **Mardinia ferrealis (Hampson,1900)** (Pyrilidae) *ferrealis* Hampson,1900 46 47
- 1071) **Mardinia ossealis (Staudinger,1879)** (Pyrilidae) *ossealis* Staudinger,1879 05 46
- 1072) **Margaritia sticticalis (Linnaeus,1761)** (Pyrilidae) *lupulina* Clerck,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811 05 16 17 34 39 42 46
- 1073) **Mecyna amasialis (Staudinger,1879)** (Pyrilidae) *amasialis* Staudinger,1879 05 06 46 58 71
- 1074) **Mecyna pontica (Staudinger,1879)** (Pyrilidae) *pontica* Staudinger,1879; *levilinealis* Amsel,1942. 05 46 58
- 1075) **Mecyna subsequalis (Herrich-Schäffer,1851)** (Pyrilidae) *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932. 01 05 06 33 42 46 58 65 76
- 1076) **Mecyna trinalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *trinalis* [Denis & Schiffermüller],1775 05 06 23 29 30 44 46 61 65 76
- 1077) **Megasia libanoticella Zerny,1934** (Pyrilidae) *libanoticella* Zerny,1934; *#libanotidella* Osthelder,1934. 46
- 1078) **Megasia mimeticella (Staudinger,1879)** (Pyrilidae) *mimeticella* Staudinger,1879; *tolli* Amsel,1953. 05 06 36 42 44 46 58
- 1079) **Mesocrambus candidellus (Herrich-Schäffer,[1848])** (Pyrilidae) *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965. 34 42 46 65
- 1080) **Metacrambus carectellus (Zeller,1847)** (Pyrilidae) *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916. 01 03 33 42 46 65 71
- 1081) **Metallosticha argyrogrammos (Zeller,1847)** (Pyrilidae) *argyrogrammos* Zeller,1847 05 06 16 38 42 45 46 48 65
- 1082) **Metallostichodes vinaceella (Ragonot,1895)** (Pyrilidae) *vinaceella* Ragonot,1895 31 46
- 1083) **Metasia (Clasperia) ophialis (Treitschke,1829)** (Pyrilidae) *ophialis* Treitschke,1829; *parvalis* Caradja,1917. 01 05 16 44 46
- 1084) **Metasia (s.str.) virginalis Ragonot,1894** (Pyrilidae) *virginalis* Ragonot,1894; *fulvinealis* Hampson,1900; *#virginalis* Osthelder,1934; *phthoneropsis* Meyrick,1937 46 47
- 1085) **Metaxmeste sericatalis (Herrich-Schäffer,1848)** (Pyrilidae) *sericatalis* Herrich-Schäffer,[1848] 16 31 34 46
- 1086) **Microstega praepetalis (Lederer,1869)** (Pyrilidae) *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937 04 05 42 46 58 65 71 76
- 1087) **Mimudea bipunctalis (Herrich-Schäffer,1851)** (Pyrilidae) *bipunctalis* Herrich-Schäffer,1851; *dispunctalis* Guenée,1854 46
- 1088) **Mimudea confinalis (Lederer,1858)** (Pyrilidae) *confinalis* Lederer,1858; *graecalis* Staudinger,1870 46 65 76
- 1089) **Myelois (Gnathogutta) circumdatella Lederer,1858** (Pyrilidae) *circumdatella* Lederer,1858; *ottoella* Schawerda,1924 01 21 46 65
- 1090) **Myelois (Gnathogutta) luticornella (Ragonot,1887)** (Pyrilidae) *luticornella* Ragonot,1887 46
- 1091) **Myelois (Gnathogutta) pluripunctella (Ragonot,1887)** (Pyrilidae) *pluripunctella* Ragonot,1887 05 31 46
- 1092) **Myelois (Gnathogutta) pumicosa Lederer,1855** (Pyrilidae) *pumicosa* Lederer,1855 21 46 65
- 1093) **Myelois (Gnathogutta) umbratella (Treitschke,1832)** (Pyrilidae) *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *unipunctella* Chrétien,1911 16 31 46 47
- 1094) **Myelois (s.str.) quadripunctella Zerny,1914** (Pyrilidae) *quadripunctella* Zerny,1914 31 46
- 1095) **Myrlaea albistrigata (Staudinger,1881)** (Pyrilidae) *albistrigata* Staudinger,1881 05 06 42 46 65 71 76
- 1096) **Myrlaea epischniella (Staudinger,1879)** (Pyrilidae) *epischniella* Staudinger,1879 05 42 44 46
- 1097) **Nascia cilialis (Hübner,1796)** (Pyrilidae) *cilialis* Hübner,1796 46
- 1098) **Nephoterix divisella (Duponchel,1842)** (Pyrilidae) *divisella* Duponchel,1842; *albiricella* Herrich-Schäffer,1849; *euphorbiella* Zeller,1846; *sardzeella* Amsel,1961. 01 05 46

- 1099) **Nephoterix melanotaeniella** Ragonot,1888 (Pyrilidae) *melanotaeniella* Ragonot,1888; *amasiella* Caradja,1910.
05 46 47
- 1100) **Noctuelia superba** (Freyer,[1844]) (Pyrilidae) *superba* Freyer,[1844] 05 06 21 38 42 44 46 58 71
- 1101) **Noctuelia vespertalis** Herrich-Schäffer,[1855] (Pyrilidae) *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis*
Zerny,1914. 01 05 31 33 45 46 55 65
- 1102) **Nomophila noctuella** ([Denis & Schiffermüller],1775) (Pyrilidae) *noctuella* [Denis & Schiffermüller],1775 01
05 06 11 14 16 17 31 32 34 37 38 39 46 58 65 71
- 1103) **Nyctegretis lineana** (Scopoli,1786) (Pyrilidae) *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. 06 07 16 21
33 34 46 71 76
- 1104) **Nymphula nitidulata** (Hufnagel,1767) (Pyrilidae) *nitidulata* Hufnagel,1767; *stagnata* Donovan,1806; *stagnalis*
Guenée,1854; corculina Butler,1879; *distinctalis* Ragonot,1894 14 46
- 1105) **Oncocera semirubella** (Scopoli,1763) (Pyrilidae) *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763;
purpurella Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 05 06 09 14 16
17 46 65 71 81
- 1106) **Orthopygia fulvociliaris** Duponchel,1834 (Pyrilidae) *fulvociliaris* Duponchel,1834 31 46
- 1107) **Orthopygia incarnatalis** Zeller,1847 (Pyrilidae) *incarnatalis* Zeller,1847 16 42 46
- 1108) **Oxybia transversella** (Duponchel,1836) (Pyrilidae) *transversella* Duponchel,1836; *bituminella* Millière,1870;
panorminatella Caradja,1928. 05 09 16 33 42 46
- 1109) **Palmitia massilialis** (Duponchel,1832) (Pyrilidae) *massilialis* Duponchel,1832; *taurica* Rebel,1910. 06 46
- 1110) **Palpita unionalis** (Hübner,1796) (Pyrilidae) *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833;
transvisalis Guenée,1854; *septempunctalis* Mabilie,1880 01 16 17 34 46
- 1111) **Panstegia limbopunctalis** (Herrich-Schäffer,[1849]) (Pyrilidae) *limbopunctalis* Herrich-Schäffer,[1849] 05
06 16 33 38 42 46 58 65
- 1112) **Paracorsia repandalis** ([Denis & Schiffermüller],1775) (Pyrilidae) *repandalis* [Denis & Schiffermüller],1775
05 06 16 38 42 45 46 65 76
- 1113) **Paranephoterix adelphella** (Fischer v. Röslerstamm,[1836]) (Pyrilidae) *adelphella* Fischer v.
Röslerstamm,[1836]; barteli Caradja,1910. 46
- 1114) **Parapoinx affinalis** (Guenée,1854) (Pyrilidae) *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata*
Bethune-Baker,1894; #alaicalis Caradja,1916 46
- 1115) **Parapoinx stratiotata** (Linnaeus,1758) (Pyrilidae) *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica*
Osthelder,1935 42 46
- 1116) **Pediasia contaminella** (Hübner,1796) (Pyrilidae) *contaminella* Hübner,1796; *squalidalis* Hübner,[1825];
cantiellus Tutt,1886. 06 16 39 42 46 59 76
- 1117) **Pediasia desertella** (Lederer,1855) (Pyrilidae) *desertellus* Lederer,1855 16 46 63
- 1118) **Pediasia epineura** (Meyrick,1883) (Pyrilidae) *ramosellus* Zeller,1863 *nec* Doubl.,1843; *epineurus* Meyrick,1883.
46
- 1119) **Pediasia matricella** (Treitschke,1832) (Pyrilidae) *matricella* Treitschke,1832; *obscura* Caradja,1931 01 05 06
33 42 46 50 58 71
- 1120) **Pempelia ambustiella** Ragonot,1887 (Pyrilidae) *ambustiella* Ragonot,1887 06 38 42 46 76
- 1121) **Pempelia argillaceella** (Osthelder,1934) (Pyrilidae) *argillaceella* Osthelder,1934 46
- 1122) **Pempelia brephiella** (Staudinger,1879) (Pyrilidae) *brephiella* Staudinger,1879; *farinosella* Caradja,1910. 09
42 46 71
- 1123) **Pempelia cirtensis** Ragonot,1890 (Pyrilidae) *cirtensis* Ragonot,1890; *commagensis* Osthelder,1940. 46
- 1124) **Pempelia diffusa** Staudinger,1881 (Pyrilidae) *diffusa* Staudinger,1881 05 06 46
- 1125) **Pempelia genistella** (Duponchel,1836) (Pyrilidae) *genistella* Duponchel,1836; *albariella* Zeller,1839. 05 46
- 1126) **Pempelia obscurella** (Osthelder,1934) (Pyrilidae) *obscurella* Osthelder,1934 46
- 1127) **Pempelia palumbella** ([Denis & Schiffermüller],1775) (Pyrilidae) *palumbella* [Denis & Schiffermüller],1775
05 06 42 46
- 1128) **Pempelia romanoffella** (Ragonot,1887) (Pyrilidae) *romanoffella* Ragonot,1887 46 47 65
- 1129) **Pempelia sordida** Staudinger,1879 (Pyrilidae) *sordida* Staudinger,1879 05 46 47
- 1130) **Pempeliella ornatella** ([Denis & Schiffermüller],1775) (Pyrilidae) *ornatella* [Denis & Schiffermüller],1775;
gigantella Amsel,1932; *aixella* Lucas,1938. 06 46 58 76
- 1131) **Pempeliella sororiella** (Zeller,1839) (Pyrilidae) *sororiella* Zeller,1839 06 16 34 42 46
- 1132) **Phycita meliella** (Mann,1864) (Pyrilidae) *meliella* Mann,1864 16 35 46
- 1133) **Phycita metzneri** (Zeller,1846) (Pyrilidae) *metzneri* Zeller,1846 09 16 42 46
- 1134) **Phycita pedisignella** Ragonot,1887 (Pyrilidae) *pedisignella* Ragonot,1887 05 46
- 1135) **Phycita poteriella** (Zeller,1846) (Pyrilidae) *poteriella* Zeller,1846 06 35 46
- 1136) **Phycita strigata** (Staudinger,1879) (Pyrilidae) *strigata* Staudinger,1879 01 05 46 47 65
- 1137) **Phycitodes albatella** (Ragonot,1887) (Pyrilidae) *albatella* Ragonot,1887 01 03 06 16 21 38 42 44 46 65 71
- 1138) **Phycitodes binaevella** (Hübner,[1813]) (Pyrilidae) *binaevella* Hübner,[1813]. 01 05 06 13 31 34 42 46 65
- 1139) **Phycitodes inquinatella** (Ragonot,1887) (Pyrilidae) *inquinatella* Ragonot,1887 03 05 06 09 16 38 46
- 1140) **Phycitodes lacteella** (Rothschild,1915) (Pyrilidae) *lacteella* Rothschild,1915; *vietella* Roesler,1965. 03 06 09
13 16 31 34 38 42 46 65 71
- 1141) **Phycitodes nigrilimbella** (Ragonot,1887) (Pyrilidae) *nigrilimbella* Ragonot,1887 06 16 31 42 46 50 65 71
- 1142) **Pima boisduvaliella** (Guenée,1845) (Pyrilidae) *boisduvaliella* Guenée,1845 06 14 17 42 46 50 65 71 76
- 1143) **Pleuroptya balteata** (Fabricius,1798) (Pyrilidae) *balteata* Fabricius,1798; *crocealis* Duponchel,1831;
aurantiacalis Fischer v. Roeslerstamm,1840; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886;
evergestialis Strand,1918. 16 46
- 1144) **Pleuroptya ruralis** (Scopoli,1763) (Pyrilidae) *ruralis* Scopoli,1763 05 16 34 46 81

- 1145) **Polyocha cremoricosta Ragonot,1895** (Pyalidae) *cremoricosta* Ragonot,1895 31 46
 1146) **Polyocha venosa (Zeller,1847)** (Pyalidae) *venosa* Zeller,1847 31 33 35 46 48
 1147) **Pracepischnia lydella (Lederer,1865)** (Pyalidae) *lydella* Lederer,1865; *gypsocrates* Meyrick,1937 06 42 45 46
 58
 1148) **Pristocerella solskyi (Christoph,1877)** (Pyalidae) *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivitella* Christoph,1887. 01 30 46
 1149) **Psorosa albunculella Ragonot,1901** (Pyalidae) *albunculella* Ragonot,1901 05 42 46 76
 1150) **Psorosa dahliella (Treitschke,1832)** (Pyalidae) *dahliella* Treitschke,1832; *bivitella* Duponchel,1836. 25 46
 1151) **Psorosa maraschella Caradja,1910** (Pyalidae) *maraschella* Caradja,1910 46 65
 1152) **Psorosa ochrifasciella Ragonot,1887** (Pyalidae) *ochrifasciella* Ragonot,1887 05 38 46 58 76
 1153) **Pterothrixidia impurella (Duponchel,1836)** (Pyalidae) *impurella* Duponchel,1836 06 46 65
 1154) **Pterothrixidia orientella (Ragonot,1893)** (Pyalidae) *orientella* Ragonot,1893 05 46 47
 1155) **Pterothrixidia rufella (Duponchel,1836)** (Pyalidae) *rufella* Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849; *tauricella* Wocke,1871; *corsicella* Ragonot,1893. 05 06 45 46 47 38 58
 1156) **Pyalis farinalis (Linnaeus,1758)** (Pyalidae) *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 *nec* Fabr.,1794. 05 06 16 17 31 34 38 39 46 65
 1157) **Pyalis regalis [Denis & Schiffermüller],1775** (Pyalidae) *regalis* [Denis & Schiffermüller],1775 06 16 31 33 34 46 65
 1158) **Pyrasia gutturalis (Staudinger,1879)** (Pyalidae) *gutturalis* Staudinger,1879 01 07 45 46 47 65
 1159) **Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyalidae) *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775. 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
 1160) **Pyrausta (s.str.) amatalis Rebel,1903** (Pyalidae) *amatalis* Rebel,1903 05 46
 1161) **Pyrausta (s.str.) pachyceralis Hampson,1900** (Pyalidae) *pachyceralis* Hampson,1900 46
 1162) **Pyrausta (s.str.) pavidalis Zerny,1934** (Pyalidae) *pavidalis* Zerny,1934 01 46
 1163) **Pyrausta (s.str.) zeitunalis Caradja,1917** (Pyalidae) *zeitunalis* Caradja,1917 46
 1164) **Raphimetopus ablutellus (Zeller,1839)** (Pyalidae) *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921 01 05 06 23 35 42 45 46
 1165) **Reskovitsia alborivulalis (Eversmann,1843)** (Pyalidae) *alborivulalis* Eversmann,1843 17 31 46
 1166) **Schoenobius alpherakyi Staudinger,1874** (Pyalidae) *alpherakyi* Staudinger,1874 46
 1167) **Schoenobius gigantellus ([Denis & Schiffermüller],1775)** (Pyalidae) *gigantella* [Denis & Schiffermüller],1775 42 46
 1168) **Schoenobius niloticus Zeller,1867** (Pyalidae) *niloticus* Zeller,1867 46
 1169) **Sciota (s.str.) insignella (Mann,1862)** (Pyalidae) *insignella* Mann,1862 05 06 16 46 65
 1170) **Scirpophaga praelata (Scopoli,1763)** (Pyalidae) *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960. 01 05 06 09 17 31 32 46 52
 1171) **Sclerocona acutella (Eversmann,1842)** (Pyalidae) *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863 46
 1172) **Scoparia ambigualis (Treitschke,1829)** (Pyalidae) *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909 05 16 46
 1173) **Scoparia luteolaris (Scopoli,1772)** (Pyalidae) *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934. 46 47
 1174) **Scoparia subfusca Haworth,[1811]** (Pyalidae) *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. *nec* Haworth,1811; *cembralis* auct. *nec* Gn.,1854; *#sugfusca* Leraut,1984 42 46
 1175) **Selagia spadicella (Hübner,1796)** (Pyalidae) *spadicella* Hübner,1796 06 42 46
 1176) **Serrulacera serraticornella (Zeller,1839)** (Pyalidae) *serraticornella* Zeller,1839; *gregella* Eversmann,1844. 42 46
 1177) **Sitochroa concoloralis (Lederer,1857)** (Pyalidae) *concoloralis* Lederer,1857 38 46
 1178) **Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyalidae) ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819] 06 14 16 37 42 46 58 65
 1179) **Sitochroa verticalis (Linnaeus,1758)** (Pyalidae) *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829 01 05 06 16 25 32 42 46 65 71
 1180) **Staudingeria (s.str.) deserticola (Staudinger,1870)** (Pyalidae) *deserticola* Staudinger,1870 16 21 42 46
 1181) **Staudingeria (s.str.) morbosella (Staudinger,1879)** (Pyalidae) *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915. 05 06 12 42 46 58 76
 1182) **Stemmatophora caesarealis Ragonot,1891** (Pyalidae) *caesarealis* Ragonot,1891 38 42 46
 1183) **Stemmatophora combustalis (Fischer v. Röslerstamm,[1842])** (Pyalidae) *combustalis* Fischer v. Röslerstamm,[1842]. 06 16 46
 1184) **Stemmatophora subustalis Lederer,1853** (Pyalidae) *subustalis* Lederer,1853 31 42 46
 1185) **Stiphrometasia sancta (Hampson,1900)** (Pyalidae) *sancta* Hampson,1900; *alba* Caradja,1917. 46 47 56
 1186) **Sultania lophotalis (Hampson,1900)** (Pyalidae) *lophotalis* Hampson,1900 07 30 45 46 47 65
 1187) **Synaphe consecratalis (Lederer,1855)** (Pyalidae) *consecratalis* Lederer,1855 01 06 21 27 31 33 46 58 65 76
 1188) **Synaphe moldavica (Esper,[1789])** (Pyalidae) *moldavica* Esper,[1789]; *schmidtii* Hartig,1941. 05 06 07 16 17 22 25 31 32 34 35 38 42 45 46 48 58 71
 1189) **Synaphe morbidalis (Guenée,1849)** (Pyalidae) *morbidalis* Guenée,1849 05 46

- 1190) **Synaphe punctalis (Fabricius,1775)** (Pyrilidae) *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775. 17 46 65
- 1191) **Synaphe uxoralis (Lederer,1858)** (Pyrilidae) *uxoralis* Lederer,1858 05 21 46
- 1192) **Synclera traducalis (Zeller,1852)** (Pyrilidae) *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatalis* Guenée,1862 01 31 46
- 1193) **Synoria antiquella (Herrich-Schäffer,[1855])** (Pyrilidae) *antiquella* Herrich-Schäffer,[1855] 05 16 42 46 76
- 1194) **Syrianarpia osthelderi Leraut,1982** (Pyrilidae) *osthelderi* Leraut,1982 46
- 1195) **Tegostoma comparalis (Hübner,1796)** (Pyrilidae) *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917. 16 42 45 46 58 71 76
- 1196) **Therapne obsoletalis (Mann,1864)** (Pyrilidae) *obsoletalis* Mann,1864 16 46
- 1197) **Thyridiphora furia (Swinhoe,1884)** (Pyrilidae) *furia* Swinhoe,1884; *fenestrata* Warren,1888; *grisea* Amsel,1968. 01 46
- 1198) **Titanio caradjae (Rebel,1902)** (Pyrilidae) *caradjae* Rebel,1902 46 76
- 1199) **Titanio normalis (Hübner,1796)** (Pyrilidae) *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898]. 05 06 16 32 42 45 46 58 65 71 76
- 1200) **Trachycera dulcella (Zeller,1848)** (Pyrilidae) *dulcella* Zeller,1848 05 16 42 46 47 51
- 1201) **Trachycera legatea (Haworth,[1811])** (Pyrilidae) *legatea* Haworth,[1811]; *legatella* Hübner,1796 *nec* [Den. & Schiff.],1775; *legatalis* Hübner,[1825] 05 16 42 46 58
- 1202) **Trachycera marmorea (Haworth,[1811])** (Pyrilidae) *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859 05 16 46
- 1203) **Treptopyx pertusalis (Geyer,[1832])** (Pyrilidae) *pertusalis* Geyer,[1832] 05 06 25 31 32 33 35 46 65
- 1204) **Udea ferrugalis (Hübner,1796)** (Pyrilidae) *ferrugalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferrugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 03 05 06 07 14 16 17 31 32 33 34 35 38 42 44 46 58 65 71
- 1205) **Udea fimbriatralis (Duponchel,1834)** (Pyrilidae) *fimbriatralis* Duponchel,1834 01 05 06 16 31 38 42 46 76
- 1206) **Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971 05 16 31 45 46 65 71
- 1207) **Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
- 1208) **Brintesia circe (Fabricius,1775)** (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettae* Varin,1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 1209) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochseneimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 1210) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 1211) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 1212) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldisica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 1213) **Coenonympha saadi (Kollar,[1849])** (Satyridae) *saadi* Kollar,[1849]; *iphias* Eversmann,1851. 02 12 13 21 23 25 27 30 44 46 47 56 58 62 63 65 72 73
- 1214) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 1215) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 1216) **Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000. 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 1217) **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 1218) **Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. 01 03 05 06 07 09 11 14 16 17 18 20 22 26 27 31 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 80
- 1219) **Hipparchia (Parahipparchia) mersina (Staudinger,1871)** (Satyridae) *mersina* Staudinger,1871; *malickyi* Kudrna,1977. 01 07 10 16 17 27 31 32 33 34 35 42 45 46 48 51 70 80

- 1220) **Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 1221) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 1222) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 1223) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 1224) **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) *roxelana* Cramer,[1777] 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 1225) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 1226) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 1227) **Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) *telmessia* Zeller,1847; *pallescent* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolid* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekassii* Kattulas & Koutsaftikis,1978. 01 02 03 07 09 10 12 13 15 17 20 21 23 27 30 31 32 33 35 42 44 45 46 47 48 51 56 62 63 65 70 72 73 80
- 1228) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 1229) **Maniola (s.str.) megala (Oberthür,1909)** (Satyridae) *megala* Oberthür,1909; *maraschi* Pfeiffer,1932; *antalyana* Tauber,1970. 01 07 31 33 35 46 48 80
- 1230) **Melanargia (Turcargia) syriaca (Oberthür,1894)** (Satyridae) *syriaca* Oberthür,1894 01 12 13 21 23 24 25 30 31 46 49 62 65 73 80
- 1231) **Melanargia (Turcargia) titea (Klug,1832)** (Satyridae) *titea* Klug,1832 01 02 27 31 33 44 46 63 80
- 1232) **Pararge aegeria (Linnaeus,1758)** (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 1233) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 1234) **Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) *telephassa* Geyer,[1827] 01 02 12 21 23 27 30 31 36 44 46 47 50 56 62 63 73 76
- 1235) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 1236) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 1237) **Pseudochazara (s.str.) mnischei (Herrich-Schäffer,[1851])** (Satyridae) *mnischei* Herrich-Schäffer,[1851] 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 1238) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) *pelopea* Klug,1832 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 73 76
- 1239) **Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) *bryce* Herrich-Schäffer,[1852] *nec* Hübn.,[1800]; *amasinus* Staudinger,1861 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 1240) **Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae) *proserpina* Cyrillo,1787 *nec* Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 *nec* Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübn.,[1800]. 01 03 07 32 33 42 46 51
- 1241) **Satyrus (s.str.) favonius Staudinger,[1892]** (Satyridae) *favonius* Staudinger,[1892] 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 1242) **Scythris (aerariella-gr.) aerariella (Herrich-Schäffer,[1854])** (Scythridae) *aerariella* Herrich-Schäffer,[1854] 16 46
- 1243) **Scythris (inclusella-gr.) inclusella Lederer,1855** (Scythridae) *inclusella* Lederer,1855; *subflabella* Stainton,1867 46
- 1244) **Scythris (monochreella-gr.) monochreella Ragonot,1895** (Scythridae) *monochreella* Ragonot,1895 46
- 1245) **Scythris (pascuella-gr.) pascuella (Zeller,1855)** (Scythridae) *pascuella* Zeller,1855 46
- 1246) **Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) *apicalis* Zeller,1847; *unipunctella* Rebel,1901. 31 33 46 48 65
- 1247) **Scythris (scopolella-gr.) flabella (Mann,1861)** (Scythridae) *flabella* Mann,1861; *aurella* Caradja,1920 05 06 38 42 46 76

- 1248) **Scythris caramani** (Staudinger,1880) (Scythridae) *caramani* Staudinger,1880 05 46
 1249) **Scythris discimaculella** Rebel,1935 (Scythridae) *discimaculella* Rebel,1935 46
 1250) **Scythris pfeifferella** Rebel,1935 (Scythridae) *pfeifferella* Rebel,1935 46
 1251) **Scythris taurella** Caradja,1920 (Scythridae) *taurella* Caradja,1920 46
 1252) **Scythris zelleri** (Staudinger,1880) (Scythridae) *zelleri* Staudinger,1880 05 42 46
 1253) **Chamaesphecia albiventris** Lederer,1853 (Sesiidae) *albiventris* Lederer,1853 01 05 08 16 42 46
 1254) **Chamaesphecia chalciformis** (Esper,[1804]) (Sesiidae) *chalciformis* Esper,[1804] 02 07 16 33 46
 1255) **Chamaesphecia haberhaueri** (Staudinger,1878) (Sesiidae) *haberhaueri* Staudinger,1878 31 33 46
 1256) **Chamaesphecia odyneriformis** (Herrich-Schäffer,1846) (Sesiidae) *odyneriformis* Herrich-Schäffer,1846 33v
 46
 1257) **Chamaesphecia schmidtiformis** (Freyer,1836) (Sesiidae) *schmidtiformis* Freyer,1836 01 05 06 37 38 42 46
 60
 1258) **Chamaesphecia thracica** Z.Lastuvka,1983 (Sesiidae) *thracica* Z.Lastuvka,1983 05 06 17 25 39 46
 1259) **Euhagena palariiformis** (Lederer,1858) (Sesiidae) *palariiformis* Lederer,1858; *diocriiformis* Romanoff,1884; *rubescens* Staudinger,1887; *almana* Rebel,1917 01 02 05 07 30 32 33 42 44 46 47 73 76 80
 1260) **Osminia fenusaeformis** (Herrich-Schäffer,1852) (Sesiidae) *fenusaeformis* Herrich-Schäffer,1852; *fenusiformis* Staudinger,1856 01 09 16 33 35 46
 1261) **Paranthrene diaphana** Dalla-Torre & Strand,1925 (Sesiidae) *diaphana* Dalla-Torre & Strand,1925 25 46 65
 1262) **Paranthrene insolita** Le Cerf,1914 (Sesiidae) *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917. 01 06 11 14 24
 26 31 33 42 46 47 62 70
 1263) **Pyropteron triannuliformis** (Freyer,1845) (Sesiidae) *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987 01 04 05 06 07 08 13 16 22 25 30 31 34
 35 36 39 42 44 46 50 58
 1264) **Synansphecia affinis** (Staudinger,1856) (Sesiidae) *affinis* Staudinger,1856 05 42 46
 1265) **Synanthedon stomoxiformis** (Hübner,1790) (Sesiidae) *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 *nec* Linn.,1758; *stomoxiformis* Hübner,1796; *amasina* Staudinger,1878. 05 08 31 36 42 46
 1266) **Tinthia brosiiformis** (Hübner,[1813]) (Sesiidae) *brosiiformis* Hübner,[1813] 01 04 05 08 16 25 30 33 38 42 46
 1267) **Tinthia hoplisiformis** (Mann,1864) (Sesiidae) *hoplisiformis* Mann,1864 01 05 16 46 47 65 73
 1268) **Tinthia myrmosaeformis** (Herrich-Schäffer,1846) (Sesiidae) *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856. 01 05 06 16 33 36 39 42 46 50
 1269) **Tinthia tineiformis** (Esper,[1789]) (Sesiidae) *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794. 10 16 35 46
 65
 1270) **Acherontia atropos** (Linnaeus,1758) (Sphingidae) *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877. 06 17 35 36 46
 1271) **Akbesia davidi** (Oberthür,1884) (Sphingidae) *davidi* Oberthür,1884 01 27 30 31 33 46 63 65 73
 1272) **Daphnis nerii** (Linnaeus,1758) (Sphingidae) *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934. 07 09 30 33 34 35 42 46
 1273) **Hemaris (Cochrania) croatica** (Esper,[1779]) (Sphingidae) *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911. 05 06 13 16 30 33 42 44 45 46 50 60 65 71
 1274) **Hemaris (s.str.) dentata** (Staudinger,1887) (Sphingidae) *dentata* Staudinger,1887 02 07 23 27 31 32 46 51
 1275) **Hemaris (s.str.) syra** (Daniel,1939) (Sphingidae) *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005 05 12 16 30 36 46 60
 1276) **Hyles conspicua** (Rothschild & Jordan,1903) (Sphingidae) *conspicua* Rothschild & Jordan,1903. 01 05 06 07
 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
 1277) **Hyles hippophaes** (Esper,[1789]) (Sphingidae) *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafikis,1974. 06 19 23 25 30 36 44 46 50 62 65 71
 1278) **Hyles livornica** (Esper,[1780]) (Sphingidae) *livornica* Esper,[1780]; *koehlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. 01 05 06 07 09 16 17 19 23 30 33 34 35 36 45 46 47 53 58 60 61 63 73
 1279) **Hyles siehei** (Püngeler,1903) (Sphingidae) *siehei* Püngeler,1903; *#privata* Austaut,1905. 38 42 46 71
 1280) **Laothoe populeti** (Bienert,[1870]) (Sphingidae) *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. 05 06 12 25 30 32 36 42 44 46 53 60 65 71
 1281) **Macroglossum stellatarum** (Linnaeus,1758) (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. 01 05 06 09 10 11 14 16 17 21 25 33 35 36 38 45 46 55 58 60 65 71
 1282) **Marumba quercus** ([Denis & Schiffermüller],1775) (Sphingidae) *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. 01 05 06 07 10 12 19 30 42 46 47 62 65 73
 1283) **Neopterodonta gorgoniades** (Hübner,[1819]) (Sphingidae) *gorgon* Esper,[1804] (*praeocc.*); *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974. 05 16 33 46 50 60
 1284) **Rethera komarovi** (Christoph,1885) (Sphingidae) *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937 05 06 23 30 36 42 46 60 65
 71
 1285) **Smerinthus kindermanni** Lederer,1852 (Sphingidae) *kindermanni* Lederer,1852; *#obscura* Closs,1917 06 22
 23 25 30 42 46 58 60 63 65 76
 1286) **Sphinx pinastri** Linnaeus,1758 (Sphingidae) *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987. 05
 06 15 17 19 32 36 42 46 60

- 1287) **Theretra alecto (Linnaeus,1758)** (Sphingidae) *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941. 07 10 16 33 34 35 46
- 1288) **Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) *wilkinsoni* Tams,1925 01 02 07 09 20 27 31 33 35 46
- 1289) **Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) *solitaria* Freyer,[1838] 05 07 16 27 31 33 34 35 42 45 46 60 63
- 1290) **Polyploca korbi Rebel,1901** (Thyatiridae) *korbi* Rebel,1901 06 07 31 33 42 46 64 73
- 1291) **Tethea ocularis (Linnaeus,1767)** (Thyatiridae) *ocularis* Linnaeus,1767; *octogena* Esper,1788 03 06 12 13 14 15 17 19 32 36 37 42 43 46 50 60 62 65 71
- 1292) **Tethea or ([Denis & Schiffermüller],1775)** (Thyatiridae) *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911 14 24 25 36 46 55 60 61
- 1293) **Thyris fenestrella (Scopoli,1763)** (Thyridae) *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910. 05 16 33 34 46 60
- 1294) **Ateliotum taurensis Zagulyaev,1966** (Tineidae) *taurensis* Zagulyaev,1966 46
- 1295) **Cephimallota crassiflavella (Bruand,1851)** (Tineidae) *crassiflavella* Bruand,1851; *simplicella* Zeller,1852. 42 46
- 1296) **Cephimallota praetoriella (Christoph,1872)** (Tineidae) *praetoriella* Christoph,1872; *uralskella* Caradja,1920. 46
- 1297) **Ceratuncus affinitellus (Rebel,1901)** (Tineidae) *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951. 33 38 42 46 47
- 1298) **Episcardia (Bilobatana) fuscoviolacella (Ragonot,1895)** (Tineidae) *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935. 01 31 42 46 47
- 1299) **Episcardia (s.str.) lardatella (Lederer,1858)** (Tineidae) *lardatella* Lederer,1858 31 44 46
- 1300) **Euplocamus anthracinalis (Scopoli,1763)** (Tineidae) *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffermüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *amanalis* Osthelder,1935. 05 16 33 35 46 61
- 1301) **Fermocelina latiusculella (Stainton,1867)** (Tineidae) *latiusculella* Stainton,1867 16 33 38 42 46
- 1302) **Hapsifera luridella Zeller,1847** (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 01 05 06 16 22 27 31 42 46 65 71 76
- 1303) **Hapsifera multiguttella (Ragonot,1895)** (Tineidae) *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935. 31 42 46
- 1304) **Infurcitinea nigropluviella (Walsingham,1907)** (Tineidae) *nigropluviella* Walsingham,1907; *maraschensis* G.Petersen,1968. 34 46 71
- 1305) **Monopis imella (Hübner,[1813])** (Tineidae) *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960. 05 16 35 46 76
- 1306) **Nemapogon granella (Linnaeus,1758)** (Tineidae) *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (*praeocc.*); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscocomaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscicomella* Wörz,1958 05 16 46
- 1307) **Nemapogon kasyi Gaedike,1986** (Tineidae) *kasyi* Gaedike,1986. 46 71
- 1308) **Neurothaumasia ankerella (Mann,1867)** (Tineidae) *ankerella* Mann,1867; *burdigalensis* Le Marchand,1934; *tirsella* Amsel,1951. 01 07 31 46
- 1309) **Perissomastix (Aphrodoxa) wiltshirella (G.Petersen,1964)** (Tineidae) *wiltshirella* G.Petersen,1964 46
- 1310) **Petalographis orientalis (G.Petersen,1961)** (Tineidae) *orientalis* G.Petersen,1961 46 51 55
- 1311) **Rhodobates laevigatellus (Herrich-Schäffer,[1854])** (Tineidae) *laevigatellus* Herrich-Schäffer,[1854]. 05 06 24 27 33 38 42 44 46 71
- 1312) **Tinea columbariella Wocke,1877** (Tineidae) *columbariella* Wocke,1877 46
- 1313) **Tinea pellionella Linnaeus,1758** (Tineidae) *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] *nec* Thunberg,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978. 05 16 46 48 76
- 1314) **Tineola bisselliella (Hummel,1823)** (Tineidae) *flavifrontella* Thunberg,1794 *nec* [Denis & Schiff.],1775; *bisselliella* Hummel,1823; *crinella* Sodoffsky,1830; *destructor* Stephens,1834; *lanariella* Clemens,1859; *furciferella* Zagulyaev,1954. 46
- 1315) **Acleris hastiana (Linnaeus,1758)** (Tortricidae) *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,[1799]; *albistriana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,[1813]; *divisana* Hübner,[1813]; *combustana* Hübner,[1813]; *autumnana* Hübner,[1817]; *bollingerana* Hübner,[1825]; *veterana* Hübner,[1825]; *leprosana* Frölich,1828; *mayrana* Geyer,[1833]; *ramostriana* Stephens,1834; *centrovittana* Stephens,1834; *subcristana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863. 46
- 1316) **Acleris osthelderi Obratzov,1949** (Tortricidae) *osthelderi* Obratzov,1949 46
- 1317) **Acleris permutana (Duponchel,1836)** (Tortricidae) *permutana* Duponchel,1836; *permutatana* Herrich-Schäffer,1851. 16 46
- 1318) **Acleris undulana (Walsingham,1900)** (Tortricidae) *undulana* Walsingham,1900; *coprana* Walsingham,1900; *aphorista* Meyrick,1923; *subcoprana* Obratzov,1956 07 46
- 1319) **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana*

- Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851. 05 06 15 16 32 35 42 44 46 61
- 1320) **Aethes bilbaensis (Rössler,1877)** (Tortricidae) *bilbaensis* Rössler,1877; *loxoapteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923. 05 06 46 71
- 1321) **Aethes eryngiella (Vallot,1829)** (Tortricidae) *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952. 01 06 42 46
- 1322) **Aethes margarotana (Duponchel,1836)** (Tortricidae) *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *scabidulana* Lederer,1855; *capnospila* Meyrick,1912; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932. 05 06 16 31 35 42 46 54 71
- 1323) **Aethes moribundana (Staudinger,1859)** (Tortricidae) *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924. 05 16 46 65 71
- 1324) **Aethes smeathmanniana (Fabricius,1781)** (Tortricidae) *smeathmanniana* Fabricius,1781; *fabriciana* Hübner,[1799]; *biviana* Duponchel,1842; *stachydana* Herrich-Schäffer,1851; *scissana* Walker,1863. 16 42 46
- 1325) **Aethes speciosa Razowski,1962** (Tortricidae) *speciosa* Razowski,1962 46
- 1326) **Aethes tornella (Walsingham,1898)** (Tortricidae) *tornella* Walsingham,1898 05 06 16 46
- 1327) **Aethes williana (Brahm,1791)** (Tortricidae) *williana* Brahm,1791; *cembrana* Hübner,[1825]; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926. 05 16 35 42 46
- 1328) **Aleimma loeflingianum (Linnaeus,1758)** (Tortricidae) *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypa* Hübner,[1800]; *plumbeolana* Haworth,1811 05 06 16 17 22 32 42 46 71 81
- 1329) **Aphelia (Zelotheres) (ochreana Hübner,[1799])** (Tortricidae) *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obraztsov,1957 05 16 30 42 46 65 71
- 1330) **Archips podanus (Scopoli,1763)** (Tortricidae) *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903. 01 05 14 16 17 25 34 39 41 42 46 71 81
- 1331) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) *lancealana* Hübner,[1799]; *lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852 05 06 16 34 46
- 1332) **Ceratoxanthia argentomixtana (Staudinger,1870)** (Tortricidae) *argentomixtana* Staudinger,1870 32 46
- 1333) **Cnephasia (Cnephasiella) incertana (Treitschke,1835)** (Tortricidae) *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistanana* Amsel,1955; *atticana* Razowski,1958 05 34 38 42 44 46
- 1334) **Cnephasia (s.str.) cupressivorana (Staudinger,1871)** (Tortricidae) *cupressivorana* Staudinger,1871; *appenicola* Obraztsov,1950; *orthoxyana* Réal,1951; *confluentana* Réal,1951 16 39 46
- 1335) **Cnephasia (s.str.) maraschana Caradja,1916** (Tortricidae) *maraschana* Caradja,1916 46
- 1336) **Cnephasia (s.str.) osthelderi Obraztsov,1950** (Tortricidae) *osthelderi* Obraztsov,1950 46
- 1337) **Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965 06 38 46
- 1338) **Cnephasia (s.str.) tianshanica Filipjev,1934** (Tortricidae) *tianshanica* Filipjev,1934; *osthelderi* Obraztsov,1950; *sareptana* Razowski,1959; *alatauana* Razowski,1961. 46 71
- 1339) **Cnephasia (s.str.) tristrami (Walsingham,1900)** (Tortricidae) *tristrami* Walsingham,1900 06 46
- 1340) **Cnephasia (s.str.) virginana (Kennel,1899)** (Tortricidae) *virginana* Kennel,1899; *maraschana* Caradja,1916. 46 47
- 1341) **Cochyliomorpha diana (Kennel,1899)** (Tortricidae) *diana* Kennel,1899; *iraniana* Razowski,1963. 06 42 44 46 47 58 65 76
- 1342) **Cochyliomorpha meridiana (Staudinger,1859)** (Tortricidae) *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919. 05 06 38 42 46
- 1343) **Cochyliomorpha nodulana (Möschler,1862)** (Tortricidae) *nodulana* Möschler,1862 46 76
- 1344) **Cochyliomorpha straminea (Haworth,[1811])** (Tortricidae) *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. 05 06 16 33 35 46
- 1345) **Cochylis posterana Zeller,1847** (Tortricidae) *posterana* Zeller,1847; *nubivagana* Zerny,1935; *hyrcana* Toll,1947. 01 05 14 15 16 38 42 46
- 1346) **Cydia alienana Caradja,1916** (Tortricidae) *alienana* Caradja,1916; *pfeifferi* Rebel,1935 33 46
- 1347) **Cydia pomonella (Linnaeus,1758)** (Tortricidae) *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859 01 05 08 16 24 25 27 32 34 36 42 45 46 51 65 71
- 1348) **Cydia ulicetana (Haworth,[1811])** (Tortricidae) *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865. 03 06 46
- 1349) **Diceratura ostrinana (Guenée,1845)** (Tortricidae) *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851]. 16 46
- 1350) **Diceratura roseofasciana (Mann,1855)** (Tortricidae) *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963. 01 05 06 16 42 46
- 1351) **Endothenia nigricostana (Haworth,[1811])** (Tortricidae) *nigricostana* Haworth,[1811]; *squalidana* Herrich-Schäffer,[1851]; *remyana* Herrich-Schäffer,[1851]; *illepidana* Kennel,1901. 01 46
- 1352) **Endothenia oblongana (Haworth,[1811])** (Tortricidae) *oblongana* Haworth,[1811]; *sellana* Frölich,1828. 16 42 46

- 1353) **Epinotia festivana** (Hübner,[1799]) (Tortricidae) *festivana* Hübner,[1799] 05 06 14 16 46 65 71
 1354) **Epinotia thapsiana** (Zeller,1847) (Tortricidae) *thapsiana* Zeller,1847 03 05 16 35 45 46 71
 1355) **Eucosma albidulana** (Herrich-Schäffer,[1851]) (Tortricidae) *albidulana* Herrich-Schäffer,[1851] 46
 1356) **Eucosma coagulana** (Kennel,1901) (Tortricidae) *coagulana* Kennel,1901 46 76
 1357) **Eucosma fulvana** (Stephens,1834) (Tortricidae) *fulvana* Stephens,1834 46
 1358) **Eucosma tetraplana** (Möschler,1866) (Tortricidae) *tetraplana* Möschler,1866 46 76
 1359) **Fulvoclysia pallorana** (Lederer,1864) (Tortricidae) *pallorana* Lederer,1864; *armeniaca* Obratzov,1943. 29
 46
 1360) **Fulvoclysia subdolana** (Kennel,1901) (Tortricidae) *subdolana* Kennel,1901; *subflavana* Amsel,1959 01 46 76
 1361) **Grapholita caecana** (Schläger,1847) (Tortricidae) *caecana* Schläger,1847; *obcaecana* Ragonot,1876 05 16 42
 46 71
 1362) **Grapholita difficilana** (Walsingham,1900) (Tortricidae) *difficilana* Walsingham,1900; *difficilana* Kennel,1901
 46
 1363) **Gypsonoma aceriana** (Duponchel,1843) (Tortricidae) *aceriana* Duponchel,1843 42 46
 1364) **Hedya pruniana** (Hübner,[1799]) (Tortricidae) *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849 03 05 14
 16 27 33 42 45 46 71 81
 1365) **Kenneliola fagiglandana** (Zeller,1841) (Tortricidae) *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana*
Zeller,1841. 14 34 46 71 81
 1366) **Lobesia (s.str.) attributana** (Kennel,1901) (Tortricidae) *attributana* Kennel,1901 46
 1367) **Lobesia (s.str.) porrectana** (Zeller,1847) (Tortricidae) *porrectana* Zeller,1847 15 46
 1368) **Notocelia trimaculana** (Haworth,[1811]) (Tortricidae) *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
 03 06 14 16 46
 1369) **Notocelia uddmanniana** (Linnaeus,1758) (Tortricidae) *uddmanniana* Linnaeus,1758 01 05 06 14 16 21 46 53
 81
 1370) **Olethreutes (Argyroploce) pfeifferiana** Obratzov,1961 (Tortricidae) *pfeifferiana* Obratzov,1961 46
 1371) **Pammene pullana** Kuznetsov,1986 (Tortricidae) *pullana* Kuznetsov,1986 46
 1372) **Pelochrista medullana** (Staudinger,1880) (Tortricidae) *medullana* Staudinger,1880 01 05 14 16 33 35 46
 1373) **Phalonidia amasiana** (Ragonot,1894) (Tortricidae) *amasiana* Ragonot,1894 05 46
 1374) **Phalonidia contractana** (Zeller,1847) (Tortricidae) *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata*
Meyrick,1923; thermoconis Meyrick,1925. 05 06 15 16 42 46 71
 1375) **Phalonidia manniana** (Fischer v. Röslerstamm,1839) (Tortricidae) *manniana* Fischer v. Röslerstamm,1839;
notulana Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960. 16 35 42 46
 1376) **Phtheochroa osthelderi** Huemer,1990 (Tortricidae) *osthelderi* Huemer,1990 46
 1377) **Phtheochroa procerana** (Lederer,1853) (Tortricidae) *procerana* Lederer,1853 42 46
 1378) **Sparganothis pilleriana** ([Denis & Schiffermüller],1775) (Tortricidae) *pilleriana* [Denis & Schiffermüller],1775
 01 05 16 32 33 46 48 50
 1379) **Trachysmia lucentana** (Kennel,1899) (Tortricidae) *lucentana* Kennel,1899 46
 1380) **Argyresthia (s.str.) spinosella** Stainton,1849 (Yponomeutidae) *mendica* auct; *spinosella* Stainton,1849. 16 42
 46
 1381) **Atemelia torquatella** (Lienig & Zeller,1846) (Yponomeutidae) *torquatella* Lienig & Zeller,1846; *fuscifrontella*
Stainton,1849 05 16 46
 1382) **Digitivalva (Inuliphila) wolfschlaegeri** (Klimesch,1956) (Yponomeutidae) *wolfschlaegeri* Klimesch,1956 46
 1383) **Niphonympha albella** (Zeller,1847) (Yponomeutidae) *albella* Zeller,1847; *dealbatella* Zeller,1847; *immaculanella*
Bruand,1850; cignivicinella Bruand,1859 06 31 46
 1384) **Ypsolopha kristalleniae** Rebel,1916 (Yponomeutidae) *kristalleniae* Rebel,1916 46
 1385) **Adscita (s.str.) obscura** (Zeller,1847) (Zygaenidae) *obscura* Zeller,1847; *anceps* Staudinger,1862. 05 06 12 16
 31 33 35 36 38 42 46 50 51 63 65 71 80
 1386) **Jordanita (Praviela) anatolica** (Naufock,1929) (Zygaenidae) *anatolica* Naufock,1929; *levantina* Jordan,1931;
pfeifferi Naufock,1935; ? *christinae* Keil,1998. 13 23 27 30 33 42 44 46 47 63 65
 1387) **Rhagades (Wiegelia) amasina** (Herrich-Schäffer,1851) (Zygaenidae) *amasina* Herrich-Schäffer,1851 01 03
 05 09 17 33 35 45 46 51 63
 1388) **Theresimima ampelophaga** (Bayle-Barelle,1808) (Zygaenidae) *ampelophaga* Bayle-Barelle,1808;
#ampelophaga Staudinger,1878. 07 16 35 46
 1389) **Zygaena (Agrumenia) carniolica** (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14
 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
 1390) **Zygaena (Mesembrynus) laeta** (Hübner,1790) (Zygaenidae) *laeta* Hübner,1790 05 06 11 13 16 25 38 42 46
 58 66
 1391) **Zygaena (s.str.) amanica** Reiss,1935 (Zygaenidae) *amanica* Reiss,1935 31 46
 1392) **Zygaena (s.str.) graslini** Lederer,1855 (Zygaenidae) *graslini* Lederer,1855 33 46
 1393) **Zygaena (s.str.) senescens** Staudinger,1887 (Zygaenidae) *senescens* Staudinger,1887 01 46
 1394) **Zygaena (s.str.) viciae** ([Denis & Schiffermüller],1775) (Zygaenidae) *viciae* [Denis & Schiffermüller],1775;
meliloti Esper,1789; *buglossi* Boisduval,1829 06 08 13 18 24 25 28 31 38 46 49 58 60 71 76

Priamus⁴**ISSN 1015-8243**

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, and appears in volumes at irregular intervals. Each volume is composed of four or six parts.

The serial serves as a refereed publication outlet and accepts original manuscripts of the researchers of the Cesa. Articles accepted deal with the Insect taxonomy, nomenclature, morphology, bibliography, check-list, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The Cesa is a non-profit organization, no royalties will be paid to the authors of contributions. Papers accepted become the copyright of the journal. The publication languages are Turkish, English, German, Uighur language, and Chinese.

Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁵, Miscellaneous Papers (ISSN 1015-8235)⁶, Memoirs (ISSN-8227)⁷ DVD Films⁸, Iconographia Insectorum⁹

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey.

e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

⁴ <http://www.cesa-tr.org/Priamus.htm>⁵ <http://www.members.tripod.com/entcesa/Pri.htm>⁶ <http://www.cesa-tr.org/Miscell.htm>⁷ <http://www.cesa-tr.org/Memoirs.htm>⁸ <http://www.cesa-tr.org/CDF.htm>⁹ <http://www.cesa-tr.org/Icon.htm>